

# NEW LINES

## COMFORT PLUS | ALLROAD PLUS 4 | ALLROAD EXA 4



 **efco®**  
our **power**, your **passion**

**NEW LINES**  
**COMFORT PLUS | ALLROAD PLUS 4 | ALLROAD EXA 4**







index	COMFORT PLUS	4
	ALLROAD PLUS 4	8
	ALLROAD EXA 4	12

A NEW COMPLETE LINE,  
distinguished by its styling, practicality and reliability:  
a convincing response to a wide range of requirements,  
from occasional home lawn care to the needs of the  
most demanding users. This comprehensive performance  
is combined with the maximum versatility of use thanks  
to the **“4 cutting device”** system, present in the  
ALLROAD PLUS 4 and ALLROAD EXA 4 lines, which makes  
it possible to switch from rear discharge to mulching  
operation or side discharge in a matter of seconds.



# NEW “COMFORT PLUS” SERIES STEEL LAWNMOWERS

MACHINES FOR HOME USERS CARING FOR LARGER SIZE LAWNS WITH SPECIAL ATTENTION DEVOTED TO ERGONOMIC SOLUTIONS AND FUNCTIONAL DESIGN.

Features of **COMFORT PLUS** lawnmower models:

- plastic and fabric grass catcher;
- wheels with new design and tread profile, mounted on bearings for smoother running of the machine;
- independent cutting height adjustable on each wheel or centralised adjustment for self-propelled models;
- ergonomic clutch and engine brake levers to ensure a secure grip and easy operation at all times;
- standard mulching blade to chop clippings into fine fragments, reducing their volume in the 70 litre grass catcher;
- discharge closing plug to convert the machine to mulch-only operation, available as an optional extra for models 48 and 53. Thanks to this system the grass is repeatedly shredded into a superfine particulate that is spread evenly over the turf. The shredded cuttings decompose rapidly and are transformed into a natural fertiliser that supplies vital organic nutrients for a healthy lawn.



# PERFORMANCE, TECHNICAL SOLUTIONS, EASE OF USE AND COMFORT.



■ EMAK and Briggs & Stratton 4-stroke engines, designed using advanced technology that guarantees easy starting and optimum performance, reliability and durability.



■ The mulching blade supplied as standard and the streamlined deck ensure optimal cutting efficiency and perfect feed to the grass catcher.



■ The rugged and ergonomic plastic levers completely embrace the handlebar to ensure a comfortable and positive grip.



series *comfort* <sup>plus</sup>



■ Easy conversion to mulching operation without the use of tools: remove the grass catcher and fit the optional mulching plug.



■ Strong and versatile 70 L capacity plastic and fabric grass catcher (can be assembled without tools) with a full-bag indicator.



# NEW COMFORT PLUS SERIES STEEL LAWNMOWERS .

series **comfort** *plus*

## LR 44 PK COMFORT PLUS

. Deck	steel
. Displacement	140 cm <sup>3</sup>
. Engine make/model	Emak K 500 OHV
. Cutting width	41 cm
. Propulsion	push-type
. Cutting adjustment	independent
. Cutting height	from 28 to 75 mm
. Grass box capacity	70 L
. Weight	27.0 Kg



## LR 44 PB COMFORT PLUS

. Deck	steel
. Displacement	158 cm <sup>3</sup>
. Engine make/model	Briggs & Stratton 500 series
. Cutting width	41 cm
. Propulsion	push-type
. Cutting adjustment	independent
. Cutting height	from 28 to 75 mm
. Grass box capacity	70 L
. Weight	23.6 Kg



## LR 48 PK COMFORT PLUS

. Deck	steel
. Displacement	140 cm <sup>3</sup>
. Engine make/model	Emak K 500 OHV
. Cutting width	46 cm
. Propulsion	push-type
. Cutting adjustment	independent
. Cutting height	from 28 to 75 mm
. Grass box capacity	70 L
. Weight	25.4 Kg



## LR 48 PBQ COMFORT PLUS

. Deck	steel
. Displacement	158 cm <sup>3</sup>
. Engine make/model	Briggs & Stratton 550 series
. Cutting width	46 cm
. Propulsion	push-type
. Cutting adjustment	independent
. Cutting height	from 28 to 75 mm
. Grass box capacity	70 L
. Weight	25.7 Kg



# . TECHNICAL DATA .



## LR 48 TBQ COMFORT PLUS

. Deck	steel
. Displacement	158 cm <sup>3</sup>
. Engine make/model	Briggs & Stratton 550 series
. Cutting width	46 cm
. Propulsion (speed)	self-propelled (3.6 km/h)
. Cutting adjustment	central
. Cutting height	from 28 to 75 mm
. Grass box capacity	70 L
. Weight	30.1 Kg



## LR 48 TBX COMFORT PLUS

. Deck	steel
. Displacement	190 cm <sup>3</sup>
. Engine make/model	Briggs & Stratton 625 series
. Cutting width	46 cm
. Propulsion (speed)	self-propelled (3.6 km/h)
. Cutting adjustment	central
. Cutting height	from 28 to 75 mm
. Grass box capacity	70 L
. Weight	31.0 Kg



## LR 53 TBX COMFORT PLUS

. Deck	steel
. Displacement	190 cm <sup>3</sup>
. Engine make/model	Briggs & Stratton 625 series
. Cutting width	51 cm
. Propulsion (speed)	self-propelled (3.6 km/h)
. Cutting adjustment	central
. Cutting height	from 28 to 75 mm
. Grass box capacity	70 L
. Weight	34.0 Kg





# NEW “ALLROAD PLUS 4” SERIES STEEL LAWNMOWERS

THE **ALLROAD PLUS 4** LINE OF STEEL DECK LAWNMOWERS, IN 46 AND 51 CM SIZES, FEATURE A **4 CUTTING DEVICE** SYSTEM THAT, IN ADDITION TO GRASS COLLECTION, OFFERS A MULCHING AND SIDE DISCHARGE FUNCTION. EQUIPPED WITH LARGE DIAMETER WHEELS, THESE MODELS COMBINE THE STRENGTH OF OUR STEEL DECK MODELS WITH SMOOTHER RUNNING ACTION, EVEN ON ROUGH TERRAIN.

The main features include:

- side discharge as standard simply by opening the side tunnel and inserting the grass discharge deflector;
- large size wheels: 200 mm for the front and 280 mm for the rear. This configuration gives smoother movement on rough terrain and enhanced manoeuvrability of the machine;
- new ergonomic plastic engine brake and clutch levers for a secure and comfortable grip at all times;
- cutting height adjustment lever (5 positions) featuring reinforced, ergonomic construction;
- front bumper for protection against impact (except for Emak engine version);
- mulching plug supplied as standard.





# PERFORMANCE, TECHNICAL SOLUTIONS, EASE OF USE AND COMFORT .



■ Front bumper with integrated carry handle (B&S and Honda models) providing greater protection of the deck against accidental impact.



■ “4-cutting device”: cutting system that includes mulching, collection and side discharge as standard, with deflector for rear discharge.



■ The mulching blade supplied as standard and the streamlined deck ensure optimal cutting efficiency and perfect feed to the grass catcher.



series **allroad** plus 4



■ Strong and versatile 70 L capacity plastic and fabric grass catcher (can be assembled without tools) with full-bag indicator.



■ Large size wheels (280 mm rear and 200 mm front) with ball bearings and new tread profile for smoother movement, optimal traction on all types of terrain and enduring quality through time.

# NEW ALLROAD PLUS 4 SERIES STEEL LAWNMOWERS

series  
**allroad** *plus4*

## LR 48 TK ALLROAD PLUS 4

. Deck	steel
. Displacement	159 cm <sup>3</sup>
. Engine make/model	Emak K 650 OHV
. Cutting width	46 cm
. Propulsion (speed)	self-propelled (3.6 km/h)
. Cutting adjustment	central
. Cutting height	from 28 to 75 mm
. Grass box capacity	70 L
. Weight	32.0 Kg



## LR 48 TBR ALLROAD PLUS 4

. Deck	steel
. Displacement	140 cm <sup>3</sup>
. Engine make/model	Briggs & Stratton 575 EX series
. Cutting width	46 cm
. Propulsion (speed)	self-propelled (3.6 km/h)
. Cutting adjustment	central
. Cutting height	from 28 to 75 mm
. Grass box capacity	70 L
. Weight	30.0 Kg



## LR 53 TBX ALLROAD PLUS 4

. Deck	steel
. Displacement	190 cm <sup>3</sup>
. Engine make/model	Briggs & Stratton 625 series
. Cutting width	51 cm
. Propulsion (speed)	self-propelled (3.6 km/h)
. Cutting adjustment	central
. Cutting height	from 28 to 75 mm
. Grass box capacity	70 L
. Weight	34.0 Kg





# . TECHNICAL DATA .



## LR 53 TK ALLROAD PLUS 4

. Deck	steel
. Displacement	196 cm <sup>3</sup>
. Engine make/model	Emak K 800 OHV
. Cutting width	51 cm
. Propulsion (speed)	self-propelled (3.6 km/h)
. Cutting adjustment	central
. Cutting height	from 28 to 75 mm
. Grass box capacity	70 L
. Weight	33.8 Kg



## LR 53 THX ALLROAD PLUS 4

. Deck	steel
. Displacement	160 cm <sup>3</sup>
. Engine make/model	Honda GCV 160-A2
. Cutting width	51 cm
. Propulsion (speed)	self-propelled (3.6 km/h)
. Cutting adjustment	central
. Cutting height	from 28 to 75 mm
. Grass box capacity	70 L
. Weight	34.0 Kg





# NEW “ALLROAD EXA 4” SERIES STEEL LAWNMOWERS

THE TOP-OF-THE-RANGE STEEL DECK LAWNMOWERS IN THE NEW **ALLROAD EXA 4** SERIES FEATURE ALL THE NECESSARY DEVICES TO MAKE THE LAWN CARE DUTIES OF DEMANDING HOME USERS MORE COMFORTABLE, VERSATILE AND EFFICIENT. AS WELL AS CONVENTIONAL REAR GRASS COLLECTION IT PROVIDES THE ADDED VERSATILITY OF SIDE DISCHARGE FOR CUTTING ALONGSIDE DITCHES OR ROWS OF PLANTS. THE MODERN DESIGN GOES HAND-IN-HAND WITH MAXIMUM CONVENIENCE THANKS TO THE NEW CUTTING HEIGHT ADJUSTMENT SYSTEM AND HANDLEBAR THAT CAN BE ADJUSTED ACCORDING TO THE OPERATOR'S HEIGHT.

The main features include:

- new ergonomic handlebar with central articulation: can be adjusted in accordance with the user's height;
- handy release levers that enable the handlebar to be fully folded back on itself, for easier storage;
- new cutting height adjustment system with comfortable grip: the adjustment procedure is therefore quick, easy, and effortless, even for less expert users;
- new grass catcher in plastic and fabric, equipped with full-bag indicator;
- new large-sized wheels (200 mm front, 280 mm rear) with special tread giving perfect grip on sloping or broken ground: perfect traction ensured;
- front bumper with carry handle.





# . PERFORMANCE, TECHNICAL SOLUTIONS, EASE OF USE AND COMFORT .



■ Centralised cutting height adjustment device controlled by a rugged and ergonomic handle; provides 5 different height positions that can be selected easily and effortlessly from a minimum of 28 mm to a maximum of 75 mm.



■ Large size wheels (280 mm rear and 200 mm front) with ball bearings and new tread profile for smoother movement, optimal traction on all types of terrain and enduring quality through time.



■ “4-cutting device”: cutting system that includes mulching, collection and side discharge as standard, with deflector for rear discharge.



series **allroad** EXA 4



■ Storing the lawnmower:

- folding and articulated handlebar to reduce overall dimensions;
- quick release side levers to facilitate tilting and folding of the handlebar;
- two carry handles (on front bumper and central cutting height adjustment section) to make easy work of lifting the lawnmower.



■ Innovative and ergonomic handlebar with new style control panel fitted as standard:

- quick release side levers to facilitate tilting and folding of the handlebar;
- all control cables are concealed inside the handlebar;
- central aluminium joint used to customise the handle height rapidly and without tools to suit the needs of the user.

# NEW ALLROAD EXA 4 SERIES STEEL LAWNMOWERS

series  
**allroad** *exa4*

## LR 48 TBX ALLROAD EXA 4

. Deck	steel
. Displacement	190 cm <sup>3</sup>
. Engine make/model	Briggs & Stratton 625 series
. Cutting width	46 cm
. Propulsion (speed)	self-propelled (3.6 km/h)
. Cutting adjustment	central
. Cutting height	from 28 to 75 mm
. Grass box capacity	70 L
. Weight	35.0 Kg



## LR 48 TK ALLROAD EXA 4

. Deck	steel
. Displacement	159 cm <sup>3</sup>
. Engine make/model	Emak K 650 OHV
. Cutting width	46 cm
. Propulsion (speed)	self-propelled (3.6 km/h)
. Cutting adjustment	central
. Cutting height	from 28 to 75 mm
. Grass box capacity	70 L
. Weight	35.0 Kg





# . TECHNICAL DATA .



## LR 53 TBX ALLROAD EXA 4

. Deck	steel
. Displacement	190 cm <sup>3</sup>
. Engine make/model	Briggs & Stratton 650 series
. Cutting width	51 cm
. Propulsion (speed)	self-propelled (3.6 km/h)
. Cutting adjustment	central
. Cutting height	from 28 to 75 mm
. Grass box capacity	70 L
. Weight	36.0 Kg



## LR 53 TK ALLROAD EXA 4

. Deck	steel
. Displacement	196 cm <sup>3</sup>
. Engine make/model	Emak K 800 OHV
. Cutting width	51 cm
. Propulsion (speed)	self-propelled (3.6 km/h)
. Cutting adjustment	central
. Cutting height	from 28 to 75 mm
. Grass box capacity	70 L
. Weight	36.0 Kg



## LR 53 THX ALLROAD EXA 4

. Deck	steel
. Displacement	160 cm <sup>3</sup>
. Engine make/model	Honda GCV 160-A2
. Cutting width	51 cm
. Propulsion (speed)	self-propelled (3.6 km/h)
. Cutting adjustment	central
. Cutting height	from 28 to 75 mm
. Grass box capacity	70 L
. Weight	36.0 Kg



# NEW LINES

## COMFORT PLUS | ALLROAD PLUS 4 | ALLROAD EXA 4



It's an **Emak S.p.A.** trademark Member of the Yama Group  
42011 Bagnolo in Piano (RE) Italy  
Tel. +39 0522 956611 • Fax +39 0522 951555  
[info@myefco.com](mailto:info@myefco.com) • [www.myefco.com](http://www.myefco.com)