



In addition to testing in a controlled environment, every new Mitox® model is tested for performance and durability by professional users before launch, ensuring dependability in the harshest conditions.



Garden machinery is only as good as the support that comes with it, which is why we have a fully trained customer care team to assist our Mitox® dealers with all queries they may have on Mitox machinery.



Mitox® products are available from your local approved garden machinery specialists, chosen for their expert knowledge and service skills. You can find your local Mitox® approved dealer by visiting www.mitox.co.uk.



"MITOX® was built upon a set of core values. MITOX® offers unrivalled value for money, excellent performance and full aftersales support."

ABOUT US



MITOX® was introduced into the UK in 2005 and has since become one of the fastest growing and trusted garden machinery brands, earning popularity with homeowners and landowners who recognise the outstanding quality and value for money that MITOX® products deliver.

MITOX® products are available throughout the UK and Ireland via a comprehensive national network of service dealers. MITOX® Official Dealers have the knowledge and experience to help you choose the correct product for your needs, and will also provide expert after-sales assistance when your machinery requires servicing. MITOX® dealers are supported by a comprehensive, industry leading spare parts service with all spare parts typically delivered within 24 hours.

The MITOX® range of garden machinery continues to evolve and now includes a quality selection of grass trimmers, brushcutters, hedge trimmers, long reach hedge trimmers, multi-tools, pole pruners, chainsaws, wood splitters, blower vacs and much more.

All MITOX® products benefit from the latest technology in their design and manufacture, providing excellent ergonomics, outstanding performance and efficiency. Engineered for durability, all MITOX® products feature a comprehensive homeowner warranty as standard.

At MITOX® we aim to exceed our customers' expectations in providing reliable, value for money, powerful products, which continue to earn the MITOX® brand its excellent reputation.

Find out more online at www.mitox.co.uk

or follow us on Facebook:



facebook.com/MitoxGM



CHOOSING THE RIGHT MACHINE FOR THE TASK AT HAND...

From a small selection of handheld garden equipment the MITOX® range has evolved over the last 19 years and grown into a comprehensive collection of quality, durable and excellent value for money garden machinery.

The MITOX® range is divided into three distinct series: SP-SELECT, SELECT and PREMIUM to assist you in choosing the right machine for your requirements.

Whether you are an occasional user looking for a quality, reliable tool for infrequent jobs around the garden or a landowner who needs something for more demanding tasks, the MITOX® range is designed to offer a solution for every requirement.

Advanced technologies and innovations featured on MITOX® products retain the core values that the initial MITOX® range was founded: Quality, Performance and Value.

OUR PRODUCT RANGES



SP-SELECT



The MITOX® SP SELECT series provides a range of entry level garden machines at great value for money. Products in the SP-SELECT range are designed for occasional light homeowner use in small / medium sized gardens and are supplied with a 1 year domestic warranty. Unlike many other entry level garden tools, a full spare parts back-up is available



SELECT



MITOX® SELECT provides a step up in quality over the SP SELECT range with improved durability and functionality. Products in the MITOX® SELECT series feature comfort enhancing features such as ergonomic controls and reduced vibration levels making them comfortable to operate for extended periods whilst the 3 year* domestic warranty offers peace of mind.

*Subject to annual service





MITOX® PREMIUM provides a range of high quality garden machines with extra features for more demanding users. With high power output engines, our most effective anti-vibration systems, further enhanced ergonomics and helpful features such as easy start systems. PREMIUM machines are perfect for users demanding the highest levels of performance to tackle the toughest tasks efficiently and in comfort. Models in the PREMIUM range feature a 5 year* domestic warranty.

*Subject to annual service





SCAN TO VIEW USER MANUALS

We have introduced QR code labels on our machines which when scanned using the camera app on your smart phone or tablet, a digital version of the product manual will be displayed on the screen. This ensures that you always have instant access to a copy of the user manual wherever you are working.

NEW PRODUCTS & SPECIAL OFFERS

MITOX® are continuously focused on developing innovative garden tools using the latest technologies and manufacturing techniques which results in new products often being launched throughout the gardening season.

We run various Special Offers throughout the year right across our comprehensive range of gardening tools. The best way to ensure that you keep up to date with these deals, along with the latest news and details about new product launches is to visit our website at www.mitox.co.uk and follow us on Facebook at facebook.com/MitoxGM

FIND OUT MORE ABOUT OUR PRODUCTS

Using your smart phone or tablet, scan the QR codes located by the products you're interested in. You will then be taken to the product page on our website where you can find more information on the machine.

Need further information?

Find your local Official Dealer at www.mitox.co.uk





GRASS TRIMMERS & BRUSHCUTTERS

Mitox® brushcutters are all engineered to withstand tough challenges and to increase operator comfort, with high quality heat treated drive gears, solid steel drive shafts for durability over a long working life and efficient anti-vibration systems to reduce operator fatigue.

26L 270LX

25C-SP 25C 26L-SP 26U 43U 270UX 360UX 460UVX

Light homeowner use

Regular use - home/landowner

SP SELECT GRASS TRIMMER & BRUSHCUTTER SERIES

FULL CRANK ENGINES



Providing superior performance, lower vibration and longer service life, when compared to half crank (single bearing) engines, commonly used on low cost domestic garden machinery.

EASY STORAGE



Both models feature a split shaft design with a robust aluminium coupling for easy storage and transportation.

SIMPLE **STARTING**



The MITOX® engine features a primer bulb and choke for a simple starting procedure. Simply press the primer 7 times, turn the choke on and pull the recoil. Once the engine fires, turn off the choke and pull the recoil again to start the engine.

L₀₀P **HANDLE**



The 25C-SP and 26L-SP feature a loop handle for ease of use in trimming or edging positions. The 26L-SP also features a 'J' bar to protect the user when the 3 tooth blade is fitted.

25C-SP SP-SELECT

Simple grass trimmer for the domestic gardener

- 25.4cc 2-stroke engine
- Simple starting procedure
- Loop handle for comfort and precise trimming
- Split shaft system for easy transportation and storage
- Auto Bump-Feed nylon trimmer head







Art No: MIBC101

Value brushcutter for the domestic gardener

- With 3-tooth brushcutter blade for clearing thicker overgrowth
- Single strap shoulder harness for comfort
- Simple to start engine procedure
- Split shaft system for easy transportation and storage
- Auto Bump-Feed nylon trimmer head













Single Strap Harness

	25C-SP	26L-SP
Engine Type	Air Cooled 2-Stroke	Air Cooled 2-Stroke
Displacement / Power Output	25.4cc / 0.75 kW	25.4cc / 0.75 kW
Fuel Tank Capacity	0.65 litres	0.65 litres
Handle Type	Loop	Loop
Metal Blade	N/A	255mm/ 3 tooth
Trimmer Line	Ø 2.0mm	Ø 2.4mm
Fuel / Oil Mixture	40:1	40:1
Vibration - Highest Axis	5.0m/s ²	5.2m/s ²
Dry Weight	5.6kg	6.4kg

SELECT GRASS TRIMMER & BRUSHCUTTER

AUTO CHOKE SYSTEM



The choke control features set positions for cold and hot starting and automatically returns to idle when the throttle is pulled.

BUMP FEED HEAD



The auto bump feed nylon head supplies more trimmer line when it is required - simply tap the head on the ground when it is spinning to release more line.

ANTI-VIBRATION SYSTEM



All models are fitted with extra anti-vibration measures to reduce vibration transmitted to the users hands and arms, making extended periods of use more comfortable.

RELIABLE ENGINES



High performance, low emission engines, reduce fuel consumption, increase operator comfort and reduce running costs. All compliant to the latest emissions legislation.

ERGONOMIC SOFT GRIP CONTROLS



The soft grip handles are designed for user comfort, even over extended periods of work. The padded inserts further increase comfort and reduce vibration.

PEACE OF MIND



The Mitox® brand offers peace of mind, with its comprehensive 3 year homeowner warranty on SELECT products and a network of over 300 service dealers, all with access to next day spare parts support.

*subect to terms and conditions







26L SELECT Art No: MIBC81

Enhanced brushcutter for the domestic gardener

- With 3-tooth HD brushcutter blade for clearing dense overgrowth
- Single strap shoulder harness for comfort
- SmartPull recoil assist and auto-choke return system for effortless starting
- Straight shaft for increased reach
- Ergonomic controls with soft grip handles
- Auto Bump-Feed nylon trimmer head

Scan for








3-Tooth Blade



26U SELECT

Quality all round brushcutter for domestic gardeners

- Ergonomic bike handles for easy guiding of the brushcutter
- With 3-tooth HD brushcutter blade for clearing thicker overgrowth
- Twin shoulder strap shoulder harness for enhanced comfort
- SmartPull recoil assist and auto-choke return system for effortless starting









Twin Shoulder Strap Harness

43U SELECT

Art No: MIBC85

Powerful quality brushcutters for farm / landowners

- Powerful 42.7cc 2-stroke engine for more demanding tasks
- With 3-tooth HD brushcutter blade for clearing thicker overgrowth
- Twin shoulder strap shoulder harness for enhanced comfort
- SmartPull recoil assist and auto-choke return system for effortless starting
- Auto bump-feed trimmer head







3-Tooth Blade



Twin Shoulder Strap Harness

	25C	26L	26U	43U
Engine Type	Air Cooled 2-Stroke	Air Cooled 2-Stroke	Air Cooled 2-Stroke	Air Cooled 2-Stroke
Displacement / Power Output	25.4cc / 0.75 kW	25.4cc / 0.75 kW	25.4cc / 0.75 kW	42.7cc / 1.25 kW
Fuel Tank Capacity	0.60 litres	0.60 litres	0.60 litres	1.00 litre
Handle Type	Loop	Loop	Bike	Bike
Metal Blade	N/A	255mm/ 3 tooth HD	255mm/ 3 tooth HD	255mm/ 3 tooth HD
Trimmer Line	Ø 2.0mm	Ø 2.4mm	Ø 2.4mm	Ø 2.4mm
Fuel / Oil Mixture	40:1	40:1	40:1	40:1
Vibration - Highest Axis	5.4m/s ²	4.8m/s ²	5.5m/s ²	4.3m/s ²
Dry Weight	5.7kg	6.3kg	6.5kg	8.2kg

PREMIUM BRUSHCUTTER SERIES

AUTO CHOKE SYSTEM



The choke control features set positions for cold and hot starting and automatically returns to idle when the throttle is pulled.

USER COMFORT



The ergonomically shaped handles, with soft grip inserts, provide comfort over extended periods of use, and are fully adjustable to suit the operator's needs. Also, our bike handles feature a position for storage & transport.

EFFORTLESS STARTING



The effortless Soft Start recoil system reduces the force needed to start the engine to a gentle pull - even with just two fingers.

HEAVY DUTY GEARBOX



All models in the PREMIUM range are equipped with heavy duty gearboxes with heat treated gears. This ensures high levels of performance and durability even in the harshest of conditions.

PREMIUM ENGINES



The powerful PREMIUM range engines offer an exceptional power to weight ratio allowing any task to be tackled with ease. Well balanced and versatile, yet with up to 60% more power than the previous generation.

PEACE OF MIND



The Mitox® brand offers peace of mind, with its comprehensive 5 year homeowner warranty* on PREMIUM products and a network of over 300 service dealers, all with access to next day spare parts support.





270LX PREMIUM

Art No: MIBC121

Our most powerful loop handled brushcutter / trimmer in the range

- Premium 27.2cc air-cooled engine producing 1.0kW of power
- Soft Start recoil system allowing the engine to be started effortlessly
- Auto-choke return system
- Loop handle enabling precise trimming
- Ergonomic controls with soft grip handles
- Auto Bump-Feed nylon trimmer head and 3-tooth brushcutter blade







Tooth Blade



Single Strap Harness





- Wide comfortable handlebars with transport / storage position
- Includes Premium padded twin shoulder harness
- Excellent power to weight ratio
- Straight shaft for increased reach
- Ergonomic controls with soft grip handles
- Auto Bump-Feed nylon trimmer head and 3-tooth brushcutter blade



Accessories Included




Twin Shoulder Strap Harness

360UX PREMIUM

Art No: MIBC125

A powerful premium quality brushcutter for farm / landowners



- Heavy duty gearbox for maximum durability
- Ergonomic transport handles with transport / storage position
- Premium padded twin shoulder strap shoulder harness for enhanced comfort
- SmartPull recoil assist and auto-choke return system for effortless starting
- Auto bump-feed trimmer head







3-Tooth Blade



Twin Shoulder Strap Harness

460UX PREMIUM

Art No: MIBC129

Our most powerful premium quality brushcutter for farm / landowners

- 46.5cc engine producing 1.95kW of power of the toughest clearing jobs
- Bike handles with professional standard antivibration system
- Optimal balance of the machine due to the various harness mounting points
- SmartPull recoil assist and auto-choke return system for effortless starting
- Auto bump-feed trimmer head



Accessories Included



3-Tooth Blade



Twin Shoulder Strap Harness

	270LX	270UX	360UX	460UVX
Engine Type	Air Cooled 2-Stroke	Air Cooled 2-Stroke	Air Cooled 2-Stroke	Air Cooled 2-Stroke
Displacement / Power Output	27.2cc / 1.00 kW	27.2cc / 1.00 kW	36.3cc / 1.60 kW	46.5cc / 1.95 kW
Fuel Tank Capacity	0.70 litres	0.70 litres	1.00 litre	1.00 litre
Handle Type	Loop	Bike	Bike	Bike
Metal Blade	255mm/ 3 tooth HD			
Trimmer Line	Ø 2.4mm	Ø 2.4mm	Ø 2.4mm	Ø 2.4mm
Fuel / Oil Mixture	40:1	40:1	40:1	40:1
Vibration - Highest Axis	5.84m/s ²	5.94m/s ²	5.18m/s ²	4.17m/s ²
Dry Weight	5.7kg	5.9kg	8.2kg	8.7kg

GRASS TRIMMER & BRUSHCUTTER SPECIFICATIONS



			-	9
MODEL	25C-SP	25C	26L-SP	26L
Range	SP-SELECT	SELECT	SP-SELECT	SELECT
Part Number	MIBC100	MIBC80	MIBC101	MIBC81
Service Code	25C-SP	25C-a	26L-SP	26L-a
Engine	Mitox®	Mitox®	Mitox®	Mitox®
Displacement	25.4cc	25.4cc	25.4cc	25.4cc
Power	0.75kW	0.75kW	0.75kW	0.75kW
Carburettor	Mitox®	Mitox®	Mitox®	Mitox [®]
Weight	5.6kg	5.7kg	6.4kg	6.3kg
Sound Level	112dB(A)	113dB(A)	112dB(A)	113dB(A)
Vibration Level ¹	5.0m/s ²	5.4m/s ²	5.2m/s ²	4.8m/s ²
Spark Plug	Mitox [®]	Mitox®	Mitox®	Mitox [®]
Auto Choke	-	•	-	•
Trimmer Line Ø	2.0mm	2.0mm	2.4mm	2.4mm
Cutter Head	Auto Bump Feed	Auto Bump Feed	Auto Bump Feed	Auto Bump Feed
Metal Blade	-	-	•	•
Single Strap Harness	-	-	•	•
Premium Single Strap Harness	-	-	-	-
Twin Shoulder Harness	-	-	-	-
Premium Twin Shoulder Harness	-	-	-	-
Recoil Assist	-	•	-	•
Handle Type	Loop	Loop	Loop	Loop
Transport Mode	-	-	-	-
Premium Anti Vibration Handles	-	-	-	-
Split Shaft	•	•	•	-
Tube Diameter	26mm	26mm	26mm	26mm
Driveshaft Diameter	7mm	7mm	8mm	8mm
Fuel / Oil Mixture	40:1	40:1	40:1	40:1
Fuel Tank Capacity	0.65L	0.60L	0.65L	0.60L
Warranty (dom/com)	1 Yr / 90 Days	3 Yr* / 90 Days	1 Yr / 90 Days	3 Yr* / 90 Days

All details correct at time of print and are subject to change without notice. E & OE.

1 Equivalent vibration level (ahv, eq)

 $[\]bullet = Included$

⁻⁼ Not Included













*		•		250	• .
270LX	26U	270UX	360UX	43U	460UVX
PREMIUM	SELECT	PREMIUM	PREMIUM	SELECT	PREMIUM
MIBC121	MIBC82	MIBC122	MIBC125	MIBC85	MIBC129
270LX	26U-a	270UX	360UX	43U-a	460UVX
Mitox [®]	Mitox®	Mitox®	Mitox®	Mitox®	Mitox®
27.2cc	25.4cc	27.2cc	36.3cc	42.7cc	46.5cc
1.00kW	0.75kW	1.00kW	1.60kW	1.25kW	1.95kW
Mitox [®]	Mitox®	Mitox®	Mitox®	Mitox®	Mitox®
5.7kg	6.5kg	6.2kg	8.2kg	8.2kg	8.7kg
112dB(A)	113dB(A)	112dB(A)	114dB(A)	113dB(A)	114dB(A)
5.8m/s ²	5.5m/s ²	5.9m/s ²	5.1m/s ²	4.3m/s ²	4.1m/s ²
Champion	Mitox®	Champion	Champion	Mitox®	Champion
•	•	•	•	•	•
2.4mm	2.4mm	2.4mm	2.4mm	2.4mm	2.4mm
Premium Auto Bump	Auto Bump Feed	Premium Auto Bump	Premium Auto Bump	Auto Bump Feed	Premium Auto Bump
•	•	•	•	•	•
-	-	-	-	-	-
•	-	-	-	-	-
-	•	-	-	•	-
-	-	•	•	-	•
•	•	•	•	•	•
Loop	Bike	Bike	Bike	Bike	Bike
-	-	•	•	-	•
-	-	•	•	-	•
-	-	-	-	-	-
26mm	26mm	26mm	26mm	28mm	28mm
8mm	8mm	8mm	8mm	8mm	8mm
40:1	40:1	40:1	40:1	40:1	40:1
0.70L	0.60L	0.70L	1.00L	1.00L	1.00L
5 Yr* / 90 Days	3 Yr* / 90 Days	5 Yr* / 90 Days	5 Yr* / 90 Days	3 Yr* / 90 Days	5 Yr* / 90 Days

All details correct at time of print and are subject to change without notice. E & OE.

¹ Equivalent vibration level (ahv, eq)

^{• =} Included

^{- =} Not Included



MULTI-TOOLS & ATTACHMENTS

The Mitox® multi-tool system offers total versatility in the garden, whether trimming and edging the lawn, cutting hedges or pruning trees, a multi-tool is the cost effective way to achieve it all, requiring the investment of just a single power unit. Our 26MT-SP model is perfect for homeowners looking for a great value tool for light domestic gardening tasks. For larger and more demanding gardening jobs the attachments of the 28MT offer advanced features for improved durability.

26MT-SP 28MT

Light homeowner use

Regular use - home/landowner

SP SELECT & SELECT MULTI-TOOL SERIES

ONE TOOL MULTIPLE OPTIONS



Each multi-tool is supplied complete with a range of attachments, enabling you to complete almost any garden task with ease.

ALUMINIUM COUPLING



Both models feature a split shaft design with a robust aluminium coupling for easy storage and transportation.

REDUCED COSTS



By providing multiple applications from a single power unit, a multi-tool offers significantly lower purchase, running and maintenance costs, when compared to owning individual machines.

RELIABLE ENGINES



The MITOX® engine features a primer bulb and choke for a simple starting procedure. Simply press the primer 7 times, turn the choke on and pull the recoil. Once the engine fires, turn off the choke and pull the recoil again to start the engine.

EASY STORAGE



The power unit and each of the attachments can be split and stored or transported individually, saving space in your car, shed or garage.

ERGONOMIC CONTROLS



The handles are designed for comfort, even over extended working periods. The solid triggers reduce the risk of damage, ensuring a long working life.



SP-SELECT MULTI-TOOL

26MT-SP SP-SELECT

Ideal for every garden task

- Simple to start 25.4cc 2-stroke engine
- Loop handle
- Strong aluminium coupling for easy fitting of the attachments
- Four ESSENTIAL attachments
- Single shoulder strap harness for comfort
- Ergonomic controls



Accessories Included



3-Tooth Blade




Single Strap Harness









ATTACHMENTS INCLUDED



HTA ESSENTIAL Hedgetrimmer (MIAT12)

- 440mm double sided cutter blade
- 150 degrees of articulation
- 12 different working position
- Blade folds flat for storage



BCA ESSENTIAL Grass Trimmer / Brushcutter

- Auto Bump Feed Nylon Head
- 3-tooth brushcutter blade
- 2.4mm trimmer line



PPA ESSENTIAL **Powered Pruner**

- 250mm / 10" Bar
- Automatic Chain Lubrication





Art No: MIMT31

Enhanced features for user comfort

- Reliable 25.4cc 2-stroke engine with autochoke system for easy starting

- Soft Touch Loop handle
- ADVANCED hedge trimmer and pruner attachments
- SELECT grass trimmer attachment and 3 tooth HD brushcutter blade
- 1m extension included for greater versatility
- Strong aluminium coupling for easy fitting of the attachments
- Single shoulder strap harness for comfort
- Enhanced anti-vibration features
- Ergonomic controls







3-Tooth HD Blade



Single Strap Harness





ATTACHMENTS INCLUDED



(MIAT10)

Engine Type	Air Cooled 2-Stroke
Displacement / Power Output	25.4cc / 0.75 kW
Fuel Tank Capacity	0.65 litres
Handle Type	Loop
Fuel / Oil Mixture	40:1
Dry Weight	4 6kg

HTA ADVANCED Hedgetrimmer



- 580mm double sided cutter blade
- 180 degrees of articulation
- 11 different working positions
- Easy to operate angle adjustment



BCA SELECT Grass Trimmer / Brushcutter

- Auto Bump Feed Nylon Head
- 3-tooth HD brushcutter blade
- 2.4mm trimmer line



- Adjustable pruner head with 7 different working positions
- 250mm / 10" Bar
- Automatic Chain Lubrication



EXA SELECT **Quick Fit Extension** (MIEX100)

- Padded handle grip
- Aluminium coupling
- 980mm overall length



MULTI-TOOL ATTACHMENTS

Our range of attachments are available so that you can transform your current split shaft Mitox machine into a versatile multi-tool.

Note: Only machines manufactured in 2016 or later with a splined drive shaft are fully compatible with the range of attachments.





HTA ESSENTIAL HEDGE TRIMMER ATTACHMENT

Art No: MIAT12

The HTA Essential is the most basic of the two hedge trimmer attachments available in the range. Featuring a 44cm double sided trimmer blade and 150° of articulation, this attachment is ideal for occasional light domestic hedge trimming tasks.

Blade Length	440 mm
Articulation / No. of Positions	150° / 12
Tooth Pitch / Spacing	32 / 19 mm
Weight When Fitted To Power Unit	6.7 kg
Total Length When Fitted To Power Unit	2.28 m





HTA ADVANCED HEDGE TRIMMER ATTACHMENT

Art No: MIAT10

The HTA ADVANCED offers a step up in quality and versatility. Featuring a longer 58cm double sided cutter bar, an effortless blade angle adjustment system and manufactured using high quality components, this attachment is suitable for larger hedge cutting tasks around the garden.

Blade Length	580 mm
Articulation / No. of Positions	180° / 11
Tooth Pitch / Spacing	35 / 22 mm
Weight When Fitted To Power Unit	7.3 kg
Total Length When Fitted To Power Unit	2.44 m









BCA SELECT TRIMMER / BRUSHCUTTER ATTACHMENT

Art No: MIAT2

Quickly transform your split shaft MITOX® machine into a grass trimmer or brushcutter. Supplied with a pre-loaded auto bump-feed trimmer head for trimming grass along with a 3-tooth HD brushcutter blade which is ideal for clearing more dense overgrowth.

Nylon Head	Bump Feed
Trimmer Line	2.4 mm
Blade	3 Tooth HD
Weight	0.72 kg





PPA ADVANCED PRUNER ATTACHMENT

Art No: MIAT15

Safely and effectively prune tall trees in your garden with a PPA ADVANCED pruner attachment. When fitted to your power unit, the total length of the machine will be 2.1m enabling you to prune branches high up in the tree, without needing a ladder whilst the adjustable head enables comfortable working in all angles.

Bar Length	250 mm / 10"
No. of Positions	7
Chain Type	Oregon 91PX
Weight When Fitted To Power Unit	6.6 kg
Total Length When Fitted To Power Unit	2.11 m (3.1 m with extension)





EXA EXTENSION SHAFT

Art No: MIEX100

For increased reach, the EXA extension shaft will provide an extra 980mm length. Equipped with a strong aluminium coupling along with a padded front handle, the extension makes working at height safer and more comfortable when compared to using a ladder.

Length	980 mm
Coupling	Aluminium
Drive Shaft	8 mm
Weight	0.72 kg



MULTI-TOOL SPECIFICATIONS

COMPLETE MULTI-TOOL KITS





MODEL	26MT-SP	28MT
Range	SP-SELECT	SELECT
Part Number	MIMT30	MIMT31
Engine	Mitox®	Mitox®
Displacement	25.4cc	25.4cc
Power	0.75kW	0.75kW
Carburettor	Mitox®	Mitox®
Weight (Power Unit only)	4.5kg	4.6kg
Sound Level with Grass Trimmer Attachment	112dB(A)	113dB(A)
Vibration Level ¹ with Grass Trimmer Attachment	3.34m/s ²	5.11m/s ²
Spark Plug	Mitox®	Mitox®
Single Strap Harness	•	•
Split Shaft	•	•
Tube Diameter	26mm	26mm
Driveshaft Diameter	8mm	8mm
Fuel / Oil Mixture	40:1	40:1
Fuel Tank Capacity	0.65L	0.65L
Warranty (dom/com)	1 Yr / 90 Day	3 Yr* / 90 Day
ESSENTIAL Grass Trimmer	Ø 2.4 mm	-
SELECT Grass Trimmer (MIAT20)	-	Ø 2.4 mm
3 Tooth Blade	•	-
3 Tooth HD Blade	-	•
ESSENTIAL Hedge Trimmer (MIAT12)	•	-
ADVANCED Hedge Trimmer (MIAT10)	-	•
Degree of Hedge Trimmer Blade Adjustment	150°	180°
Total Blade Length Cutting Length	440mm 390mm	580mm 515mm
Tooth Pitch / Spacing	32 / 19mm	35 / 22mm
ESSENTIAL Pruner	•	-
ADVANCED Pruner (MIAT15)	-	•
Pruner Adjustment	-	7
SELECT 1 Metre Extension (MIEX100)	-	•

 $[\]bullet = Included$

All details correct at time of print and are subject to change without notice. E & OE.

¹ Equivalent vibration level (ahv, eq)

⁻ = Not Included



HEDGE TRIMMERS

All Mitox® hedge trimmers are built to withstand tough challenges, with high quality blades and powerful long life engines. Mitox® hedge trimmers make working in the garden easy, whether it be light trimming, or the heavier cutting of overgrown hedges. Our products are simple and intuitive to use with a host of user friendly features to make the task easier and more enjoyable. Whenever extra length is needed for taller, or deeper hedges, Mitox® long reach hedge trimmers provide the solution, making this work both easier and safer.

28LH 650DX+

26LH-SP 600DX

750DX+

Light homeowner use

Regular use - home/landowner

SP SELECT & SELECT LONG REACH HEDGE TRIMMERS

EASY STARTING



Easy starting thanks to the effortless recoil system, with easy to follow starting instructions clearly laid out on the side cover of the engine.

ARTICULATING BLADES



The blades on the 26LH-SP articulate through 150 degrees for trimming the tops and sides of hedges, whilst the 28LH blades can articulate through 180 degrees for greater versatility.

RELIABLE ENGINES




High performance, low emission engines, reduce fuel consumption, increase operator comfort and reduced running costs. All compliant to the latest emissions legislation.

PADDED FRONT HANDLE



The front handle enables multiple grip positions for work at various angles and heights, whilst reducing vibration and making operation more comfortable.

EASY TRANSPORT & STORAGE



The 26LH-SP and 28LH feature a split shaft design, with a robust aluminium coupling allowing for easy transport and storage of the product.

ERGONOMIC CONTROLS



The throttle controls on the MITOX® long reach hedge trimmer range are ergonomically designed for user comfort, as well as being designed to stand the test of time.



26LH-SP SP-SELECT Art No: MIHT50

Trim tall hedges safely and quickly

- Simple to start full crank 25.4cc 2-stroke engine
- Loop handle
- Padded front handle
- 440mm double sided cutter blade
- Split shaft for storage and transporting
- Adjustable blade angle with 150° of articulation.







more details

28LH SELECT

Art No: MIHT55

Extra flexibility for cutting at height

- SELECT full crank 25.4cc 2-stroke engine
- SmartPull recoil assist for easy starting
- Padded front handle
- 580mm double sided cutter blade
- Split shaft for storage and transporting
- -Easy to operate adjustment mechanism allowing 11 different working positions and 180° of articulation.







Single Strap Harness

Scan fo



more details

	26LH-SP SELECT	28LH SELECT	
Engine Type	Air Cooled 2-Stroke	Air Cooled 2-Stroke	
Displacement / Power Output	25.4 cc / 0.75 kW	25.4 cc / 0.75 kW	
Fuel Tank Capacity	0.65 litres	0.65 litres	
Blade Type	Double Sided	Double Sided	
Total Blade / Cutting Length	440mm / 390mm	580mm / 515mm	
Overall Length	2280 mm	2445 mm	
Fuel / Oil Mixture	40:1	40:1	
Vibration - Highest Axis ¹	4.98m/s ²	5.35m/s ²	
Dry Weight	6.8 kg	7.3 kg	

PREMIUM HANDHELD HEDGE TRIMMERS

EASY STARTING



All Mitox® hedge trimmers are fitted with a primer bulb and manual choke for quick and easy starting every time.

ErgoTwist REAR HANDLE



The rear handle is adjustable through 180 degrees (3 position), offering optimum user comfort in any situation.

ANTI-VIBRATION SYSTEM



The 600DX features a specially designed, industry leading 4-point anti-vibration system, to increase user comfort and reduce operator fatigue.

PREMIUM BLADES



Specially designed, hardened, dual reciprocating diamond ground blades offer maximum cutting performance and efficiency, time and time again.

SmartPull RECOIL ASSIST



The unique design of the 'SmartPull' recoil, ensures easier pulling and quicker starting. With 'SmartPull' recoil assist, the engine is up to 30% easier to start.

PEACE OF MIND



The MITOX® brand offers peace of mind, with its comprehensive 5 year homeowner warranty on PREMIUM products and is supported by a comprehensive national network of service dealers.

*subject to terms and conditions





600DX PREMIUM

Art No: MIHT35

High performance with enhanced ergonomics

- Reliable 25.4cc 2-stroke engine
- 610mm premium double sided cutter blades
- SmartPull recoil assist system for easy starting







more details

	600DX PREMIUM
Engine Type	Air Cooled 2-Stroke
Displacement / Power Output	24.5cc / 0.85 kW
Fuel Tank Capacity	0.33 litres
Blade Type	Double Sided
Total Blade / Cutting Length	610mm / 550mm
Tooth Pitch / Spacing	35mm / 22mm
Fuel / Oil Mixture	40:1
Vibration - Highest Axis ¹	3.6m/s ²





PREMIUM+ HEDGE TRIMMERS

QUALITY COMPONENTS



Including carburettors from world renowned manufacturer Walbro Japan. Ensuring high performance and reliability for years to come.

ENHANCED ERGONOMICS



The rear handle with Soft Touch grip and comfortable controls features the MITOX ErgoTwist system enabling it to be adjustable through 180 degrees (3 position), offering optimum user comfort in any situation.

LIGHTWEIGHT FOR COMFORT



The use of lightweight, high quality materials, such as magnesium and aluminium in the engine and transmission, results in an optimal power to weight ratio.

LASER CUT BLADES



With a choice of two blade lengths, the high quality, laser cut blades, guarantee optimal results and a perfect finish, even on the thickest and toughest hedges.

SmartPull RECOIL ASSIST



The unique design of the 'SmartPull' recoil, ensures easier pulling and quicker starting. With 'SmartPull' recoil assist, the engine is up to 30% easier to start.

PEACE OF MIND



The MITOX® brand offers peace of mind, with its comprehensive 5 year homeowner warranty on PREMIUM products and is supported by a comprehensive national network of service dealers.

*subject to terms and conditions





650DX PREMIUM+

Art No: MIHT15

High performance with enhanced ergonomics

- Premium 22.2cc 2-stroke engine with Walbro carburettor
- Effective full anti-vibration system for optimum comfort
- 600mm double sided cutter blades
- Adjustable rear handle
- SmartPull recoil assist for effortless starting











750DX PREMIUM+

Art No: MIHT16

Longer cutter blade maximum efficiency

- Premium quality 740mm double sided cutter blades
- Ergonomic controls and adjustable rear handle
- Full anti-vibration system for maximum comfort
- Auto choke return system
- SmartPull recoil assist for easy starting











	650DX PREMIUM+	750DX PREMIUM+	
Engine Type	Air Cooled 2-Stroke	Air Cooled 2-Stroke	
Displacement / Power Output	22.2 cc / 0.65 kW	22.2 cc / 0.65 kW	
Fuel Tank Capacity	0.44 litres	0.44 litres	
Blade Type	Double Sided	Double Sided	
Total Blade / Cutting Length	600mm / 550mm	740mm / 690mm	
Tooth Pitch / Spacing	35mm / 22mm	35mm / 22mm	
Fuel / Oil Mixture	40:1	40:1	
Vibration - Highest Axis ¹	2.9m/s ²	2.9m/s ²	
Dry Weight	5.6 kg	5.6 kg	

1 Equivalent vibration level (ahv, eq)

HEDGE TRIMMER SPECIFICATIONS



					September 1
MODEL	600DX	650DX+	750DX+	26LH-SP	28LH
Range	PREMIUM	PREMIUM +	PREMIUM +	SP-SELECT	SELECT
Part Number	MIHT35	MIHT15	MIHT16	MIHT50	MIHT55
Engine	Mitox®	Mitox [®]	Mitox [®]	Mitox®	Mitox®
Displacement	24.5cc	22.2cc	22.2cc	25.4cc	25.4cc
Power	0.85kW	0.65kW	0.65kW	0.75kW	0.75kW
Carburettor	Mitox®	Walbro	Walbro	Mitox®	Mitox®
Weight	5.5kg	5.6kg	5.8kg	6.8kg	7.3kg
Sound Level	110dB(A)	110dB(A)	110dB(A)	108.4dB(A)	108.7dB(A)
Vibration Level ¹	3.6m/s ²	2.91m/s ²	2.91m/s ²	4.98m/s ²	5.35m/s ²
Spark Plug	Mitox®	Mitox®	Mitox [®]	Mitox®	Mitox®
Blade Type	Double Sided	Double Sided	Double Sided	Double Sided	Double Sided
Adjustable Blade Angle	-	-	-	•	•
Degree of Blade Adjustment	-	-	-	150°	180°
Number of Positions for Adjustment	-	-	-	12	11
Tooth Pitch / Spacing	35 / 22mm	35 / 22mm	35 / 22mm	32 / 19mm	35 / 22mm
Total Blade / Cutting Length	610 / 550mm	600 / 550mm	740 / 690mm	440 / 390mm	580 / 515mm
Total Length	-	-	-	2280mm	2445mm
Auto Choke	•	•	•	-	-
SmartPull	•	•	•	-	•
Anti Vibration System	•	•	•	•	•
Soft Touch Front Handle	-	-	-	•	•
Soft Touch Rear Handle	-	•	•	-	-
Adjustable Angle Rear Handle	3 Position	3 Position	3 Position	-	-
Toolless Filter Cover	•	•	•	•	•
Fuel / Oil Mixture	40:1	40:1	40:1	40:1	40:1
Fuel Tank Capacity	0.33L	0.44L	0.44L	0.65L	0.65L
Warranty (dom/com)	5 Yr* / 90 Day	5 Yr* / 90 Day	5 Yr* / 90 Day	1 Yr / 90 Day	3 Yr* / 90 Day

All details correct at time of print and are subject to change without notice. E & OE.

1 Equivalent vibration level (ahv, eq)

^{• =} Included

⁻⁼ Not Included



CHAINSAWS

All Mitox® chainsaws are built to withstand tough challenges. With innovation, performance and reliability guaranteed, we have the perfect model for any homeowner, landowner or farmer looking for a quality and dependable product.

270CSX 385CSX

415CSX

455CSX

265TX 515**C**SX

29

Light homeowner use

Regular use - home/landowner

www.mitox.co.uk

PREMIUM CHAINSAWS

MORE POWER



The Premium series features a higher power output comparable to significantly higher priced premium brands.

EASY STARTING



385CSX and 415CSX platforms feature a single spring damper system for comfortable starting. The large platform 455CSX and 515CSX feature a durable SmartPull twin spring assist system, reducing effort by approx 30%.

INTEGRATED TOOLS



The extra wide rear handle base not only protects users hands but also houses an integrated tool with spark plug and chain cover wrench.

EASY ACCESS



The premium quality air filter prevents dust from entering the engine and is easily removed without tools, for routine servicing. The larger chamber increases airflow, for guaranteed performance.

FUEL WINDOW



The rear mounted fuel tank features an integrated window so you can clearly see the fuel level in use, meaning you shouldn't ever run out of fuel.

PEACE OF MIND



The MITOX® brand offers peace of mind, with its comprehensive 5 year homeowner warranty on PREMIUM products and is supported by a comprehensive national network of service dealers.

*subject to terms and conditions





385CSX PREMIUM

Art No: MICS52

A compact durable chainsaw for homeowner use

- Premium 38.5cc engine producing 1.6 kW of power
- -14" Oregon bar
- Recoil assist system allowing the engine to be started effortlessly
- Perfect weight distribution
- -Twin mounted chain brake system
- Ergonomic controls













455CSX PREMIUM

Art No: MICS58

Powerful and robust for demanding use

- Premium 45.4cc engine with a power output of 1.95 kW
- 18" Oregon chain bar
- Weight reducing magnesium alloy crankcase
- Walbro Carburettor
- SmartPull Recoil Assist
- Ergonomic controls with soft touch handles
- Toolless filter cover for easy maintenance



Scan for









415CSX PREMIUM

Art No: MICS50

Premium quality and performance from a compact saw

- Premium 41.4cc engine with a power output of 1.85 kW
- 16" Oregon chain bar
- Wide rear handle with integrated spark plug and chain cover removal tool.
- Ideal for felling small trees or preparing firewood
- Effective anti-vibration system
- Comfortable to operate.

Scan for



more details






515CSX PREMIUM

Art No: MICS60

Our most powerful saw for the most challenging cutting jobs

- Powerful Premium 50.9cc engine



High 2.2 kW power output

- Weight reducing magnesium alloy crankcase

- Walbro Carburettor
- SmartPull Recoil Assist
- Wide rear handle with integrated storage for spark plug and chain cover removal tool

Scan for



more details







	385CSX	415CSX	455CSX	515CSX
Engine Type	Air Cooled 2-Stroke	Air Cooled 2-Stroke	Air Cooled 2-Stroke	Air Cooled 2-Stroke
Displacement / Power Output	38.5cc / 1.6 kW	41.4cc / 1.85 kW	45.4cc / 1.95 kW	50.9cc / 2.2 kW
Bar Manufacturer, Size	Oregon, 14"	Oregon, 16"	Oregon, 18"	Oregon, 20"
Pitch / Gauge	91PX, .3/8" LP / .050"	91PX, .3/8" LP / .050"	21BPX, .325" / .058"	21BPX, .325" / .058"
Carburettor	Walbro Japan	Walbro Japan	Walbro Japan	Walbro Japan
Fuel Tank Capacity	0.41 litres	0.55 litres	0.55 litres	0.52 litres
Oil Tank Capacity	0.28 litres	0.26 litres	0.26 litres	0.25 litres
Fuel / Oil Mixture	40:1	40:1	40:1	40:1
Dry Weight (exc. bar & chain)	4.65kg	5.2kg	5.7kg	5.7kg





270CSX PREMIUM LIGHTWEIGHT Art No: MICS45

A compact durable chainsaw for homeowner use

- Premium 25cc engine producing 0.9 kW of power
- -12" Oregon bar
- Spring recoil damper system allowing the engine to be started effortlessly
- Lightweight with low profile design
- -Twin mounted chain brake system
- Ergonomic controls

Scan for









265TX PREMIUM LIGHTWEIGHT

Powerful and robust for demanding use

- Premium 25cc engine producing 0.9 kW of power
- -10" Oregon bar
- Spring recoil damper system allowing the engine to be started effortlessly
- Lightweight compact design for working at height
- -Twin mounted chain brake system
- Ergonomic controls and retractable hook for safe attachment to tool strop or operator when working in trees

Scan for









	270CSX	265TX
Engine Type	Air Cooled 2-Stroke	Air Cooled 2-Stroke
Displacement / Power Output	25cc / 0.9 kW	25cc / 0.9 kW
Bar Manufacturer, Size	Oregon, 12"	Oregon, 10"
Pitch / Gauge	91PX, .3/8" LP / .050"	91PX, .3/8" LP / .050"
Carburettor	Walbro Japan	Walbro Japan
Fuel Tank Capacity	0.17 litres	0.17 litres
Oil Tank Capacity	0.14 litres	0.14 litres
Fuel / Oil Mixture	40:1	40:1
Dry Weight (excl. bar & chain)	2.73kg	2.45kg

PREMIUM CHAINSAW SPECIFICATIONS









MODEL	385CSX	415CSX	455CSX	515CSX
Range	PREMIUM	PREMIUM	PREMIUM	PREMIUM
Part Number	MICS52	MICS56	MICS58	MICS60
Engine	Mitox®	Mitox®	Mitox®	Mitox®
Displacement	38.5cc	41.4cc	45.4cc	50.9cc
Power	1.6kW	1.85kW	1.95kW	2.2kW
Carburettor	Walbro	Walbro	Walbro	Walbro
Weight (exc. bar & chain)	4.65kg	5.2kg	5.7kg	5.7kg
Sound Level	114dB(A)	114dB(A)	113dB(A)	113dB(A)
Vibration Level ¹	7.14m/s ²	4.36m/s ²	6.49m/s ²	6.27m/s ²
Spark Plug	Champion	Champion	Champion	Champion
Bar Length	35cm / 14"	40cm / 16"	45cm / 18"	50cm / 20"
Bar Manufacturer	Oregon®	Oregon®	Oregon®	Oregon®
Chain Pitch / Gauge	3/8" LP / .050	3/8" LP / .050	.325 / .058	.325 / .058
Chain Manufacturer / Type	Oregon® 91PX	Oregon® 91PX	Oregon® 21BPX	Oregon® 21BPX
Drive Links	53	57	72	78
Adjustable Oil Pump	•	•	•	•
Single Spring Recoil Damper	•	•	-	-
SmartPull Double Spring Assist	-	-	•	•
Magnesium Alloy Crank Case	-	•	•	•
Anti Vibration System	•	•	•	•
Soft Touch Front Handle	-	-	•	•
Soft Touch Rear Handle	•	•	•	•
Toolless Filter Cover	•	•	•	•
Integrated Tool	•	•	•	•
Fuel / Oil Mixture	40:1	40:1	40:1	40:1
Fuel Tank Capacity	0.41L	0.55L	0.55L	0.52L
Oil Tank Capacity	0.28L	0.26L	0.26L	0.25L
Warranty (dom/com)	5 Yr* / 90 Day			

All details correct at time of print and are subject to change without notice. E & OE.

1 Equivalent vibration level (ahv, eq)

 $[\]bullet = \mathsf{Included}$

 $[\]textbf{-} = \text{Not Included}$







270CSX	265TX
PREMIUM	PREMIUM - Arborist
MICS45	MICS43
Mitox®	Mitox [®]
25cc	25cc
0.9kW	0.9kW
Walbro	Walbro
2.73kg	2.45kg
110dB(A)	110dB(A)
7.5m/s ²	7.5m/s ²
Champion	Champion
30cm / 12"	25cm / 10"
Oregon®	Oregon®
3/8" LP / .050	3/8" LP / .050
Oregon® 91PX	Oregon® 91PX
45	40
•	•
•	•
-	-
-	-
•	•
-	-
-	-
•	•
-	-
40:1	40:1
0.17L	0.17L
0.14L	0.14L
5 Yr* / 90 Day	5 Yr* / 90 Day

ACCESSORIES

BASIC SAW HORSE

Art No: MISHB



Scan for

more details


A safer way of cutting logs down to size

- With serrated edges to grip logs in place when
- Galvanised steel construction for rust protection and long life
- Folds flat for compact transport and storage



SAW HORSE WITH CHAINSAW HOLDER

Art No: MISHH



 Galvanised steel construction for rust protection and long life

- Folds flat for compact transport and storage
- Easy home assembly
- Features measuring bar, ensuring





POLE PRUNER

The MITOX petrol powered pole pruner is designed to make pruning branches in trees easy, quick and safe. With an overall length of over 3m and an adjustable pruner head, branches in the higher parts of the tree can be easily pruned whilst you remain safely on the ground.

28 PP

Light homeowner use

Regular use - home/landowner

SELECT POLE PRUNER



ADVANCED PRUNER HEAD



The 254mm / 10" pruning chainsaw is fitted with proven quality Oregon chain, for optimal cutting performance. It also has an innovative articulated 7 position design providing 90° of adjustment for easy and comfortable use.

SAFETY



The long, lightweight aluminium shaft gives the user approximately 5 metres of reach, enabling tall trees to be pruned without the use of a ladder. The 28PP also includes a 1 metre extension for the tallest branches.

PADDED FRONT **HANDLE**



The front handle allows for multiple grip positions for work at various angles and heights, whilst reducing vibration and making operation more comfortable.



Keep tall trees in shape safely

- Easy to start 25.4cc 2-stroke engine
- 10" chain bar and Oregon chain for high cutting performance
- Supplied with 1m extension shaft and single shoulder strap harness
- Adjustable head with 7 different working positions
- Overall length of over 3.1m
- Ergonomic controls and vibration reducing padded front hand grip





Single Shoulder Strap Harness



1m Extension Shaft




Scan for







POLE PRUNER SPECIFICATIONS



MODEL	28PP SELECT
Range	SELECT
Part Number	MIPP01
Engine Type	MITOX Air Cooled 2-Stroke
Displacement / Power Output	25.4cc
Power	0.75 kW
Carburettor	MITOX®
Dry Weight	6.1kg (exc. bar & chain)
Sound Level	113dB(A)
Vibration Level ¹	4.93m/s ²
Spark Plug	MITOX®
Bar Size	10" / 25cm
Chain Manufacturer	Oregon
Chain Pitch / Gauge	91PX, 3/8" LP / .050"
Pruner Head Type	Advanced
Number of Positions for Adjustment	7
Total Length	2110mm (3110mm inc extension)
Auto Choke	•
SmartPull	•
Anti Vibration System	•
Handle Type	Loop - Soft Touch
Toolless Filter Cover	•
Fuel / Oil Mixture	40:1
Fuel Tank Capacity	0.65 L
Warranty (dom/com)	3Yr* / 90 Day




• = Included - = Not Included

d All details correct at time of print and are subject to change without notice. E & OE.

¹ Equivalent vibration level (ahv, eq)





WOOD SPLITTERS

All Mitox® wood splitters are designed to make splitting logs both easier, quicker and safer than traditional methods. Whether splitting a small amount of wood in a shed or garage, or a large quantity out on-site, the Mitox® range has a suitable wood splitter for your needs.

41 LSH 66 LSH 801 LSV

Light homeowner use

Regular use - home/landowner

39

SELECT HORIZONTAL WOOD SPLITTERS

WELL BALANCED



The wide log cradle allows you to easily place logs to be split, holding them in place on the splitting beam. Safety is increased as the operator does not need to hold the log in place as it is split.

TWO HANDED OPERATION



The two handed operation with hand guard prevents the possibility of the operator's hands being pinched by the splitter. As soon as the switch is released, the push-block returns to its start position.

SAFETY CAGE



MITOX® horizontal log splitters are supplied with a safety cage which can be fitted to ensure that the wood splitting area remains isolated and to prevent the log leaving the machine and causing a potential injury.

EASY TRANSPORT



The large transport wheels enable the splitters to be effortlessly moved. Work is more efficient when the splitter is moved closer to the woodpile, saving time and effort when splitting larger quantities of wood.

QUICKSPLIT FUNCTION



When working with shorter logs, Quicksplit saves time by allowing adjustment of the splitting wedge start position, for a faster stroke.

PEACE OF MIND



The MITOX® brand offers peace of mind, with its comprehensive 3 year homeowner warranty on SELECT products and is supported by a comprehensive national network of service dealers.

*subject to terms and conditions



41LSH SELECT

Art No: MILS20

Compact and powerful homeowner wood splitter

- Up to 4 tonnes of splitting force
- 1500 watt electric motor
- Capable of splitting logs up to 37cm in length and 25cm in diameter
- QuickSplit function
- Safety cage preventing logs and debris from leaving the machine causing potential injury
- Two handed operation ensuring hands are away from the splitting area





Art No: MILS23

Increased power and splitting capabilities for more demanding jobs

- 6.5 tonnes of splitting force
- 2200 watt electric motor
- Suitable for splitting logs up to 52cm in length ad 25cm diameter
- Supplied with stand for a comfortable working height
- QuickSplit function
- Safety cage preventing logs and debris from leaving the machine causing a potential injury
- Two handed operation ensuring hands are away from the splitting area











	41LSH SELECT	66LSH SELECT
Splitter Type	Horizontal	Horizontal
Motor	230 V	230 V
Power Output	1500 W	2200 W
Maximum Splitting Force	4 tonne	6.5 tonne
Maximum Splitting Length	370 mm	520 mm
Max Splitting Diameter	250 mm	250 mm
Stand Included	No	Yes
Dimensions (L x W x H)	100 x 42.5 x 61cm	116 x 72 x 135cm (inc stand)
Dry Weight	44 kg	64 kg

SELECT VERTICAL WOOD SPLITTER

POWERFUL ELECTRIC MOTOR



With a powerful 3000w electric motor, the Mitox® 801LSV generates up to 8 tonnes of splitting force - more than enough for the most demanding splitting task.

QUICKSPLIT **FUNCTION**



When working with shorter logs, Quicksplit saves time by allowing adjustment of the splitting wedge start position, for a faster stroke.

TWO HANDED OPERATION



The two handed operation, with handguards, prevents the possibility of the operator's hands being pinched. When the handles are released, the splitter returns to its start position.

EASY TRANSPORT



The large, easy to grip handles and easy rolling transport wheels, make MITOX® vertical wood splitters mobile with the minimum of effort. The 5 metre cable gives extra freedom.

ADJUSTABLE FOR FLEXIBILITY



The wood grip ensures that the log is held in the correct position during the splitting process. These grips can easily be adjusted making it possible to split wood up to 30cm in diameter.

PEACE OF MIND



The MITOX® brand offers peace of mind, with its comprehensive 3 year homeowner warranty on SELECT products and is supported by a comprehensive national network of service dealers.

*subject to terms and conditions





801LSV SELECT

Art No: MILS26

For the toughest splitting tasks using electrical power

- Up to 8 tonnes of splitting force
- 3000 watt electric motor
- Split logs up to 55cm in length and 30cm in diameter
- QuickSplit function
- Two handed operation ensuring hands are kept away from the splitting area
- Log retaining safety arms prevent logs leaving the splitting table during the splitting process
- Transport Wheels







more detai

Martin Barting

	801LSV SELECT
Splitter Type	Vertical
Motor	230 V
Power Output	3000 W
Maximum Splitting Force	8 tonne
Maximum Splitting Length	5500 mm
Max Splitting Diameter	300 mm
Cable Length	5 metres
Dimensions (L x W x H)	85 x 94 x 150cm

WOOD SPLITTER ACCESSORIES

LOG SPLITTER STAND

Art No: MILS31

For raising the height of your MITOX log splitter

- Suitable for all horizontal MITOX log splitters









WOOD SPLITTER SPECIFICATIONS







MODEL	41 LSH	66 LSH	801 LSV	
Range	SELECT	SELECT	SELECT	
Part Number	MILS20	MILS23	MILS26	
Motor	230V Electric	230V Electric	230V Electric	
Power Output	1500W	2200W	3000W	
Maximum Splitting Force	4.00 tonne	6.50 tonne	8.00 tonne	
Maximum Splitting Length	37cm	52cm	55cm	
Maximum Splitting Width	25cm	25cm	30cm	
Ram Speed	3.86cm/sec	3.08cm/sec	3.10cm/sec	
Ram Reverse Speed	6.44cm/sec	5.29cm/sec	17.30cm/sec	
Weight (kg)	44kg	64kg	110kg	
Overall Length	100cm	116cm	85cm	
Overall Width	42.5cm	72cm	94cm	
Overall Height	61cm	135cm	150cm	
Transport Wheels	•	•	•	
Stand (MILS31)	0	•	-	
QuickSplit	•	•	•	
Warranty (dom/com)	3 Yr* / 90 Days	3 Yr* / 90 Days	3 Yr* / 90 Days	

^{° =} Optional

All details correct at time of print and are subject to change without notice. E & OE.

^{• =} Included

^{- =} Not Included



BLOWERS/ VACUUMS

Mitox® blowers and vacuums are perfect for blowing and collecting fallen leaves, grass clippings and general garden debris and with the added function of our vacuum shredder feature, you can collect a pile of waste and shred it down to a fine mulch, which is perfect for fertilising the garden.

26B-SP 260BX 760BPX 28BV-SP 280BVX

Light homeowner use

Regular use - home/landowner

45

www.mitox.co.uk

SP SELECT BLOWERS / VACUUMS

COLLECTION BAG




The 50 litre collection bag on the 28BV-SP is filled to the brim and is easily emptied via the zipped opening.

EASY STARTING



Easy starting thanks to a fuel primer bulb and choke. Simply prime and set the choke to closed, then use the recoil starter to fire the powerful 2-stroke engine into life.

HIGH BLOW SPEED



The specially designed blowing tube offers high airspeed to quickly move even stubborn, damp leaves.

SIMPLE OPERATION



The SP blower and blower vacuum have simple controls for ease of use, allowing the user to cover areas quickly and in comfort. The price/performance ratio of the SP models offers unbeatable value for money.

METAL SHREDDER



The metal blade of the vacuum impellor, on the 28BV-SP, shreds leaves as they are collected, reducing their volume by approximately 10:1

FULL CRANK ENGINES



Providing superior performance, lower vibration, and considerably longer service life when compared to Half Crank (single bearing) engines, commonly used on low cost domestic garden machinery.

more details



26B-SP SP-SELECT

Art No: MIBV01

A great value leaf blower

- 25.4cc 2-stroke engine
- High blowing speeds of up to 155mph
- Perfect for clearing fallen leaves, light hedge cuttings or grass trimmings
- Adjustable throttle control
- Perfectly balanced for comfort and efficiency







Art No: MIBV05

A great value leaf blower and vacuum

- 25.4cc 2-stroke engine
- Blow and vacuum functions
- High blowing speeds of up to 155mph
- 50 litre debris collection bag
- Shredder blade to reduce debris volume by up to 10:1
- Perfectly balanced for comfort and efficiency





	26B-SP	28BV-SP	
Range	SP-Select	SP-Select	
Engine Type	Air Cooled 2-Stroke	Air Cooled 2-Stroke	
Displacement	25.4cc	25.4cc	
Power Output	0.7 kW	0.7kW	
Blowing Speed	155 mph	155 mph	
Collection Bag Volume	-	50 Litres	
Fuel Tank Capacity	0.65 Litres	0.65 Litres	
Dry Weight	5.6 kg	6.2 kg	

PREMIUM LEAF BLOWER / VACUUMS

COLLECTION BAG



The 50 litre collection bag on the 280BVX is filled to the brim and is easily emptied via the zipped opening. With different material on each side, maximum collection ability is guaranteed, whilst the user is protected from wet mulch.

PREMIUM ENGINES



The 27.6cc PREMIUM engines are manufactured using quality components and produce a high power output for maximum performance. When working for extended periods, the cruise control function can be activated for increased comfort.

LOW VIBRATION



The Premium range engine is completely isolated from the handle via a full anti vibration system, which means exceptionally low vibration and comfortable use.

PERFECTLY BALANCED



The design of the engine position and an innovative kinked blower tube, mean that all gyro forces are effectively cancelled out. This means that if the machine is on, or off the throttle, it never pulls to one side.

METAL SHREDDER



The metal tri-blade of the vacuum impellor shreds leaves as they are collected, reducing their volume by 12:1.

PEACE OF MIND



The MITOX® brand offers peace of mind, with its comprehensive 5 year homeowner warranty on PREMIUM products and is supported by a comprehensive national network of service dealers.

*subect to terms and conditions



260BX PREMIUM

Art No: MIBV15

Ideal for quick garden and estate tidying

- Easy to start 27.6cc engine
- High blowing speeds of up to 161mph
- Commercial standard anti-vibration system for comfort
- Cruise control
- Innovative kinked blower tube to reduce gyroscopic forces
- Wide and flat blower tubes included for flexibility.







280BVX PREMIUM

Art No: MIBV10

Blow and Vacuum for complete garden tidying

- Easy to start 27.6cc engine
- Blower and vacuum functions
- Metal tri-blade impellor for shredding collected material by up to 12:1
- High blowing speeds of up to 161mph
- Easy emptying 50L collection bag
- Exceptionally low vibration levels of 2.0 m/s
- Cruise control
- Innovative kinked blower tube to reduce gyroscopic forces
- Wide and flat blower tubes included for flexibility.





more details

	260BX	280BVX	
Range	Premium	Premium	
Engine Type	Air Cooled 2-Stroke	Air Cooled 2-Stroke	
Displacement	27.6cc	27.6cc	
Power Output	0.8 kW	0.8kW	
Blowing Speed	161 mph	161 mph	
Collection Bag Volume	-	50 Litres	
Fuel Tank Capacity	0.40 Litres	0.40 Litres	
Dry Weight	4.7 kg	5.8 kg	

PREMIUM BACKPACK BLOWER

POWER & PERFORMANCE



The 75.6cc Premium engine provides impressive power and when combined with the efficient fan design, it is possible to generate air speeds of over 200mph. This means that even the largest areas can be covered quickly and efficiently.

CRUISE CONTROL



The throttle control features a cruise control trigger, which allows the user to preset the throttle for periods of longer use, reducing fatigue. The handle is also fully adjustable.

CLEAN AIR INTAKE SYSTEM



The commercial grade air filter prevents dust from entering the engine and is easily removed without the need for tools, allowing routine servicing.

RUNS LONGER THAN EVER



The large 2.1L fuel tank means the 760BPX can be used for longer periods of time before refilling. Perfect for large areas where efficiency is important.

COMFORT **GUARANTEED**



The 760BPX features a full body harness system, with padded shoulder straps and back support, as well as an innovative blower tube harness, to take the weight during use.

PEACE OF MIND



The MITOX® brand offers peace of mind, with its comprehensive 5 year homeowner warranty on PREMIUM products and is supported by a comprehensive national network of service dealers.





760BPX PREMIUM

Art No: MIBP10

Cover large areas quickly and efficiently

- Powerful 75.6cc / 3.1 kW engine



- Padded shoulder straps

- Cruise control

- Adjustable hand controls

- Large 2.1L fuel tank





nore detail

(0)	TY WARRAN
Mary	
Tar Name	YEARS
100	WWW ALLEGE

	760BPX	
Range	Premium	
Engine Type	Air Cooled 2-Stroke	
Displacement	75.6cc	
Power Output	3.1 kW	
Blowing Speed	205 mph	
Fuel / Oil Mixture	40:1	
Fuel Tank Capacity	2.1 Litres	
Dry Weight	12 kg	

BLOWER / VACUUM SPECIFICATIONS











MODEL	26B-SP	28BV-SP	260BX	280BVX	760BPX
Range	SP-SELECT	SP-SELECT	PREMIUM	PREMIUM	PREMIUM
Part Number	MIBV01	MIBV05	MIBV15	MIBV10	MIBP10
Engine	Mitox®	Mitox®	Mitox®	Mitox®	Mitox [®]
Displacement	25.4cc	25.4cc	27.6cc	27.6cc	75.6cc
Power	0.7kW	0.7kW	0.8kW	0.8kW	3.1kW
Carburettor	Mitox®	Mitox®	Mitox®	Mitox®	Mitox [®]
Weight (Blower)	5.6kg	6.2kg	4.7kg	5.8kg	12kg
Sound Level	110dB(A)	110dB(A)	109dB(A)	109dB(A)	112dB(A)
Vibration Level ¹	10.0m/s ²	10.0m/s ²	2.0m/s ²	2.0m/s ²	2.02m/s ²
Spark Plug	Mitox®	Mitox®	Mitox®	Mitox®	Mitox®
Blowing Speed	155mph	155mph	161mph (flat tube)	161mph (flat tube)	205mph
Collection Bag Volume	-	50L	-	50L	-
Reduction Ratio	-	10:1	-	12:1	-
Anti Vibration System	-	•	•	•	•
Toolless Filter Cover	-	-	•	•	•
Fuel / Oil Mixture	40:1	40:1	40:1	40:1	40:1
Fuel Tank Capacity	0.65L	0.65L	0.4L	0.4L	2.1L
Warranty (dom/com)	1 Yr / 90 Day	1 Yr / 90 Day	5 Yr* / 90 day	5 Yr* / 90 Day	5 Yr* / 90 Day




 $\bullet = \mathsf{Included}$

- = Not Included



2024 RANGE





SP-SELECT RANGE

- | Entry level for light domestic use
- | Trimmers, Brushcutters, Multi-Tools, Hedge Trimmers and Blowers
- Basic functionality
- | Basic ergonomics
- | Full spares parts backup
- 1 year domestic warranty




BETTER>>

SELECT RANGE

- | Suitable for general domestic use
- | Trimmers, Brushcutters, Multi-Tools, Hedge Trimmers and Wood Splitters
- Lower vibration, more durability
- | Advanced ergonomics for comfort
- | Full spares parts backup
- 3 year domestic warranty*









PREMIUM RANGE

| Suitable for heavy domestic use

| Brushcutters, Chainsaws,

Hedge Trimmers and Blowers

Lowest vibration, lightweight and

more power

| Premium components

| Full spares parts backup

5 year domestic warranty*



NAMING STRUCTURE

Number = CC or length

SP = Entry Level

C = Curved Shaft

| L / U = Handle Type (loop/bike)

MT = Multi-Tool Kit

| LH = Long Reach Hedge Trimmer

D = Double Sided Blades

B / BV = Blower / Blow Vac

X = Premium Model

H / V = Horizontal / Vertical

T = Top Handle



Mitox® Garden Machinery UK (Head Office)

AL-KO Gardentech UK Wincanton Business Park Wincanton Somerset BA9 9RS

01963 828065

www.mitox.co.uk



Scan the QR code to find a Mitox agent near you.

P/N: POSBROMI24

Subject to modifications in response to technical developments. No liability accepted for mistakes and printing errors. All prices include VAT and are subject to change without notice. E & OE. Images are for illustrative purposes only and are subject to change. First printed February 2024 V1.0



@mitoxgm



@mitoxgm



@mitox_gm

