

WEIBANG®

PERFECTION IS OUR PASSION


THE COMMERCIAL CHOICE

LAWNCARE & GARDEN MAINTENANCE 2024-25



WEIBANG[®]

"Over 25 years our goal has never changed... To continually pursue the very highest quality, never compromise, and exceed our customers' expectations"




Victor Ju | CEO, WEIBANG

"We work directly with our customers, listening to what they need and applying that feedback into our development of quality commercial machines."




Stewart Anderson | Managing Director, WEIBANG UK




CONTENTS

4	About WEIBANG
6	Service & Support
8	Lawnmowers Explained
10	Customer Testimonials
12	Ranges Explained
14	Legacy - Aluminium Rear Roller Mowers
24	Virtue - 4 Wheeled Mowers
36	Virtue - Shaft Drive Mowers
40	Virtue - Twin Blade Mower
50	Virtue - Dedicated Mulching Mowers
60	Intrepid - Scarifiers & Aerators
66	Intrepid - Wheeled Vacuums
72	Intrepid - Stump Grinder
76	Velocity - Wheeled Trimmers
84	Velocity - Field & Brush Mowers
92	Velocity - Flail Mowers
100	iON - Battery Zero Turn
106	Spare Parts & Accessories Reference Guide



About Us...



EXPERIENCE

WEIBANG has been a leading manufacturer of commercial lawncare and garden maintenance machinery for 25 years, founded on the principles of constantly pursuing perfection and to never accept compromise. WEIBANG has established itself as the fastest growing commercial brand in the UK, offering arguably the best performing and most reliable machines for landscapers, contractors, councils, sports clubs, heritage sites and many more applications.

With a highly skilled team of over 300 at our manufacturing headquarters, and leading distribution partners across the world, WEIBANG is a global leader for commercial garden machinery. The UK Headquarters for WEIBANG is a purpose built 100 thousand square foot premises. With UK based support staff for spare parts, after sales and product development.

R&D

Our research & development team are driven by customer feedback to find solutions to the commercial operators demands. Utilising technology such as 3D printing and the latest materials we are not only constantly improving our range, but are developing the next generation of commercial lawncare.



PRECISION MANUFACTURING

We utilise state of the art manufacturing techniques, offering the highest quality components with a strict quality control process. Utilising the latest technology, materials and robotics, you can rest assured that every WEIBANG machine is built to the same high quality standards.



EXTENSIVE TESTING

Every product in our range has met the criteria of a true commercial machine. Testing plays a pivotal roll in developing our products, with thousands of hours of testing both in our R&D laboratory, and in real world scenarios with distributors, dealers, and professional operators worldwide.



DESIGNED IN THE UK

Due to its unique weather conditions WEIBANG machines have been specifically designed for the UK. Every machine in the WEIBANG range has been developed and engineered to perform at its optimum in all conditions and meet the demands of the professional user.



E10 READY

All WEIBANG products are fully compatible with E5 & E10 unleaded petrol.





Our network of authorised WEIBANG dealers have all the knowledge you need to ensure you choose the right product, as well as providing full spare parts and service support. Minimising downtime and maximising your productivity.



Visit www.weibang.co.uk or scan the **QR Code** to find your closest WEIBANG dealer.



SALES

With years of experience and training in the industry, a WEIBANG Authorised Dealer understands the demands of the commercial customer, offering all the advice and guidance you need to select the best product for the job.



SPARES

Our dealers hold extensive stocks of all common parts. However if a part is not in stock they have access to live stock availability from our UK warehouse with next day delivery in most cases.



SERVICE

A well maintained machine will not only last significantly longer, but will also perform to a higher level, ensuring high productivity and minimum downtime throughout the season.

Why buy from a **WEIBANG**[®] Authorised Dealer?



EXPERIENCE & ADVICE

WEIBANG Authorised Dealers have unrivalled knowledge of the garden machinery industry. This ensures they are able to advise the best machine for the application and ensure the best customer service.

STOCK

WEIBANG Authorised Dealers hold a comprehensive range of stock with machines on display for customers to view. Additionally WEIBANG dealers have access to live stock availability for machinery and spare parts in our UK warehouse 24/7.

PRE-DELIVERY INSPECTION

Any WEIBANG machine purchased from an Authorised Dealer will be fully assembled and have a complete pre-delivery inspection, consisting of running and testing.

GENUINE SPARE PARTS

WEIBANG Authorised Dealers use genuine spare parts. Using genuine parts extends the life of your machine and ensures it always performs at its optimum.

SERVICING EXPERTS

WEIBANG Authorised Dealers have extensive servicing experience and training, ensuring that services are carried out quickly and to the highest standards.

WARRANTY SUPPORT

In the unlikely event a machine requires warranty work, authorised dealers are fully qualified to carry out the work and validate your machine's warranty through its lifetime.

Peace of mind

All WEIBANG machines feature a comprehensive warranty for your peace of mind. All warranties are subject to annual service to ensure your machine performs at its best, time and time again.

Scan the **QR Code** for warranty T&C's



STEEL MACHINES

All steel body machines feature a 1 year commercial warranty.



ALUMINIUM MACHINES

All aluminium body machines feature a 3 year commercial warranty.



ALL MACHINES

All machines feature a 5 year domestic warranty.



Lawnmowers *Explained*



Rear Roller

Rear roller refers to a lawnmower with two front wheels, and a roller across the back. The roller flattens the grass as it moves, leaving a distinct traditional striped lawn.

Push Drive

The simplest form of lawnmower, with no gearbox so the user can push the machine at the preferred speed.

4 Wheeled

4 wheeled machines are often referred to simply as lawnmowers. With 2 wheels at the front and 2 at the rear, they offer a more versatile mowing range with multi-function ability.

Variable Speed

Variable speed is where a gearbox allows the user to choose the speed to suit the conditions or areas being mowed.

Dedicated Mulcher

A dedicated mulcher is a machine designed specifically for the highest mulching performance. Traits of a dedicated mulcher include a unique cutter deck and blade with no grass collection.

PRO 3 Speed

PRO 3 Speed refers to our highest quality, most durable industrial gearbox. Used in our flagship models, the gearbox offers 3 speed.



Shaft Drive

Shaft drive is a system that replaces the traditional drive belt of a self propelled lawnmower. Instead of a belt, a steel shaft is mounted from the engine to the gearbox for improved performance and reliability.

Rear Collect / Discharge

This is the function where grass is cut and thrown through the rear ejection chute of the cutter deck. It can be discharged from the rear onto the grass, or into the grass collector leaving a perfect tidy finish.

TBO

The all new 77 TBO features twin blade overlap, whereby the blades are offset to allow a wide cutting width without any uncut grass.

BBC

Refers to Blade Brake Clutch, which allows the user to disengage the blade while still keeping the engine running. Ideal for moving locations, and not having to restart the engine after emptying the collector.

Side Discharge

Side discharge is the function for longer grass areas, where grass ejects from a chute in the side of the cutter deck, leaving tidy rows of cut grass. Perfect for overgrown areas such as paddock or orchards.

CPS

All WEIBANG lawnmowers feature crankshaft protection systems, with a friction disc system on the LEGACY range and slip washer systems on Virtue models.

4 IN 1

Refers to multi-function cutting ability of a lawnmower. 4 in 1 offers rear discharge, rear collection, side discharge, and mulching from a single machine, allowing flexibility when working in different areas.

Mulching

Mulching is a function whereby grass is cut and retained within the cutter deck to be re-cut until the small grass pieces fall back into the lawn. Benefits to the lawn include a natural fertilizer boost for thicker greener grass.

VRS

As a commercial product WEIBANG features Vibration Reduction Systems to allow comfortable and safe use over long periods of time.

Customer Testimonials...



Our product development is driven from customer feedback, meaning we only manufacture products with features that our customers need.



"WEIBANG 48 BBC with the new brush kit, strong and no tools required to lift up and out the way" #stripes #lawncare

CJ Garden Services,
Surrey




"The drive, performance and finish is unrivalled"

Jack Robins,
Dorset



"The WEIBANG SVP50 doing the job again" #weibang #weibangarmy #grasscutting #lawncare #lawnmaintenance

Parkers Gardening Services,
Knaresborough



"The more i use the weibang 46SVP the more impressive it gets. Beast of a machine that knocks time off jobs that i'd normally trim"

50 Shades of Green,
Denton



"A great finish in all weathers, filling the bag even in the wet. This is why we chose WEIBANG over other brands."

Mike Popcock,
Kent



"The #weibangpro48bbc working it's magic again today." #poweredbyweibang

A J Shearing Garden Services,
Wiltshire

Join us on social...

Keep up to date with the latest WEIBANG developments and share your photos & stories



@weibangUK



@weibang_uk



@weibangUK



"What a great machine this WEIBANG is. Cut long wet grass this morning with no problem and left a brilliant finish."

Elian Evans Turf Management,
Llandysul



"Lots of long grass to be cut this week. The #weibang pulling it out the bag and eating through it all no problem." #lawncare

JDW Gardens,
Glasgow



"Long damp grass no problem for the WEIBANG."

NH Home and Garden,
Lancashire



"WEIBANG are the go to. We run 4 and they offer the best collection in all conditions."

TOP Garden Services,
Suffolk



"Soggy first cut of the season completed. Nearly gave up but the #weibang mower coped perfectly." #lawncare

Pauls Garden Services & Handyman,
West Yorkshire



"And this is why we love WEIBANG."

Tom Wharton,
Cornwall

2024 COMMERCIAL RANGES



Steel Deck

Alu Deck



VIRTUE

4 WHEELED LAWN MOWER RANGE

The WEIBANG Virtue range of 4 wheeled lawn mowers come in a choice of steel or aluminium decks, and are powered by premium WEIBANG, Kawasaki and Honda engines. The range includes rear collect, multi-function, shaft driven and dedicated mulching models for commercial use.

- | Steel Deck Models
- | Aluminium Deck Models

LEGACY

REAR ROLLER LAWN MOWER RANGE

The WEIBANG Legacy range of rear roller lawn mowers offer the ultimate in quality and performance for the traditional striped finish. With aluminium cutter decks and Kawasaki engines, all models feature an exceptional 3 year commercial warranty for peace of mind.

- | Aluminium Deck Models



NEW



INTREPID

GARDEN MAINTENANCE RANGE

The WEIBANG Intrepid range offers commercial machines for tasks such as collecting leafs and litter, grinding tree stumps, scarifying and aerating lawns. Built with high quality components to produce a reliable and high performance tool for the commercial user.

- | Aerators & Scarifiers
- | Leaf & Litter Vacuums
- | Stump Grinders

VELOCITY

HIGH GRASS & BRUSH MOWER RANGE

The all new WEIBANG Velocity range is designed to cut and reclaim overgrown areas. With uncompromising power, the Velocity range offers high productivity and exceptional performance when cutting tall grass, weeds, brambles, and even 3" saplings for the Field & Brush Mowers.

- | Wheeled Trimmer Models
- | Field & Brush Mower Models
- | Flail Mowers Models

LEGACY

REAR ROLLER RANGE



Full Legacy spec tables can be found on page 22





Engineered for excellence

The Legacy rear roller range from WEIBANG offers uncompromising quality, performance and durability, as well as an unrivalled cut for formal areas requiring a traditional striped finish. Designed specifically for the commercial user, the Legacy professional range come with 48 and 56cm cutting widths to cover any sized lawn or formal area.

With a high performance aluminium cutter deck, heavy duty steel split rear roller system and a powerful Kawasaki engine, the Legacy is designed for the highest productivity and reliability. As a commercial machine every detail has been thought out from the vibration reduction fully adjustable handles with user cockpit, the large durable grass collectors with active airflow fabric to indicate when full, and the replaceable cutter deck steel inner skirt and aluminium outer scrape bumpers.

OVERVIEW OF FEATURES


- | | | | |
|----|---|----|---|
| 1 | Profiled levers with replaceable bushes | 11 | Double ball bearings with dust covers |
| 2 | Professional grade cushioned grip | 12 | CPS - Crank Protection System |
| 3 | Integrated cockpit for machine controls | 13 | Inner and outer replaceable deck protection |
| 4 | Integrated cable protection | 14 | Steel ribbed split rear roller |
| 5 | Large 1.7 Litre fuel tank | 15 | Professional 3 speed gearbox |
| 6 | Kawasaki FJ180V commercial engine | 16 | VRS - Vibration Reduction System |
| 7 | Central height adjustment | 17 | Large fabric grass collector |
| 8 | HD Nylon wheels / Polyurethane Tyres | 18 | Quick release adjustable handles |
| 9 | Heavy duty front bumper | 19 | Airflow fabric - Collector full indicator |
| 10 | Front fins for increased airflow | 20 | High performance aluminium deck |

13


AI
ALUMINIUM
26.981

ALUMINIUM CUTTER DECK

All Legacy rear roller mowers feature a high performance aluminium cutter deck in either 48 or 56cm cutting width. Designed for optimum airflow to ensure high collection performance in all conditions, the deck also features a durable hammered paint finish and a 25 year guarantee.



48 / 56cm
19 / 22"



PRO 3 SPEED GEARBOX


The Legacy range features our flagship PRO 3 speed gearbox, offering the ultimate in performance and reliability for the professional user. Engineered to the highest standards, the gearbox is nearly double the size of other models on the market with 3 solid gears and features a full 3 year commercial warranty.

HEAVY DUTY REAR ROLLER

The rear roller of the Legacy range has a unique design unlike any other roller mower. The split steel ribbed roller is connected with an industrial grade roller ratchet which is encased in a vacuum locked seal to prevent grass, dirt and water from entering. For additional durability the roller chain cover has been specially heat treated and reinforced to avoid wear during use.



WATCH THE VIDEO



FULL DECK PROTECTION

The cutter deck of the Legacy features fully replaceable protection, with a steel inner deck liner to prevent damage from stones and other objects, and outer steel deck liners to protect the aluminium deck when mowing near walls or other inevitable knocks during use.



Powered by
Kawasaki

The Kawasaki FJ180V offers an exceptionally reliable engine with professional performance. With 179cc and 3.4kW power output, the Legacy has all the power and torque required to offer a high quality consistent cutting finish in any conditions.

SERVICE & STORAGE POSITION

As a commercial lawnmower, easy transportation is key which is why we developed our quick release folding handles to allow for easy lifting when moving between locations, and easy access to the underside of the deck in the service position for cleaning and general maintenance.





The Legacy features WEIBANG's Vibration Reduction System (VRS). This is a heavy duty aluminium bracket with a rubber AV liner that dampens vibration through the handles, as well as adding additional strength and durability.

The quick release handles also feature an aluminium ratchet system with cable protection, allowing for full height adjustment to suit any operator while keeping cables safe.



All WEIBANG Legacy commercial mowers feature CPS - Crank Protection System, whereby the blade is mounted via a friction disc to avoid damage to the crankshaft in the event of hitting an obstacle such as a stone or tree root. (excludes BBC models)

HEAVY DUTY BUMPER & AIR FINS

The cutter deck and front wheels are protected from accidental knocks by a heavy duty front bumper, which doubles up as a lifting handle for transportation. The integrated fins mounted at the front of the cutter deck allow maximum airflow into the cutter deck, ensuring the highest collection performance at any cutting height.



CENTRAL HEIGHT ADJUSTMENT

The central height adjustment is supported by a heavy duty spring for assistance. With a choice of 11 positions between 13 and 67mm the Legacy is capable of tackling anything from a short formal lawn to more natural areas. The height of cut can be adjusted in 5/6 mm increments allowing for the perfect finish and stripe on any lawn.



The Legacy PRO BBC features our latest innovative PRO BBC blade brake clutch. Designed purely for the professional following 3 years of lab and field testing. The PRO BBC offers continuous performance for over 40,000 engagements and features easily replaceable components to avoid costly repairs.

OPTIONAL STRIPE BRUSH

The optional stripe brush is fully adjustable and can be lowered into position when working, and raised up for transportation. The brush itself also features a height adjustment to alter the intensity when in use. The brush does not require any tools to remove when not being used and the bumper is still fitted to the lawnmower.

See page 108 for details



LEGACY 48 PRO

The Legacy 48 PRO features a 48cm / 19" aluminium cutter deck with central height adjustment from 13-67mm. Powered by a Kawasaki FJ180V engine and featuring a large easy empty 72L collector with airflow fabric, the Legacy 48 PRO is a true professional rear roller for the contractor, landscaper, groundsman or discerning gardener.

Part Number - WGMP43



Rear Collection



Powered by
Kawasaki

3 year
COMMERCIAL
WARRANTY



SCAN ME

LEGACY 48 PRO BBC

The Legacy 48 PRO BBC features a 48cm / 19" aluminium cutter deck with central height adjustment from 13-67mm. Powered by a Kawasaki FJ180V engine and featuring a WEIBANG PRO Blade Brake Clutch system to disengage the blades while the engine is running, it's perfect for when moving between lawns or emptying the grass collector.

Part Number - WGMP44



Rear Collection



Powered by
Kawasaki

3 year
COMMERCIAL
WARRANTY



SCAN ME



LEGACY 56 PRO

The Legacy 56 PRO features a 56cm / 22" aluminium cutter deck for larger areas such as formal lawns or sports pitches. Powered by a Kawasaki FJ180V engine and featuring an extra large easy empty 85L collector with airflow fabric, the Legacy 56 PRO is choice of councils, football clubs, contractors and many more.

Part Number - WGMP48



Rear Collection



Powered by
Kawasaki

3 year
COMMERCIAL
WARRANTY



SCAN ME

LEGACY 56 PRO BBC

The Legacy 56 PRO BBC features a 56cm / 22" aluminium cutter deck for larger areas such as formal lawns or sports pitches. Powered by a Kawasaki FJ180V engine and featuring the WEIBANG PRO BBC for improved efficiency, the Legacy 56 PRO BBC is our flagship professional rear roller used by councils, football clubs, contractors and many more.

Part Number - WGMP48



Rear Collection



Powered by
Kawasaki

3 year
COMMERCIAL
WARRANTY



SCAN ME



LEGACY



Model	48 PRO	48 PRO BBC
Article Number	WGMP43	WGMP44
Type	Rear Roller	Rear Roller
Cutting Width (cm/')	48 / 19	48 / 19
Cutter Deck Material	Aluminium	Aluminium
Suitable Area	up to 1500m ²	up to 1500m ²
Drive	3 Speed	3 Speed
Drive Speed	3 / 3.5 / 4.6 km/h	3 / 3.5 / 4.6 km/h
Blade Brake Clutch	No	WEIBANG PRO BBC
Engine Model	Kawasaki FJ180V	Kawasaki FJ180V
Engine Displacement (cc)	179	179
Engine Rated Power (kW/rpm)	3.4 / 3600	3.4 / 3600
Fuel Tank Capacity (l)	1.7	1.7
E10 Petrol Compatible	Yes	Yes
Blade Protection	CPS - Friction Disc	No
Collector Capacity (l)	72 - Inc. Airflow Fabric	72 - Inc. Airflow Fabric
Rear Discharge	Yes	Yes
Mulching	No	No
Side Discharge	No	No
Height Adjustment Type	Central Spring Assisted	Central Spring Assisted
Height Adjustment Positions	11	11
Cutting Heights (mm)	13 - 67	13 - 67
Quick Release Handles	Adjustable Ratchet	Adjustable Ratchet
Service Position	Yes	Yes
Storage / Transport Position	Yes	Yes
Front Bumper	Yes	Yes
Deck Protection	Inner & Outer	Inner & Outer
Wheel Material (rim/tyre)	HD Nylon / Polyurethane	HD Nylon / Polyurethane
Wheel Size (mm)	F 178 / R 127	F 178 / R 127
Weight (kg)	64.5	65.5
Dimensions LxWxH (mm)	1670 x 530 x 1090	1670 x 530 x 1090
Storage Dimensions LxWxH (mm)	980 x 530 x 540	980 x 530 x 540
Vibration Level* (m/s ²)	5.2	6.2
Noise Level (dB(A))	96	96
Warranty**	3 Year Commercial	3 Year Commercial

* Uncertainty Factor 1.5 m/s².

**Subject to annual service. T&C's apply.

LEGACY



Model	56 PRO	56 PRO BBC
Article Number	WGMP48	WGMP49
Type	Rear Roller	Rear Roller
Cutting Width (cm/')	56 / 22	56 / 22
Cutter Deck Material	Aluminium	Aluminium
Suitable Area	up to 3000m ²	up to 3000m ²
Drive	3 Speed	3 Speed
Drive Speed	3 / 3.5 / 4.6 km/h	3 / 3.5 / 4.6 km/h
Blade Brake Clutch	No	WEIBANG PRO BBC
Engine Model	Kawasaki FJ180V	Kawasaki FJ180V
Engine Displacement (cc)	179	179
Engine Rated Power (kW/rpm)	3.4 / 3600	3.4 / 3600
Fuel Tank Capacity (l)	1.7	1.7
E10 Petrol Compatible	Yes	Yes
Blade Protection	CPS - Friction Disc	No
Collector Capacity (l)	85 - Inc. Airflow Fabric	85 - Inc. Airflow Fabric
Rear Discharge	Yes	Yes
Mulching	No	No
Side Discharge	No	No
Height Adjustment Type	Central Spring Assisted	Central Spring Assisted
Height Adjustment Positions	11	11
Cutting Heights (mm)	13 - 67	13 - 67
Quick Release Handles	Adjustable Ratchet	Adjustable Ratchet
Service Position	Yes	Yes
Storage / Transport Position	Yes	Yes
Front Bumper	Yes	Yes
Deck Protection	Inner & Outer	Inner & Outer
Wheel Material (rim/tyre)	HD Nylon / Polyurethane	HD Nylon / Polyurethane
Wheel Size (mm)	F 178 / R 127	F 178 / R 127
Weight (kg)	68.5	70
Dimensions LxWxH (mm)	1790 x 605 x 1150	1790 x 605 x 1150
Storage Dimensions LxWxH (mm)	1040 x 605 x 540	1040 x 605 x 540
Vibration Level* (m/s ²)	6.5	6.5
Noise Level (dB(A))	96	96
Warranty**	3 Year Commercial	3 Year Commercial

* Uncertainty Factor 1.5 m/s².

**Subject to annual service. T&C's apply.

VIRTUE

4 WHEELED RANGE



Full Virtue spec tables can be found from page 54



DID YOU KNOW?

Our aluminium deck models generate 40% more airflow in the cutter deck than steel deck models, giving superior collection ability. Aluminium models also come with a 3 year commercial warranty compared to the steel decks 1 year.





Steel Body
Machines



Aluminium Body
Machines

Productivity you can rely on

The Virtue 4 wheeled lawnmower range from WEIBANG is engineered for the highest productivity. Designed specifically for the commercial user, the Virtue professional range come with 46, 50 and 53cm cutting widths to cover any sized lawn or public area.

With high performance steel or aluminium cutter decks, heavy duty wheels and powerful engines, the Virtue is designed for minimum downtime and maximum reliability. As a commercial machine, every detail has been thought out; from the vibration reduction adjustable handles with user cockpit to the large durable grass collectors with active airflow fabric to indicate when full, and the heavy duty front bumper to protect and aid in transportation.

OVERVIEW OF FEATURES

- | | | | |
|---|---|----|--|
| 1 | Profiled levers with replaceable bushes | 10 | CPS - Crank Protection System |
| 2 | Professional grade cushioned grip | 11 | Inner and outer replaceable deck protection* |
| 3 | Integrated cockpit for machine controls | 12 | Large high traction drive wheels |
| 4 | Kawasaki, Honda or WEIBANG engines | 13 | Aluminium commercial gearbox |
| 5 | Central height adjustment | 14 | VRS - Vibration Reduction System |
| 6 | Aluminium or heavy duty nylon wheels | 15 | Large quick empty fabric collector |
| 7 | High performance aluminium or steel decks | 16 | Quick release adjustable handles |
| 8 | Heavy duty front bumper | 17 | Airflow fabric - Collector full indicator |
| 9 | Sealed double ball bearings | 18 | Blade Brake Clutch models available |

*aluminium models only

STEEL & ALUMINIUM CUTTER DECKS

The Virtue commercial range offers a choice of steel or aluminium cutter decks to suit every task and budget. Every model in the steel deck range offers exceptional value for money and multi-function ability, while the aluminium deck increases airflow by 40% for the ultimate collection. All decks have a durable hammered paint finish.

← 46 / 50 / 53cm
18 / 20 / 21" →



The Virtue features WEIBANG's VRS (Vibration Reduction System) with a central crossbeam on steel deck models, and aluminium dampening brackets on aluminium models, which reduce vibration through the handles as well as adding additional strength and durability.

HEAVY DUTY BUMPER & DURABLE WHEELS

The cutter deck and front wheels are protected from accidental knocks by a heavy duty front bumper, which doubles up as a lifting handle for transportation. The wide commercial wheels consist of a new nylon compound rim and durable polyurethane tread for steel deck machines, and aluminium rims with rubber compound for the aluminium deck models. To further enhance the durability, the double wheel bearings are all fully protected to reduce water and dust ingress.




EASY MAINTENANCE

As a commercial machine the Virtue was designed for simple maintenance, with all engines offering easy access to the oil dipstick, spark plug and air filter, to make routine maintenance fast and minimise downtime.



CENTRAL HEIGHT OF CUT

The single lever height adjustment is supported by a heavy duty spring for assistance. With a choice of positions from as little as 20mm to as much as 80mm the Virtue is capable of tackling anything from a short formal lawn to more overgrown areas. The single adjustment lever is also fitted inside the rear wheel to ensure it's protected when mowing against walls and hedges.



SERVICE & STORAGE POSITION

As a commercial lawnmower transportation is key, which is why we developed our quick release folding handles to allow for easy lifting when moving between locations, and easy access to the underside of the deck for cleaning and general maintenance.





EASY CABLE ACCESS

All Virtue models feature an open back cockpit design, offering simple easy access to cables for adjustment or routine maintenance. Furthermore, the cables feature a heavy duty design with dust covers and spring mountings for added durability.



PROFESSIONAL ALUMINIUM GEARBOX

The Virtue range features heavy duty commercial gearboxes with single speed, variable speed, and PRO 3 speed variants. All gearboxes are manufactured with high quality aluminium casings and hardened steel internal components, ensuring precise and reliable drive.

HYBRID BLADE & CPS

The hybrid blade design of the Virtue range offers not only exceptional collection ability, but also high performance mulching. For specialist requirements some models can be fitted with either a dedicated high lift collection, or high performance mulching blade. All WEIBANG Virtue commercial mowers feature CPS - Crank Protection System, whereby the blade is mounted via a slip washer to avoid damage to the crankshaft in the event of hitting an obstacle such as a stone or tree root.


(excludes BBC models)

See page 107 to learn about our blades





The Virtue Shaft Drive BBC models feature our heavy duty WEIBANG PRO Blade Brake Clutch (BBC), allowing the operator to stop the blades while keeping the engine running. Engineered to the highest standards, the WEIBANG PRO BBC is nearly double the size of other BBC's on the market and offers unrivalled reliability and serviceability.



Warner



PRO Shaft Drive BBC



WATCH THE VIDEO



PERFORMS COME
RAIN OR SHINE

As a commercial machine the Virtue has been specifically designed for performance and productivity. As a result the machines perform in the toughest conditions, minimising downtime for operators and allowing mowing throughout the year.

ADJUSTABLE HANDLES

As with all WEIBANG commercial lawnmowers, the Virtue Range features our heavy duty aluminium quick release adjustment clamps. The quick release levers allow fast adjustment to suit any operator while not compromising on the rigidity of the handle.



DURABLE GRIP & REPLACEABLE BUSHES

The handles feature a high density professional grip for comfort and durability over long periods of use, the OPC and drive levers are fitted into replaceable plastic bushes for smooth operation and an extended life.




EMPTYING HANDLE

We re-designed our collector for products manufactured from February 2022 to feature a new full width empty handle that doesn't pinch the collector during emptying, resulting in easier and faster emptying of the large fabric bags.




LARGE QUICK ATTACH COLLECTORS

The large fabric collectors feature airflow fabric on the top to indicate when the collector is full. To make life easier the collector auto locates into the handle structure effortlessly. When removed, the machine offers rear discharge functionality.



MULCH READY

Many Virtue models feature a high performance hybrid blade for exceptional cutting, collection, and mulching ability. The included mulching plug fits easily into the rear discharge chute for a high quality mulching finish. Optional dedicated mulching and high lift blades are also available. For best results when mulching, never cut more than a third of the grass length.



SIDE DISCHARGE

For overgrown areas the side discharge chute can be easily attached without tools, offering a highly productive method of cutting longer grass. Please note, the mulching plug must be inserted for side discharge to function correctly. (Steel deck models only)



VIRTUE 46 SPP

The 46 SPP offers a simple, light weight machine that is perfect for the professional working on multiple small lawns in a day. This push mower features a 4 in 1 steel cutter deck with all the commercial features expected from a Virtue, including adjustable handles, vibration reduction system, front bumper and a 1 year commercial warranty.

Part Number - WGMP110



Collect, Mulch, Side & Rear Discharge



POWERED BY
WEIBANG



SCAN ME

VIRTUE 46 SVP

The 46 SVP features variable speed and an aluminium gearbox. Featuring a 4 in 1 steel cutter deck with all the commercial features expected from a Virtue, including adjustable handles, vibration reduction system, front bumper and a 1 year commercial warranty.

Part Number - WGMP100



Collect, Mulch, Side & Rear Discharge



POWERED BY
WEIBANG



SCAN ME

VIRTUE 50 SVP

The 50 SVP features variable speed and an aluminium gearbox. Featuring a 4 in 1 steel cutter deck with all the commercial features expected from a Virtue, the 50 SVP has a larger 50cm cutter deck and a more powerful 166cc engine.

Part Number - WGMP105



Collect, Mulch, Side & Rear Discharge



POWERED BY
WEIBANG



SCAN ME

NEW

POWERED by **HONDA**™

For 2024 following customer feedback we have added two new Honda powered SVP models, both utilising tried and tested premium Honda GCVx engines featuring Auto Choke while retaining a competitive price.



VIRTUE 46 SVP-H

The new 46 SVP-H features a Honda GCVx 145 engine, variable speed and an aluminium gearbox. The 4 in 1 steel cutter deck has all the commercial features expected from a Virtue, including adjustable handles, vibration reduction system, front bumper and a 1 year commercial warranty.

Part Number - WGMP122



Collect, Mulch, Side & Rear Discharge

POWERED by
HONDA™



VIRTUE 50 SVP-H

The new 50 SVP-H features a larger Honda GCVx 170 engine, variable speed and an aluminium gearbox. The 4 in 1 steel cutter deck offers multiple functions for the commercial operator and the machine includes a 1 year commercial warranty.

Part Number - WGMP125



Collect, Mulch, Side & Rear Discharge

POWERED by
HONDA™



13

AIALUMINIUM
26.981

ALUMINIUM CUTTER DECK

Compared to our steel deck models, the aluminium range offers **40% more airflow** in the deeper cutter deck for unrivalled grass collection in any conditions. As well as the performance benefits, the aluminium deck also features removable inner and outer deck protection.



VIRTUE 53 PRO

The Virtue 53 PRO is the ultimate belt drive commercial 4 wheeled lawnmower, with an aluminium cutter deck and powerful Kawasaki engine. Featuring our PRO 3 speed gearbox the mower is the choice of many councils and contractors across the world, the 53 PRO is built to last.

Part Number - WGMP56**Collect, Rear Discharge, Mulch optional**Powered by
Kawasaki

VIRTUE 53 PRO BBC

The Virtue 53 PRO BBC is the ultimate belt drive commercial 4 wheeled lawnmower with a WEIBANG PRO BBC, the system disengages the blade while the engine is running, perfect for when moving between lawns or emptying the grass collector. Featuring an aluminium cutter deck and powerful Kawasaki engine with PRO 3 speed gearbox.

Part Number - WGMP57**Collect, Rear Discharge**Powered by
Kawasaki

Optional Stripe Brush Available - See page 109 for details



VIRTUE

4 WHEELED SHAFT DRIVE RANGE



Full Virtue Shaft Drive spec tables can be found from page 58



DID YOU KNOW?

Our flagship shaft drive models have all the commercial features of the Virtue 4 wheeled lawnmower range, with the addition of a WEIBANG X200 commercial engine and shaft drive to replace the traditional belt drive system.





Steel Body
Machines



Aluminium Body
Machines

Productivity you can rely on

The Virtue 4 wheeled shaft drive lawnmower range from WEIBANG is engineered for the highest productivity. With all the commercial features seen on other Virtue models, but with the added benefit of our commercial shaft drive engine, eliminating the need for drive belts and increasing performance and reliability.

With high performance steel or aluminium cutter decks, heavy duty wheels and a WEIBANG X200 shaft drive engine, the range is designed for the highest performance, productivity and reliability. As a commercial machine, every detail has been thought; from vibration reduction adjustable handles with user cockpit to the large durable grass collectors with active airflow fabric to indicate when full, and the heavy duty front bumper to protect and aid in transportation.

OVERVIEW OF FEATURES

- | | | | |
|---|---|----|--|
| 1 | Profiled levers with replaceable bushes | 10 | CPS - Crank Protection System |
| 2 | Professional grade cushioned grip | 11 | Inner and outer replaceable deck protection* |
| 3 | Integrated cockpit for machine controls | 12 | Large high traction drive wheels |
| 4 | WEIBANG commercial shaft drive engine | 13 | Aluminium PRO 3 speed gearbox |
| 5 | Central height adjustment | 14 | VRS - Vibration Reduction System |
| 6 | Aluminium or heavy duty nylon wheels | 15 | 70L quick empty fabric collector |
| 7 | High performance aluminium or steel decks | 16 | Quick release adjustable handles |
| 8 | Heavy duty front bumper | 17 | Airflow fabric - Collector full indicator |
| 9 | Sealed double ball bearings | 18 | WEIBANG PRO Shaft Drive BBC options |



*aluminium models only

SHAFT DRIVE EXPLAINED

In a traditional lawnmower the gearbox is driven by a belt coming from the engine. In contrast the shaft drive system replaces the belt with a solid steel drive shaft for direct power transfer from the engine to the gearbox.



WATCH THE VIDEO



SHAFT DRIVE BENEFITS

- Direct power transfer
- 196cc / 3.4kW commercial engine
- No loss of performance
- No more belts to replace
- No more cleaning grass from under the belt cover
- Minimal servicing required
- Less downtime and higher productivity
- Up to 3 year commercial warranty (Aluminium models)

VIRTUE 53 SSD

The Virtue 53 SSD is our entry level model featuring shaft drive. With a large 53cm steel cutter deck and 4 in 1 function, the 53 SSD is a truly versatile commercial mower. Powered by a 196cc X200 engine, the machine features heavy duty nylon wheels, front bumper and central height adjustment.

Part Number - WGMP90



Collect, Mulch, Side & Rear Discharge



POWERED BY
WEIBANG



VIRTUE 53 SSD BBC

The Virtue 53 SSD BBC is our entry level BBC model featuring shaft drive and a WEIBANG PRO SD BBC. The large 53cm steel cutter deck has 4 in 1 function, making it a truly versatile commercial mower. Powered by a 196cc X200 engine, the machine features heavy duty nylon wheels, front bumper and central height adjustment.

Part Number - WGMP91



Collect, Side & Rear Discharge



POWERED BY
WEIBANG



SCAN ME

VIRTUE 53 ASD

The Virtue 53 ASD features an aluminium cutter deck which provides 40% more airflow than the steel deck models. Offering exceptional cutting and collection in all conditions, the 53 ASD is the ultimate mower. Fitted with a heavy duty bumper and inner and outer deck protection, and a large 70L collector with airflow fabric.

Part Number - WGMP62



Collect, Rear Discharge, Mulch optional



POWERED BY
WEIBANG



SCAN ME

VIRTUE 53 ASD BBC

The Virtue 53 ASD BBC features an aluminium cutter deck which provides 40% more airflow than the steel deck models. Offering exceptional cutting and collection in all conditions, the 53 ASD BBC is also fitted with a WEIBANG PRO SD BBC and is the choice of many local councils and contractors due to its performance and reliability.

Part Number - WGMP63



Collect, Rear Discharge



POWERED BY
WEIBANG



SCAN ME

NEW

VIRTUE

TWIN BLADE RANGE




Spec tables can
be found from page 57

6 YEAR DEVELOPMENT

We started development of the Virtue 77 TBO 6 years ago and previewed a sample in 2019. Following feedback from dealers and customers we have spent the past 4 years testing and optimizing the design for launch.

TBO
twin blade overlap system





Unrivalled Productivity

Having analysed the market for twin blade commercial walk-behinds we found nothing that met our targets for performance and reliability. This led to an extensive 6 year development programme to arrive at today's machine which has been in testing since 2019 in commercial environments, and which we are confident will outperform other products in the market.

With a high performance twin blade 77cm / 30.5" steel cutter deck, heavy duty wide wheels and a low vibration 300cc engine, the Virtue 77 TBO is designed for minimum downtime and maximum productivity. The overlap twin blade deck design means there is no need for a timing belt system, which must be maintained regularly and can be more costly to repair over time. As a commercial machine, every detail has been thought out; from the adjustable handles with user cockpit to the large durable grass collector with active airflow fabric to indicate when full, and the heavy duty front bumper to protect and aid in transportation.

OVERVIEW OF FEATURES

- | | | | |
|----|--|----|---|
| 1 | Profiled levers with replaceable bushes | 11 | Sealed double ball bearings |
| 2 | Professional grade cushioned grip | 12 | CPS - Crankshaft Protection System |
| 3 | Integrated cockpit for machine controls | 13 | Side discharge & high performance mulch kit |
| 4 | Large 4L fuel tank | 14 | High traction powered rear wheels |
| 5 | WEIBANG 300cc low vibration engine | 15 | Professional 3 speed gearbox |
| 6 | Commercial grade air filter | 16 | Independent front / rear height adjustment |
| 7 | TBO - Twin Blade Overlap 77cm cutting system | 17 | Pressure lubricated engine |
| 8 | Heavy duty nylon wheels | 18 | Quick release adjustable handles |
| 9 | Pressed steel cutter deck | 19 | 90L collector with airflow fabric |
| 10 | Heavy duty front bumper | 20 | Parking brake |




POWERED BY **WEIBANG**

The Virtue 77 TBO features the latest second generation WEIBANG XCV Series engine. The new design offers exceptionally low vibration thanks to new engineering techniques and features 300cc / 5.6kW power output for consistent performance. The engine also produces 17.3 Nm of torque giving the power for tough conditions.




PRESSURE LUBRICATED


The XV300 engine features pressure lubrication with a spin-off oil filter for ease of maintenance. The pressurised system ensures ultimate durability as well as the ability to work on slopes.



PROFESSIONAL ALUMINIUM GEARBOX

The Virtue 77 TBO features a heavy duty commercial 3 speed gearbox. Manufactured with high quality aluminium casings, hardened steel internal components, and solid gears to ensure precise and reliable drive.





TBO^o

twin blade overlap system

The newest addition to the Virtue range offers an unrivalled 77cm cutting width with a twin blade overlap design. Enabling the largest areas to be cut with ease and with an additional 45% more productivity when compared to a 53cm model, the 77 TBO is the flagship of the Virtue family. It is the overlap deck design that allows for a wide area to be cut efficiently and gives huge benefits to the collection, side discharge and mulching performance.


SIMPLE V-BELT DESIGN

The V-belt system is designed for optimum performance and minimal downtime. The pulley layout allows maximum power transfer while reducing belt wear for maximum durability. This design does not rely on a timing belt system, which we found in a commercial application does not give durability and longevity to the commercial user.



INDEPENDENT HEIGHT OF CUT

The 77 TBO features independent height adjustment for the front and rear of the machine with 15 cutting heights from 17mm - 129mm to maintain any grass area whether short and formal or longer and more natural.



SIDE DISCHARGE

The Virtue 77 TBO offers 4 in 1 functionality, with rear discharge and rear collect, side discharge for overgrown areas such as paddocks and pathways, and mulching.



LARGE 90L COLLECTOR

The large 90L collector allows longer cutting periods between emptying as well as featuring airflow fabric to indicate when the collector is full and avoid blockages. The grassbag has had additional reinforcement added to the material on the corners and sides to handle the additional weight from long wet grass.




HIGH PERFORMANCE MULCHING

The 77 TBO includes a high performance mulch kit comprising of specially designed blades and a deeper baffle plate to hold grass in the cutter deck for continuous cutting. Thanks to the service and storage position, the mulching kit can be fitted with ease.




For optimum mulching results you should never cut more than a third of the grass length. For best results never mulch grass below 29mm (position 3) and to learn more scan the QR code.



NEW WIDER WHEELS

Due to the additional weight of the machine we have increased the diameter and width of the front and rear wheels to ensure that the ground pressure is the same as a 53cm model, avoiding marking of lawns.



MAXIMUM PRODUCTIVITY

With a large 77cm dual blade cutting width the 77 TBO offers an incredible increase in productivity of 45% when compared to our 53cm Virtue models, allowing areas of up to 4500m² to be cut with ease.

EASY TO OPERATE

The WEIBANG controls are designed for simple operation and unrivalled durability. Featuring a heavy duty rubber grip, flush OPC and drive levers for user comfort, and simple throttle and speed levers which can be easily accessed for routine maintenance. Due to the additional weight of the 77 TBO the handles feature a parking brake, ensuring safety when not in use or during transport. The blade brake system also allows drive to function without the blade engaged.





EASY CABLE ACCESS

The controls feature an open back cockpit design, offering simple easy access to cables for adjustment or routine maintenance. Furthermore, the cables feature a heavy duty design with dust covers and spring mountings for added durability.



EASY MAINTENANCE

As a commercial machine the 77 TBO was designed for simple maintenance, with easy access to the oil dipstick, spark plug, oil and air filter, to make routine maintenance fast and minimise downtime.

HEAVY DUTY BUMPER & ROLLED EDGE DECK

The cutter deck and front wheels are protected from accidental knocks by a heavy duty front bumper, which doubles up as a lifting handle for transportation. Due to the larger size of the machine additional deck rigidity comes from the specially designed rolled steel edge to the deck.



SERVICE & STORAGE POSITION

As a commercial lawnmower, easy transportation is key which is why we developed our quick release folding handles to allow for easy lifting when moving between locations, and easy access to the underside of the deck in the service position for cleaning and general maintenance.



OPTIONAL STRIPE BRUSH

The optional stripe brush is fully adjustable and can be lowered into position when working, and raised up for transportation. The brush itself also features a height adjustment to alter the intensity when in use. The brush does not require any tools for the customer to remove when not being used and the bumper is still fitted to the lawnmower.



WGSBK77 (Stripe Brush Kit)

WG77B (Replacement Brush)

VIRTUE 77 TBO

The 77 TBO features a wide 77cm cutting width and 3 speed drive. Featuring a twin blade steel cutter deck with all the commercial features expected from a WEIBANG, including adjustable handles, front bumper and a WEIBANG XV300 engine. The machine offers 4 in 1 functionality for work in any area.

Part Number - WGMP140



Collect, Mulch, Side & Rear Discharge



POWERED BY
WEIBANG




TBO^o
twin blade overlap system



PROVEN PERFORMANCE

When development started 6 years ago we set the goal of producing a wide cut twin blade lawnmower with the same cutting and collection performance as our tried and tested Virtue 53cm models. The 77 TBO features the same internal cutter deck design for exceptional airflow and collection performance.



VIRTUE 53 ASD



VIRTUE 77 TBO



PERFECTION IS OUR PASSION™

WEIBANG®

VIRTUE

DEDICATED MULCHING RANGE



Full Virtue Mulcher spec tables can be found on page 59



DID YOU KNOW?

For the best mulching finish you should never cut more than a third off the grass length, also be aware mulching performance reduces as the drive speed increases.





Productivity you can rely on

The Virtue dedicated mulching lawnmower range from WEIBANG is engineered for the highest mulching performance. Designed specifically for the commercial user, the Virtue professional mulching range comes with 46, and 53cm cutting widths to cover any sized lawn or public area.

With a high performance rolled steel cutter deck, crankshaft protection system and powerful engines, the Virtue dedicated mulcher is designed for the highest performance and reliability. As a commercial machine, every detail has been thought out; from the vibration reduction adjustable handles with user cockpit to the specially designing blade to cut and re-cut grass, and the heavy duty front bumper to protect and aid in transportation.

OVERVIEW OF FEATURES

- | | | | |
|---|---|----|----------------------------------|
| 1 | Profiled levers with replaceable bushes | 9 | Steel spring wheel scrapers |
| 2 | Professional grade cushioned grip | 10 | CPS - Crank Protection System |
| 3 | Integrated cockpit for machine controls | 11 | Large high traction drive wheels |
| 4 | Kawasaki or WEIBANG commercial engines | 12 | Aluminium commercial gearbox |
| 5 | Aluminium or heavy duty nylon wheels | 13 | VRS - Vibration Reduction System |
| 6 | Heavy duty front bumper | 14 | Central height adjustment |
| 7 | High performance rolled steel deck | 15 | Quick release adjustable handles |
| 8 | Sealed double ball bearings | | |

MULCHING EXPLAINED

Mulching is the process where grass is cut, then held within the cutter deck to be re-cut into small pieces which fall back into the lawn to act as a natural fertiliser. Frequent mulching encourages a healthier, thicker, greener lawn.



HEAVY DUTY WHEELS WITH SPRING SCRAPERS

The Virtue dedicated mulching range feature heavy duty double ball bearing wheels with steel spring scrapers to remove cut grass from the tread avoiding grass clumps being left behind while mowing.



ROLLED STEEL DECK WITH CRANK PROTECTION

Our dedicated mulchers feature a high performance rolled steel deck with specially designed cutting blade for the optimum mulching performance. To protect the crankshaft from damage by tree roots and stones, an aluminium support has been fitted to support the crankshaft with the blade mounted to a CPS slip washer.



VIRTUE 46 SMP

The Virtue 46 SMP offers a high performance commercial mulcher with a 46cm cutting width. Powered by a 166cc engine and fitted with heavy duty nylon wheels with steel spring scrapers, the mower also features a single speed aluminium gearbox.

Part Number - WGMP75



Dedicated Mulching



POWERED BY
WEIBANG



VIRTUE 53 SMP

The Virtue 53 SMP is our flagship dedicated commercial mulcher with a larger 53cm cutting width. Powered by a reliable Kawasaki FJ180V engine and fitted with heavy duty aluminium wheels the mower also features our industry leading PRO 3 speed gearbox.

Part Number - WGMP72



Dedicated Mulching



Powered by
Kawasaki



VIRTUE



NEW

Model	46 SPP	46 SVP	46 SVP-H
Article Number	WGMP110	WGMP100	WGMP122
Type	4 Wheeled Rotary	4 Wheeled Rotary	4 Wheeled Rotary
Cutting Width (cm/")	46 / 18	46 / 18	46 / 18
Cutter Deck Material	Steel	Steel	Steel
Suitable Area	up to 1000m ²	up to 1200m ²	up to 1200m ²
Drive	Push	Variable Speed	Variable Speed
Drive Speed	-	2.5 - 5 km/h	2.5 - 5 km/h
Blade Brake Clutch	No	No	No
Engine Model	WEIBANG X145 (Loncin)	WEIBANG X145 (Loncin)	Honda GCVx 145
Engine Displacement (cc)	140	140	140
Engine Rated Power (kW/rpm)	2.7 / 3600	2.7 @3600	3.1 @3600
Fuel Tank Capacity (l)	0.9	0.9	0.91
E10 Petrol Compatible	Yes	Yes	Yes
Blade Protection	CPS - Slip Washer	CPS - Slip Washer	CPS - Slip Washer
Collector Capacity (l)	55 - Inc. Airflow Fabric	55 - Inc. Airflow Fabric	55 - Inc. Airflow Fabric
Rear Discharge	Yes	Yes	Yes
Mulching	Yes	Yes	Yes
Side Discharge	Yes	Yes	Yes
Height Adjustment Type	Central Spring Assisted	Central Spring Assisted	Central Spring Assisted
Height Adjustment Positions	8	8	8
Cutting Heights (mm)	20 - 70	20 - 70	20 - 70
Quick Release Handles	Adjustable Ratchet	Adjustable Ratchet	Adjustable Ratchet
Service Position	Yes	Yes	Yes
Storage / Transport Position	Yes	Yes	Yes
Front Bumper	Yes	Yes	Yes
Deck Protection	No	No	No
Wheel Material (rim/tyre)	Nylon / Polyurethane	Nylon / Polyurethane	Nylon / Polyurethane
Wheel Size (mm)	F 178 / R 203	F 178 / R 229	F 178 / R 229
Weight (kg)	32.8	38	39.8
Dimensions LxWxH (mm)	1500 x 495 x 995	1530 x 530 x 995	1530 x 530 x 995
Storage Dimensions LxWxH (mm)	920 x 495 x 440	945 x 530 x 480	945 x 530 x 480
Vibration Level* (m/s ²)	3.2	4.7	7.6
Noise Level (dB(A))	96	96	96
Warranty**	1 Year Commercial	1 Year Commercial	1 Year Commercial

* Uncertainty Factor 1.5 m/s².

**Subject to annual service. T&C's apply.

VIRTUE



NEW

Model	50 SVP	50 SVP-H
Article Number	WGMP105	WGMP125
Type	4 Wheeled Rotary	4 Wheeled Rotary
Cutting Width (cm/")	50 / 20	50 / 20
Cutter Deck Material	Steel	Steel
Suitable Area	up to 2000m ²	up to 2000m ²
Drive	Variable Speed	Variable Speed
Drive Speed	2.5 - 5 km/h	2.5 - 5 km/h
Blade Brake Clutch	No	No
Engine Model	WEIBANG X170 (Loncin)	Honda GCVx 170
Engine Displacement (cc)	166	166
Engine Rated Power (kW/rpm)	3.0 @3600	3.6 @3600
Fuel Tank Capacity (l)	1.0	0.91
E10 Petrol Compatible	Yes	Yes
Blade Protection	CPS - Slip Washer	CPS - Slip Washer
Collector Capacity (l)	60 - Inc. Airflow Fabric	60 - Inc. Airflow Fabric
Rear Discharge	Yes	Yes
Mulching	Yes	Yes
Side Discharge	Yes	Yes
Height Adjustment Type	Central Spring Assisted	Central Spring Assisted
Height Adjustment Positions	8	8
Cutting Heights (mm)	20 - 70	20 - 70
Quick Release Handles	Adjustable Ratchet	Adjustable Ratchet
Service Position	Yes	Yes
Storage / Transport Position	Yes	Yes
Front Bumper	Yes	Yes
Deck Protection	No	No
Wheel Material (rim/tyre)	Nylon / Polyurethane	Nylon / Polyurethane
Wheel Size (mm)	F 203 / R 229	F 203 / R 229
Weight (kg)	43	43.5
Dimensions LxWxH (mm)	1600 x 555 x 1000	1600 x 555 x 1000
Storage Dimensions LxWxH (mm)	980 x 555 x 420	980 x 555 x 420
Vibration Level* (m/s ²)	5.3	6.8
Noise Level (dB(A))	96	96
Warranty**	1 Year Commercial	1 Year Commercial

* Uncertainty Factor 1.5 m/s².

**Subject to annual service. T&C's apply.

VIRTUE



Model	53 PRO	53 PRO BBC
Article Number	WGMP56	WGMP57
Type	4 Wheeled Rotary	4 Wheeled Rotary
Cutting Width (cm/")	53 / 21	53 / 21
Cutter Deck Material	Aluminium	Aluminium
Suitable Area	up to 3000m ²	up to 3000m ²
Drive	3 Speed	3 Speed
Drive Speed	3 / 3.5 / 4.6 km/h	3 / 3.5 / 4.6 km/h
Blade Brake Clutch	No	WEIBANG PRO BBC
Engine Model	Kawasaki FJ180V	Kawasaki FJ180V
Engine Displacement (cc)	179	179
Engine Rated Power (kW/rpm)	3.4 / 3600	3.4 / 3600
Fuel Tank Capacity (l)	1.7	1.7
E10 Petrol Compatible	Yes	Yes
Blade Protection	CPS - Slip Washer	CPS - BBC
Collector Capacity (l)	70 - Inc. Airflow Fabric	70 - Inc. Airflow Fabric
Rear Discharge	Yes	Yes
Mulching	Optional	No
Side Discharge	No	No
Height Adjustment Type	Central Spring Assisted	Central Spring Assisted
Height Adjustment Positions	7	7
Cutting Heights (mm)	25 - 76	25 - 76
Quick Release Handles	Adjustable Ratchet	Adjustable Ratchet
Service Position	Yes	Yes
Storage / Transport Position	Yes	Yes
Front Bumper	Yes	Yes
Deck Protection	Inner & Outer	Inner & Outer
Wheel Material (rim/tyre)	Aluminium / Rubber	Aluminium / Rubber
Wheel Size (mm)	F 203 / R 229	F 203 / R 229
Weight (kg)	56	61
Dimensions LxWxH (mm)	1650 x 590 x 1060	1650 x 590 x 1060
Storage Dimensions LxWxH (mm)	1050 x 590 x 470	1050 x 590 x 480
Vibration Level* (m/s ²)	5.5	4.7
Noise Level (dB(A))	96	96
Warranty**	3 Year Commercial	3 Year Commercial

* Uncertainty Factor 1.5 m/s².

**Subject to annual service. T&C's apply.

NEW



VIRTUE

Model	Virtue 77 TBO
Article Number	WGMP140
Type	4 Wheeled Rotary
Cutting Width (cm/')	77 / 30.5 Twin Blade Overlap
Cutter Deck Material	Steel
Suitable Area	up to 4500m ²
Drive	3 Speed
Drive Speed	3 / 3.5 / 4.5 km/h
Blade Brake	Yes
Engine Model	WEIBANG XCV300
Engine Displacement (cc)	300
Engine Rated Power (kW/rpm)	5.6 / 3200
Engine Rated Torque (Nm)	17.3
Fuel Tank Capacity (l)	4
Blade Protection	CPS - Slip Washer
Collector Capacity (l)	90 - Inc. Airflow Fabric
Rear Discharge	Yes
Mulching	Yes - High Performance Kit
Side Discharge	Yes
Height Adjustment Type	Independent Front & Rear
Height Adjustment Positions	15
Cutting Heights (mm)	17 - 129 (Collect & Side Discharge) / 29 - 129 (Mulching)
Quick Release Handles	Adjustable Ratchet
Service Position	Yes
Storage / Transport Position	Yes
Front Bumper	Yes
Deck Protection	Rolled Deck Lip
Wheel Material (rim/tyre)	Nylon / Polyurethane
Wheel Diameter (mm)	F 230 (65 wide) / R 265 (80 wide)
Weight (kg)	98
Dimensions LxWxH (mm)	1960 x 820 x 1250
Storage Dimensions LxWxH (mm)	1200 x 820 x 610
Vibration Level* (m/s ²)	4.5
Noise Level (dB(A))	100
Warranty**	1 Year Commercial

* Uncertainty Factor 1.5 m/s².

**Subject to annual service. T&C's apply.

VIRTUE



Model	53 SSD Shaft Drive	53 SSD BBC Shaft Drive	53 ASD Shaft Drive
Article Number	WGMP90	WGMP91	WGMP62
Type	4 Wheeled Rotary	4 Wheeled Rotary	4 Wheeled Rotary
Cutting Width (cm/")	53 / 21	53 / 21	53 / 21
Cutter Deck Material	Steel	Steel	Aluminium
Suitable Area	up to 3000m ²	up to 3000m ²	up to 3000m ²
Drive	3 Speed	3 Speed	3 Speed
Drive Speed	3 / 3.5 / 4.6 km/h	3 / 3.5 / 4.6 km/h	3 / 3.5 / 4.6 km/h
Blade Brake Clutch	No	WEIBANG PRO SD BBC	No
Engine Model	WEIBANG X200S (Loncin)	WEIBANG X200S (Loncin)	WEIBANG X200S (Loncin)
Engine Displacement (cc)	196	196	196
Engine Rated Power (kW/rpm)	3.6 / 3600	3.6 / 3600	3.6 / 3600
Fuel Tank Capacity (l)	1.0	1.0	1.0
E10 Petrol Compatible	Yes	Yes	Yes
Blade Protection	CPS - Slip Washer	CPS - BBC	CPS - Slip Washer
Collector Capacity (l)	70 - Inc. Airflow Fabric	70 - Inc. Airflow Fabric	70 - Inc. Airflow Fabric
Rear Discharge	Yes	Yes	Yes
Mulching	Yes	No	Optional
Side Discharge	Yes	Yes	No
Height Adjustment Type	Central Spring Assisted	Central Spring Assisted	Central Spring Assisted
Height Adjustment Positions	10	10	7
Cutting Heights (mm)	25 - 80	25 - 80	25 - 76
Quick Release Handles	Adjustable Ratchet	Adjustable Ratchet	Adjustable Ratchet
Service Position	Yes	Yes	Yes
Storage / Transport Position	Yes	Yes	Yes
Front Bumper	Yes	Yes	Yes
Deck Protection	No	No	Inner & Outer
Wheel Material (rim/tyre)	Nylon / Polyurethane	Nylon / Polyurethane	Aluminium / Rubber
Wheel Size (mm)	F 203 / R 220	F 203 / R 220	F 203 / R 229
Weight (kg)	48	50	54
Dimensions LxWxH (mm)	1590 x 590 x 1060	1590 x 590 x 1060	1650 x 585 x 1060
Storage Dimensions LxWxH (mm)	980 x 590 x 450	980 x 590 x 460	1050 x 585 x 470
Vibration Level* (m/s ²)	5.9	7.8	4.6
Noise Level (dB(A))	96	96	96
Warranty**	1 Year Commercial	1 Year Commercial	3 Year Commercial

* Uncertainty Factor 1.5 m/s².

**Subject to annual service. T&C's apply.

VIRTUE



Model	53 ASD BBC Shaft Drive	46 SMP	53 SMP
Article Number	WGMP63	WGMP75	WGMP72
Type	4 Wheeled Rotary	4 Wheeled Mulcher	4 Wheeled Mulcher
Cutting Width (cm/")	53 / 21	46 / 18	53 / 21
Cutter Deck Material	Aluminium	Steel	Steel
Suitable Area	up to 3000m ²	up to 1200m ²	up to 3000m ²
Drive	3 Speed	Single Speed	3 Speed
Drive Speed	3 / 3.5 / 4.6 km/h	3.3 km/h	3 / 3.5 / 4.6 km/h
Blade Brake Clutch	WEIBANG PRO SD BBC	No	No
Engine Model	WEIBANG X200S (Loncin)	WEIBANG X170 (Loncin)	Kawasaki FJ180V
Engine Displacement (cc)	196	166	179
Engine Rated Power (kW/rpm)	3.6 / 3600	3.0 / 3600	3.4 / 3600
Fuel Tank Capacity (l)	1.0	1.0	1.7
E10 Petrol Compatible	Yes	Yes	Yes
Blade Protection	CPS - BBC	CPS - Slip Washer***	CPS - Slip Washer***
Collector Capacity (l)	70 - Inc. Airflow Fabric	-	-
Rear Discharge	Yes	No	No
Mulching	No	Yes	Yes
Side Discharge	No	No	No
Height Adjustment Type	Central Spring Assisted	Central Spring Assisted	Central Spring Assisted
Height Adjustment Positions	7	7	7
Cutting Heights (mm)	25 - 76	15 - 76	15 - 76
Quick Release Handles	Adjustable Ratchet	Adjustable Ratchet	Adjustable Ratchet
Service Position	Yes	Yes	Yes
Storage / Transport Position	Yes	Yes	Yes
Front Bumper	Yes	Yes	Yes
Deck Protection	Inner & Outer	No	No
Wheel Material (rim/tyre)	Aluminium / Rubber	Nylon / Polyurethane	Aluminium / Rubber
Wheel Size (mm)	F 203 / R 229	F 178 / R 203	F 203 / R 229
Weight (kg)	57	46	55
Dimensions LxWxH (mm)	1650 x 585 x 1060	1540 x 500 x 1045	1600 x 565 x 1045
Storage Dimensions LxWxH (mm)	1050 x 585 x 480	980 x 500 x 440	1000 x 565 x 540
Vibration Level* (m/s ²)	4.1	5.2	5.2
Noise Level (dB(A))	96	96	96
Warranty**	3 Year Commercial	1 Year Commercial	1 Year Commercial

* Uncertainty Factor 1.5 m/s².

**Subject to annual service. T&C's apply.

***An Aluminium support has been fitted with additional bearing to support the end of the crankshaft. The blade is mounted to a CPS slip washer.

INTREPID

SCARIFIERS & AERATORS



Full Intrepid Scarifier & Aerator spec tables can be found on page 65





Built for endurance

WEIBANG professional petrol scarifiers feature carbon steel swing tip blades which rotate through the lawn, scraping the ground to remove the thatch and moss. Scarifiers from the Intrepid range are suitable for both commercial contractors providing a professional lawn scarifying service or homeowners who carry out their own lawn care routines.


For a deeper treatment the Intrepid aerator features hollow tines to remove soil plugs from the lawn, perfect for enabling water to reach the grass roots and reduce soil compaction.

OVERVIEW OF FEATURES

- | | | | |
|---|--|----|---|
| 1 | Engine cut switch | 10 | 40L collector (384 RB only) |
| 2 | Blade engagement lever | 11 | Folding handles |
| 3 | Briggs & Stratton 750 Series engine | 12 | Wide handlebars for control |
| 4 | Heavy duty steel chassis | 13 | Tine engagement lever |
| 5 | Solid steel axles | 14 | Briggs & Stratton 750 Series engine |
| 6 | Swing tip blade cassette | 15 | Heavy duty protective bumper |
| 7 | Durable nylon double ball bearing wheels | 16 | Removable bob weights (2 x 16kg) |
| 8 | Transport / Work lever | 17 | Large twin wheels |
| 9 | Height adjustment screw | 18 | Hollow tine cassette (70mm penetration) |

LAWN SCARIFYING

An important part of lawncare, scarifying is the process of removing moss, thatch and other dead material from the surface of the lawn. This process allows light, water and nutrients to reach the grass roots to give a thicker, greener and healthier looking lawn.



The Briggs & Stratton XR750 offers an exceptionally reliable engine with professional performance. With 163cc and 3.3kW power output, the Intrepid scarifier and aerator range have all the power required to offer a high quality consistent finish to grass areas.


HARDENED SWING TIP BLADES

The design of the scarifier cassette features swing tip blades manufactured from highly durable carbon steel. Not only does the design provide exceptional productivity but also protects the machine from contact with obstacles such as stones and tree roots.



REMOVABLE BOB WEIGHTS

The Intrepid aerator features 2 removable bob weights for additional ground pressure in tougher soil. At 16kg each, the bob weights offer 32kg of extra weight to ensure full ground penetration.




LAWN AERATING

Lawn aerating is the process where tines penetrate the surface of the lawn to allow water and nutrients into the grass roots. In the case of hollow tines, a core of soil is removed from the lawn to also reduce compaction of the soil.

HEAVY DUTY REPLACEABLE HOLLOW TINES

The Intrepid aerator features a cassette with 5 tine sets, offering ground penetration of 70mm to remove cores of soil in a single pass. Covering up to 1600m²/h, the Intrepid can cover large areas fast for high productivity on sports pitches, formal lawns, parks and more.

Optional solid tines also available see page 110 for details



INTREPID 384 RB

The Intrepid 384 RB is a compact 38cm / 15" commercial scarifier powered by a Briggs & Stratton XR750 engine. Featuring 22 carbon steel swing tip blades for fast efficient removal of moss and thatch and a large 40L collector. With adjustable working height down to a maximum depth of 14mm the machine also features a transport position for moving between locations.

Part Number - WGVTO1



SCAN ME

INTREPID 486 CRB

The 486 CRB is a larger 46cm / 18" commercial scarifier powered by a Briggs & Stratton XR750 engine. Featuring 28 carbon steel swing tip blades for fast efficient removal of moss and thatch, and infinite height adjustment down to a maximum depth of 16mm. With a transport position, moving the machine between locations is easy without damaging the machine or the surface.

Part Number - WGVTO2



SCAN ME

INTREPID 457 AB

The 457 AB is a 46cm / 18" commercial aerator powered by a Briggs & Stratton XR750 engine. Featuring steel hollow tines for soil core removal and a ground penetration of 70mm. The machine also includes 2 x 16kg bob weights and a transport mode for moving between locations.

Part Number - WGVTO3



SCAN ME

INTREPID



Model	384 RB	486 CRB	457 AB
Article Number	WGVTO1	WGVTO2	WGVTO3
Type	Scarifier	Scarifier	Aerator
Working Width (cm/")	38 / 15	46 / 18	46 / 18
Suitable Area	up to 2000m ²	up to 3000m ²	up to 3000m ² / 1600m ² /h
Drive	No	No	1 Speed
Engine Model	Briggs & Stratton 750 Series	Briggs & Stratton 750 Series	Briggs & Stratton 750 Series
Engine Displacement (cc)	163	163	163
Engine Rated Power (kW/rpm)	3.3 / 3300	3.3 / 3300	3.3 / 3300
Fuel Tank Capacity (l)	3.1	3.1	3.1
E10 Compatible	Yes	Yes	Yes
Deck Material	Steel - Powder Coated	Steel - Powder Coated	Steel - Powder Coated
Blade / Tine Type	22 Swing Tip Blades	28 Swing Tip Blades	Hollow Tine (Optional Solid Tines)
Blade / Tine Material	Carbon Steel	Carbon Steel	Steel
Collector Capacity (l)	40	-	-
Height Adjustment Type	Central	Central	-
Height Adjustment Positions	22mm Infinite Adjustment	32mm Infinite Adjustment	-
Ground Penetration (mm)	14	16	70
Bob Weights	No	No	2 x 16kg
Transport Mode	Yes	Yes	Yes
Handles	Folding	Folding	Folding
Storage / Transport Position	Yes	Yes	Yes
Front Bumper	No	No	Yes
Wheel Material (rim/tyre)	Nylon / Polyurethane	Nylon / Polyurethane	Front Steel / Rear Nylon
Wheel Size (mm)	198	198	F 254 / R 203
Weight (kg)	46	58.3	140
Dimensions LxWxH (mm)	1150 x 565 x 1040	1150 x 675 x 1040	1380 x 690 x 1280
Storage Dimensions LxWxH (mm)	800 x 565 x 645	860 x 675 x 830	970 x 690 x 1040
Vibration Level* (m/s ²)	6.7	5.4	5.2
Noise Level (dB(A))	96	96	96
Warranty**	1 Year Commercial	1 Year Commercial	1 Year Commercial

* Uncertainty Factor 1.5 m/s².


**Subject to annual service. T&C's apply.

INTREPID

WHEELED VACUUM RANGE



Full Intrepid Wheeled Vacuum specifications can be found on page 71





Built for endurance

The Intrepid leaf and litter vacuum range from WEIBANG is engineered for productivity, ease of use and endurance. Designed specifically for the commercial user, the Intrepid leaf and litter vacuum comes with a large 80cm / 31.5" working width and a choice of WEIBANG or Honda engines.

With a high performance steel impeller, heavy duty front castor wheels and a choice of aluminium heavy duty single speed or PRO 3 speed gearboxes, the Intrepid wheeled vacuum is designed for the ultimate clearing performance across large areas such as sports pitches, public spaces, parks and gardens. Working height is adjusted with a central lever, and the large 240L collector features a zipless quick empty opening for less downtime. A large 3m vacuum hose is included with the machine for collecting leaves and debris from hard to reach places.

OVERVIEW OF FEATURES

- | | | | |
|---|--|----|--|
| 1 | Full width drive lever | 7 | 80cm vacuum nozzle |
| 2 | Top loading reinforced discharge chute | 8 | Heavy duty front steel castor wheels |
| 3 | Choice of Honda or WEIBANG engines | 9 | Large pneumatic rear tyres |
| 4 | Heavy duty steel chassis | 10 | Central height adjustment |
| 5 | Large solid steel impeller | 11 | Quick release folding handles |
| 6 | Durable removable vacuum skirt | 12 | 240 L vented collector with dust cover |

CENTRAL HEIGHT ADJUSTMENT

The Intrepid LV800 is a truly versatile machine for use on any surface, from car parks to formal lawns. The working height is adjusted with a central lever from 13 - 100mm to allow the optimum height for the conditions.



VACUUM HOSE INCLUDED

For hard to reach areas such as the corners of lawns or up against kerbs in car parks, the Intrepid wheeled vacuums also include a high quality durable 3m vacuum hose with 5" diameter. Fitted with a steel handle to guide the hose, it is manufactured from an exceptionally flexible clear material to reduce resistance for the operator.



HEAVY DUTY FRAME & WHEELS

The heavy duty steel frame construction is fitted with front castor wheels and rear pneumatic tyres for maximum manoeuvrability and durability while working.





HEAVY DUTY STEEL IMPELLER

The impeller is manufactured from high quality steel and features a unique design for optimum airflow. The heavy duty impeller has a 320mm diameter and weighs 4kg, with deep blades allowing for maximum reduction of materials to fill the collector to capacity.

LARGE EASY EMPTY COLLECTOR

The collector is manufactured from a durable fabric that filters dust away from the operator. With a 240L capacity, downtime during operation is kept to a minimum and thanks to the zipless rear opening the collector can be emptied quickly and effortlessly. Situated underneath the top dust cover are two air vents, maximising collection performance in any conditions.



INTREPID LV800

The Intrepid LV800 is a versatile self propelled leaf and litter vacuum with a large 80cm / 31.5" working width, heavy duty steel frame and impeller, and a 163cc engine. Commercial features include heavy duty castor wheels, quick release handles and a large 240L collector. Includes 3m vacuum hose with 5" diameter.

Part Number - WGV10



POWERED BY
WEIBANG



INTREPID LV800 H

The Intrepid LV800 H is a high performance leaf and litter vacuum with a large 80cm / 31.5" working width, heavy duty steel frame and impeller, and a Honda GX160 engine. Featuring a PRO 3 speed gearbox, quick release handles and a large 240L collector. Includes 3m vacuum hose with 5" diameter.

Part Number - WGV15



POWERED by
HONDA



INTREPID



Model	LV 800	LV 800 H
Article Number	WGV10	WGV15
Type	Leaf & Litter Vacuum	Leaf & Litter Vacuum
Working Width (cm/")	80 / 31.5	80 / 31.5
Suitable Area	up to 5000m ²	up to 6000m ²
Drive	1 Speed	3 Speed
Drive Speed	3.28 km/h	2.7 / 3.1 / 4.0 km/h
Engine Model	WEIBANG X160H (Loncin)	Honda GX160
Engine Displacement (cc)	163	163
Engine Rated Power (kW/rpm)	3.8 / 3600	3.6 / 3600
Fuel Tank Capacity (l)	3.6	3.6
E10 Petrol Compatible	Yes	Yes
Chassis Material	Steel - Powder Coated	Steel - Powder Coated
Impeller	Heavy Duty Steel	Heavy Duty Steel
Collector Capacity (l)	240 - Inc. Dust Cover & Air Vents	240 - Inc. Dust Cover & Air Vents
Vacuum Hose (3m, 5" diameter)	Yes	Yes
Height Adjustment Type	Central Lever	Central Lever
Height Adjustment Positions	8	8
Working Heights (mm)	13 - 100	13 - 100
Handles	Quick Release Folding	Quick Release Folding
Storage / Transport Position	Yes	Yes
Rear Wheels	Pneumatic Tyres	Pneumatic Tyres
Front Wheels	Heavy Duty Castors	Heavy Duty Castors
Wheel Size (mm)	F 160 / R 300	F 160 / R 300
Weight (kg)	81.5	82.5
Dimensions LxWxH (mm)	1600 x 810 x 1175	1600 x 810 x 1175
Storage Dimensions LxWxH (mm)	1350 x 810 x 990	1350 x 810 x 990
Vibration Level* (m/s ²)	4.6	3.9
Noise Level (dB(A))	96	96
Warranty**	1 Year Commercial	1 Year Commercial

* Uncertainty Factor 1.5 m/s².


**Subject to annual service. T&C's apply.

INTREPID

STUMP GRINDER



Full Intrepid Stump Grinder
spec table can be found on page 75



POWERED by
HONDA™



Built for endurance

Intrepid products are built for endurance, taking on the toughest tasks quickly, reliably and with ease. The SG13H stump grinder fits the criteria perfectly, with a large 355mm solid steel disc featuring 8 carbide tip grinding teeth to cut through any stumps effortlessly from a maximum 53.4cm above ground, down to 22.9cm below the surface.

The Intrepid stump grinder requires exceptional commercial power, coming from the highly reliable and top performing Honda GX390 for tried and tested performance.

OVERVIEW OF FEATURES

- | | | | |
|---|---|----|--------------------------------------|
| 1 | Large single wheel brake lever | 6 | 13kg 355mm solid steel grinding disc |
| 2 | Adjustable handles - 4 position | 7 | Industrial grade bearings |
| 3 | Heavy duty steel chassis | 8 | Protective debris skirt |
| 4 | Large steel protective guard | 9 | Large pneumatic tyres |
| 5 | 8 replaceable carbide tipped grinding teeth | 10 | Honda GX390 engine |

POWERED by HONDA™

Stump grinding and turf cutting require strong power output. To ensure a consistent delivery and the highest levels of performance we chose the tried and tested commercial grade Honda GX series, with the SG13H fitted with the GX390 featuring 8.7kW.



8 CARBIDE TIP GRINDING DISC

Consistent grinding requires high inertia and quality cutting teeth, fortunately the SG13H stump grinder features a solid steel 355mm disc weighing in at 13kg and mounted with 8 replaceable carbide tipped grinding teeth for reliable performance.

← 355mm Steel Disc →

BRAKE LEVER & ADJUSTABLE HANDLE

The handles of the SG13H stump grinder are fully adjustable with 5 quick select positions to suit the job and operator. The large handlebar ensures control, and the single wheel brake lever allows efficient grinding as the machine pivots during use.



INTREPID SG 13 H

The SG13H stump grinder offers a highly reliable solution to tree stumps in public spaces, estates or job sites. Utilising a heavy duty steel disc with 8 replaceable carbide tipped teeth, the machine cuts through any stump quickly. Adjustable handles and wheel brake assistance ensures operator control and comfort.

Part Number - WGV04



POWERED by
HONDA



INTREPID

Model	SG 13 H
Article Number	WGV04
Type	Stump Grinder
Engine Model	Honda GX390
Engine Rated Power (cc/kW/rpm)	389 / 8.7 / 3600
Fuel Tank Capacity (l)	6.1
E10 Petrol Compatible	Yes
Chassis Material	Steel - Powder Coated
Cutter Disc	Heavy Duty Steel (355mm / 13kg)
Grinding Teeth	8 - replaceable
Teeth / Blade Material	Carbide Tipped Steel
Working Heights (mm)	-229mm / +534mm
Handles	Adjustable - 4 Position
Wheel Brake	Yes
Storage / Transport Position	-
Rear Wheels	Steel Rim / Pneumatic
Wheel Size (mm)	355
Weight (kg)	137
Dimensions LxWxH (mm)	1800 x 800 x 1270
Vibration Level* (m/s ²)	4.8
Noise Level (dB(A))	106
Warranty**	1 Year Commercial

* Uncertainty Factor 1.5 m/s².

**Subject to annual service. T&C's apply.

NEW

VELOCITY

WHEELED TRIMMERS / BRUSHCUTTERS




Full Velocity Wheeled Trimmer spec tables can be found on page 83



WEIBANG DNA

We wanted to make a Wheeled Trimmer that had the same great core features as our lawnmower range such as front bumper, quick release handles and ergonomic controls. This provided a strong foundation to build the only true commercial Wheeled Trimmer on the market.





Relentless performance

The Velocity Wheeled Trimmer range offers commercial quality with exceptional performance when trimming overgrown areas, hedgerows, fence-lines and more.


The range includes 2 models, both powered by a WEIBANG X200 196cc engine, with a choice of push and variable speed drive. As with all WEIBANG machines, all components are built to last and user friendly features such as adjustable handles ensure comfort in use.

OVERVIEW OF FEATURES

- | | | | |
|---|---|----|------------------------------------|
| 1 | Profiled levers with replaceable bushes | 9 | Commercial nylon cutting head |
| 2 | Professional grade cushioned grip | 10 | Reinforced mowing plate |
| 3 | Integrated cockpit for machine controls | 11 | Wide offset guard with line cutter |
| 4 | WEIBANG X200 commercial engine | 12 | Aluminium commercial gearbox |
| 5 | Air filter with snorkel pipe | 13 | Puncture proof polyurethane tyres |
| 6 | Heavy duty belt - Double thickness | 14 | Heavy duty nylon 14" rims |
| 7 | Pressed steel deck with offset design | 15 | Quick release adjustable handles |
| 8 | Heavy duty front bumper | | |

POWERED BY
WEIBANG

To ensure a consistent delivery and the highest levels of performance we chose the tried and tested commercial grade WEIBANG X200 engine, with 196cc and 3.6kW of power.



WIDE CUTTING PATH

The Velocity Wheeled Trimmer features a wide 56cm / 22" cutting width to clear long hedgerows and fencelines with ease. The offset cutter deck design allows trimming up to the edge and the wide trimmer guard protects users from debris.

← 56cm / 22" →

SERVICE & STORAGE POSITION

As a commercial Wheeled Trimmer transportation is key, which is why we developed our quick release folding handles to allow for easy lifting when moving between locations, and easy access to the underside of the deck for cleaning and general maintenance.



PUSH OR VARIABLE SPEED DRIVE

The Velocity Wheeled Trimmer range features push or variable speed models. The Vari Speed gearbox has a durable aluminium housing and drive speeds from 2.16 - 4.32km/h for high productivity along large areas or sloped terrain.



COMMERCIAL CUTTING HEAD

1. Heavy duty cast aluminium plate with oversized spindle and integrated belt guides.
2. Innovative height of cut plates with metal inserts for easier loading and more durability.
3. Designed for 4.5mm Nylon line, offering 8 height of cut positions through 51 to 137mm.

ADJUSTABLE HANDLES

As with all WEIBANG commercial lawnmowers, the Velocity Wheeled Trimmer range features our heavy duty aluminium quick release adjustment clamps. The quick release levers allow fast adjustment to suit any operator while not compromising on the rigidity of the handle.




HIGH ZONE AIR INTAKE

Due to the extreme conditions that a Wheeled Trimmer works in the engine air filter is fitted with a snorkel pipe extending to the handle cockpit ensuring a constant supply of clean air to extend the longevity of the engine.




HEAVY DUTY BELTS & PULLEYS

The WEIBANG commercial Wheeled Trimmers are fitted with heavy duty pulleys and cutting belts to ensure reliability. The belts used on the Velocity Wheeled Trimmer are double the thickness of those used by other Wheeled Trimmer manufacturers.



FREE SPINNING SUPPORT CUP & LEVEL DESIGN

The Trimmer head features a traditional support cup similar to other products on the market, the difference with a WEIBANG Wheeled Trimmer is that the support cup features integrated bearings, allowing it to spin freely for extended durability. Another difference compared to other models on the market is the level design, ensuring that when cutting the machine always stays parallel to the ground.



VELOCITY 56 WTP

The 56 WTP features a wide 56cm cutting width and push drive. Featuring an offset steel cutter deck with all the commercial features expected from a WEIBANG, including adjustable handles, front bumper and a WEIBANG X200 engine. The reinforced trimmer head allows for fast line loading and extended durability.

Part Number - WGV30



VELOCITY 56 WTV

The flagship 56 WTV features the same wide 56cm cutting width as the 56 WTP but with the added benefit of variable speed drive between 2.16 - 4.32km/h for ease of use when trimming larger areas and when working on slopes.

Part Number - WGV34







NEW



NEW

VELOCITY

Model	56 WTP	56 WTV
Article Number	WGV30	WGV34
Type	Wheeled Trimmer	Wheeled Trimmer
Cutting Width (cm/")	56 / 22	56 / 22
Cutter Deck Material	Steel	Steel
Suitable Area	up to 2000m ²	up to 4000m ²
Drive	Push	Vari Speed
Drive Speed	-	2.16 - 4.32 km/h
Head Engagement	Belt	Belt
Engine Model	WEIBANG X200 (Loncin)	WEIBANG X200 (Loncin)
Engine Displacement (cc)	196	196
Engine Rated Power (kW/rpm)	3.6 / 3600	3.6 / 3600
Fuel Tank Capacity (l)	1.0	1.0
E10 Petrol Compatible	Yes	Yes
Cutting Attachment	Heavy Duty Trimmer Head	Heavy Duty Trimmer Head
Trimmer Line (mm)	Nylon 4.5	Nylon 4.5
Head Speed (rpm)	3650	3650
Offset Trimming Deck	Yes	Yes
Height Adjustment Type	Quick Feed Trimmer Head	Quick Feed Trimmer Head
Height Adjustment Positions	8	8
Cutting Heights (mm)	51 - 137	51 - 137
Quick Release Handles	Adjustable Ratchet	Adjustable Ratchet
Service Position	Yes	Yes
Storage / Transport Position	Yes	Yes
Front Bumper	Yes	Yes
Deck Protection	Offset Trimmer Guard	Offset Trimmer Guard
Wheel Material (rim/tyre)	Nylon / Polyurethane	Nylon / Polyurethane
Wheel Size (cm/")	35 / 14"	35 / 14"
Weight (kg)	42.3	47.3
Dimensions LxWxH (mm)	1587 x 543 x 972	1587 x 543 x 972
Storage Dimensions LxWxH (mm)	1040 x 543 x 550	1040 x 543 x 550
Vibration Level* (m/s ²)	2.9	2.9
Noise Level (dB(A))	86	86
Warranty**	1 Year Commercial	1 Year Commercial

* Uncertainty Factor 1.5 m/s².

**Subject to annual service. T&C's apply.

NEW

VELOCITY


FIELD & BRUSH MOWERS



Full Velocity Field & Brush Mower spec tables can be found on page 91

V-TWIN POWER

The Velocity Field & Brush Mowers feature commercial twin cylinder engines (Loncin) for exceptional power and torque to cut through up to 8ft grass and weeds, and 3" brush and saplings with ease.





Unstoppable Power

The Velocity Field & Brush Mowers are built to withstand the toughest conditions when cutting overgrown areas and rough land. Thanks to the commercial build quality and V-twin engines grass as high as 8ft and brush and saplings up to 3" thick can be cut and mulched with ease.

OVERVIEW OF FEATURES

- | | | | |
|---|---|----|---|
| 1 | Steel hand guards | 10 | Heavy duty blade & dual bearing spindle |
| 2 | Integrated cockpit for machine controls | 11 | Wide pivoting steel cutter deck** |
| 3 | Dual lever powered steering | 12 | Outer deck protection |
| 4 | WEIBANG V-Twin commercial engine | 13 | Puncture proof high traction drive wheels |
| 5 | Engine protection guard | 14 | Peerless MST transmission |
| 6 | Removable deck for easy maintenance | 15 | Independent sealed drum wheel brakes |
| 7 | Heavy duty raised front bumper | 16 | Large 15L fuel tank |
| 8 | Protective debris guard | 17 | Reinforced steel handles |
| 9 | Adjustable height skid rails* | | |

*76 FBM only / **86 FBM features a side discharge cutter deck

POWERED BY **WEIBANG**

Tall grass and brush cutting requires strong power and torque output. To ensure a consistent delivery and the highest levels of performance we chose the commercial grade WEIBANG X700 and X760 Twin cylinder engines, giving up to 17 kW of power output. To protect the engine we created a steel guard to prevent damage during use.




MULCH OR SIDE DISCHARGE DECK

The heavy duty blades offer a 76cm or 86cm cutting path to clear large overgrown paths, fields and woodland with ease. The 76cm deck is designed to cut and re-cut for a more thorough mulching effect. The 86cm side discharge deck allows cut material to be quickly ejected and is ideal for the most demanding conditions. Both models are fitted with a heavy duty blade and blade spindle with dual bearings to protect the crankshaft.

PIVOTING CUTTER DECK


The mower deck is capable of pivoting a maximum 12.5% up and 12.5% down to cope with uneven ground and avoid scalping as well as being removable for cleaning and maintenance. Another feature of the deck is the adjustable deck skid rails* which can raise or lower the cutting height to suit conditions.

*Please Note 86 FBM features side discharge and no height of cut adjustment.



COMMERCIAL TRANSMISSION

The Velocity Field and Brush Mowers are fitted with a commercial Peerless MST manual transmission to cope with the demands required when working in tough overgrown uneven terrain.



POWERED STEERING

The Velocity Field and Brush Mowers feature powered steering for easy turning over any terrain. Thanks to the integrated drum wheel brakes, simply pull the left lever to turn left, and the right lever to turn right, with near zero-turn ability.

SIMPLE & SAFE CONTROLS

1. Comfort grip handles with hand protection guards
2. Clutch blade engagement
3. 3 forward speeds + 1 reverse
4. Easy access choke and throttle controls
5. Independent wheel brake levers for power steering
6. Operator presence control lever



INDEPENDENT DRUM BRAKES

Each wheel features independent drum brakes which are enclosed to prevent material from entering. The brakes act as part of the power steering system, and also to safely stop the machine, with a switch to engage as a parking brake.




LARGE 15L LONG RANGE FUEL TANK

To increase productivity the Velocity Field and Brush Mowers are fitted with an extra large 15L fuel tank, allowing extended mowing times when covering large remote overgrown areas. To ensure reliability we also fitted an oversized high capacity AGM battery.

PUNCTURE PROOF TYRES

Featuring large 18" off road wheels with a high traction tread for any conditions, the tyres are filled with a sealant to eliminate punctures when working over harsh terrain.



VELOCITY 76 FBM

The 76 FBM features a wide 76cm cutting width and 3 speed drive. Featuring a pivoting steel cutter deck with commercial features including a 15L fuel tank, deck protection and a WEIBANG XC700T twin cylinder engine. Capable of cutting though grass and weeds up to 8ft high and 3" thick saplings.

Part Number - WGV738



POWERED BY
WEIBANG



WATCH THE VIDEO



VELOCITY 86 FBM

The 86 FBM features a pivoting 86cm steel side discharge cutter deck for the highest productivity when mowing large overgrown areas. Additional power comes from the mighty WEIBANG XC760T twin cylinder engine. Capable of cutting though grass and weeds up to 8ft high and 3" thick saplings.

Part Number - WGV740



POWERED BY
WEIBANG





VELOCITY



NEW



NEW

Model	76 FBM	86 FBM
Article Number	WGVT38	WGVT40
Type	Field & Brush Mower	Field & Brush Mower
Cutting Width (cm/")	76 / 30	86 / 34
Cutter Deck Material	Steel	Steel
Suitable Area	up to 6000m ²	up to 6000m ²
Drive	3 Speed + Reverse	3 Speed + Reverse
Drive Speed	1.8 / 3.5 / 5.2 km/h	1.8 / 3.5 / 5.2 km/h
Blade Brake Clutch	Electromagnetic	Electromagnetic
Engine Model	WEIBANG XC700T V-Twin (Loncin)	WEIBANG XC760T V-Twin (Loncin)
Engine Displacement (cc)	708	764
Engine Rated Power (kW / rpm)	13 / 3600	17 / 3600
Fuel Tank Capacity (l)	15	15
E10 Petrol Compatible	Yes	Yes
Pivoting Deck	Yes	Yes
Deck Connection	PTO Quick release	PTO Quick release
Mulching	Yes	No
Side Discharge	No	Yes
Height Adjustment Type	Manual Skids	N/A
Height Adjustment Positions	4 Positions	N/A
Cutting Heights (mm)	92 / 128 / 165 / 201	92
Powered Steering	Individual Wheel - Sealed Drum Brakes	Individual Wheel - Sealed Drum Brakes
Integrated Control Panel	Yes	Yes
Protective Hand Guards	Yes	Yes
Front Bumper	Yes	Yes
Deck Protection	Outer Guide Rails	Outer Guide Rails
Wheel Material (rim/tyre)	Steel / Pneumatic	Steel / Pneumatic
Wheel Size (cm/")	46 / 18	46 / 18
Weight (kg)	180	198
Dimensions LxWxH (mm)	2200 x 845 x 1215	2200 x 1150 x 1215
Storage Dimensions LxWxH (mm)	2200 x 845 x 1215	2200 x 1150 x 1215
Vibration Level* (m/s ²)	4.5	4.5
Noise Level (dB(A))	89	89
Warranty**	1 Year Commercial	1 Year Commercial

* Uncertainty Factor 1.5 m/s².

**Subject to annual service. T&C's apply.

NEW

VELOCITY

FLAIL MOWERS



Full Velocity Flail Mower spec tables can be found on page 99



E-DRIVE POWER

The tracked model features a hybrid system with a petrol engine powering both the cutting unit and a generator, this in turn powers dual electric motors to independently control each track for zero turn capability.





Relentless performance

The Velocity Flail Mowers have the ability to reclaim any area thanks to the pivoting flail deck with 38 Y-shaped blades to cut and mulch grass, weeds, brush and more.

With two models in the range, a rear wheel drive version powered by a petrol engine, and a tracked version which features an innovative hybrid E-Drive system which combines a petrol engine with dual electric wheel motors for zero-turn ability and uncompromising performance.

OVERVIEW OF FEATURES

- | | | | |
|---|--|----|---|
| 1 | Dual lever powered steering | 9 | Front and rear protective chain curtain |
| 2 | Integrated cockpit for machine controls | 10 | 38 Y-shaped flail blades |
| 3 | Height and offset adjustable handles | 11 | Heavy duty steel deck construction |
| 4 | Pivoting cutting attachment up to 25° | 12 | Tracked and wheeled models |
| 5 | Infinite height adjustment winder (10-90mm) | 13 | Independent wheel motors for zero-turn* |
| 6 | Heavy duty raised front bumper | 14 | Fold away standing platform* |
| 7 | Castor bearings with accessible grease point | 15 | Patented CVT transmission |
| 8 | Heavy duty front castor wheels | 16 | WEIBANG X400 commercial engine |

*Only on 68 TFP model

WIDE CUTTING DECK

The wide 68cm flail mower deck is capable of working at maximum 25°, with a deck level indicator clearly visible by the operator. Another feature of the deck is the integrated maintenance stand which supports the deck in an upright position for cleaning and maintenance.

← 68cm / 27" →



POWERED BY **WEIBANG**

To ensure a consistent delivery and the highest levels of performance we chose the commercial grade WEIBANG X400 engine, with 392cc and 6.6kW of power. Featuring a commercial grade cylindrical filter element and large air filter for optimum performance.


FULLY ADJUSTABLE HANDLES

The Velocity Flail Mowers feature fully adjustable handles both up and down to suit the height of the operator, and side to side to allow the operator to stay clear of uncut material and for cutting along hedgerows.



COMMERCIAL FLAIL BLADES

The flail rotor features commercial grade bearings and is fitted with 38 specially designed Y-shaped blades for high cutting productivity in any conditions.




INFINITE HEIGHT OF CUT

The height of cut is easily adjusted between 10 - 90mm to suit any area and finish. The specially designed winding mechanism offers quick and easy infinite adjustment despite the machines heavy duty build quality.

<<CVT
continually variable transmission

The Velocity wheeled flail mower features a new patented commercial WEIBANG CVT (continually variable transmission) for total control when tackling the toughest conditions and terrains.

*68 WFP only



LOCKING FRONT CASTORS

The front castors allow exceptional manoeuvrability when in use, with a simple locking mechanism for when straight lines are required.

*68 WFP only



Optional Remote -
Available late 2024

WALK, STAND, OR REMOTE

The Velocity 68 TFP offers unrivalled versatility, with the ability to be used in 3 modes. Use the machine as a traditional walk-behind flail, or as a stand-on mower thanks to the foldaway standing platform when tackling tougher terrain. The optional remote control kit allows the machine to be controlled remotely by the operator where conditions do not allow an operator presence such as steep banks.

*68 TFP only

TRACKED WITH INDEPENDENT MOTORS

The Velocity 68 TFP features rear tracks for unrivalled traction over any terrain, each track is driven by an independent electric wheel motor for zero-turn performance. As part of the hybrid power unit, the X400 engine drives both the cutting unit and an internal generator which powers the motors.


*68 TFP only



VELOCITY 68 WFP

The 68 WFP features a wide 68cm cutting width and CVT drive. Featuring a pivoting steel cutter deck with 38 Y-shaped flail blades to cut, mulch and spread material for a clean finish. Commercial power comes from the WEIBANG XC400H engine and the H.O.C winding screw allows fast height adjustment.

Part Number - WGV80



POWERED BY
WEIBANG



WATCH THE VIDEO



VELOCITY 68 TFP

The 68 TFP features a wide 68cm cutting width and E-drive. Featuring a hybrid power system utilising the WEIBANG XC400H engine and twin wheel motors to drive the tracks and offer zero-turn capability. The machine can be used as a walk behind or stand-on mower, or remotely with the optional remote control kit.

Part Number - WGV85



Remote Control Kit Part Number - WGV88



POWERED BY
WEIBANG







NEW



NEW

VELOCITY

Model	68 WFP	68 TFP
Article Number	WGV780	WGV785
Type	Flail Mower	Flail Mower
Cutting Width (cm/')	68 / 27	68 / 27
Cutter Deck Material	Steel	Steel
Suitable Area	up to 6000m ²	up to 8000m ²
Drive	WEIBANG CVT	WEIBANG E-Drive
Drive Speed	0 - 6.1 km/h	0 - 3.8 km/h
Drive Wheels	2WD (16" Wheels)	2WD (Tracked)
Engine Model	WEIBANG XC400H	WEIBANG XC400H
Engine Displacement (cc)	392	392
Engine Rated Power (kW/rpm)	6.6 / 3600	6.6 / 3600
Fuel Tank Capacity (l)	6	6
E10 Petrol Compatible	Yes	Yes
Blade Type	Flail with 38 Y-Shaped Blades	Flail with 38 Y-Shaped Blades
Pivoting Deck	Yes	Yes
Deck Maintenance Position	Yes	Yes
Mulching	Yes	Yes
Side Discharge	No	No
Height Adjustment Type	Screw Lever Adjuster	Screw Lever Adjuster
Height Adjustment Positions	Infinite	Infinite
Cutting Heights (mm)	10 - 90	10 - 90
Powered Steering	Wheel Lock	Dual Motor Zero Turn
Integrated Control Panel	Yes	Yes
Adjustable Handles	Adjustable Height & Offset	Adjustable Height & Offset
Front Bumper	Yes	Yes
Operating Modes	Walk Behind	Walk / Stand-On / Remote Control***
Remote Control	N/A	Optional
Wheel Material (rim/tyre)	Steel / Puncture Proof	Steel Load Wheels / Rubber Tracks
Wheel Size (cm/')	40 / 16	16 / 6.3 track width
Weight (kg)	243	295
Dimensions LxWxH (mm)	1610 x 876 x 945	1610 x 876 x 945
Vibration Level* (m/s ²)	4.2	5.4
Noise Level (dB(A))	88	90
Warranty**	1 Year Commercial	1 Year Commercial

* Uncertainty Factor 1.5 m/s².

*** Remote Control Optional

**Subject to annual service. T&C's apply.



BATTERY ZERO TURN RANGE



Full iON spec table can be found on page 105



WHY A ZERO TURN?

Thanks to dual independent wheel motors a zero turn can literally turn on the spot. The machine is controlled with two independent levers for unrivalled manoeuvrability around obstacles and exceptional mowing speed.





Powered by change

The iON battery zero turn from WEIBANG offers uncompromising quality, performance and durability, as well as an unrivalled cut for lawns, orchards, paddocks and more. Designed for both homeowners and professionals, the iON battery zero turn comes with a 106cm cutting width to cover almost any sized lawn or grass area.

With a high performance 72V battery and efficient high torque motors, the iON zero turn offers exceptional petrol rivalling performance but without the associated noise, vibrations, hassle or emissions. With a highly manoeuvrable zero turn design, the 106 ZT is the perfect model for any lawn or area up to 6000m².

OVERVIEW OF FEATURES

- | | | | |
|---|--------------------------------------|----|---------------------------------------|
| 1 | Large 106cm twin blade cutter deck | 10 | 72V heavy duty battery |
| 2 | Extra large steel castor wheels | 11 | Digital control panel |
| 3 | Anti scalp wheels | 12 | Height adjustable armrests |
| 4 | Intelligent twin blade motors | 13 | Premium adjustable seat with seatbelt |
| 5 | Twin wheel motors | 14 | Independent drive levers |
| 6 | Mulching and side discharge function | 15 | Parking brake lever |
| 7 | Large high traction tyres | 16 | Heavy duty steel frame |
| 8 | Central height of cut adjustment | | |
| 9 | Foot pedal deck lift | | |

DUAL WHEEL MOTORS

The iON 106 ZT has independent 1.0Kw wheel motors allowing for fast and efficient work with exceptional manoeuvrability. The heavy duty motors are proven for professional use and feature a 1 year commercial warranty.



TOTAL CONTROL

The 106 ZT control panel features various information such as battery status and includes a speed switch to allow for faster or slower drive speeds depending on conditions.

COMFORTABLE ADJUSTABLE SEATS

The iON zero turn mower features fully adjustable seating positions. Similar to that in a car, simply pull the lever under the seat and slide forwards or backwards to the desired position. The seat has a high back design and the addition of arm supports and a seat belt for comfort and safety.



CENTRAL HEIGHT ADJUSTMENT

The central height adjustment is supported by a heavy duty foot pedal to raise the cutter deck. With a choice of 10 positions from 15mm for a tidy formal finish and up to 115mm for longer areas.



HEAVY DUTY CASTOR WHEELS

The 106 ZT Zero Turn is built from commercial grade components for maximum performance and reliability. The heavy duty steel front castors offer excellent manoeuvrability and are built to last.

TURN ON THE SPOT

The iON 106 ZT features independent wheel motors which are controlled by two levers positioned in front of the operator. This concept allows the machine to literally turn on the spot, making mowing easier and significantly faster than a traditional ride-on mower.





ULTRA EFFICIENT MOTORS

The heavy duty industrial motors offer petrol rivalling performance without the noise or emissions. Offering exceptional power output and torque for a consistent cutting finish in all conditions.



INTELLIGENT MOWING

The iON range features a controller to monitor and manage the power delivery. Unlike petrol machines which run at a constant speed, the intelligent iON controller can sense when grass is longer, thicker, shorter, or thinner, and adjust the power delivery accordingly. This technology maximises battery runtime as well as cutting performance.



iON 106 ZT

The iON 106 ZT is a battery zero turn featuring a 106cm / 42" twin blade cutter deck with central height adjustment from 15-115mm. Powered by a 72V lead acid battery with efficient motors and an intelligent controller to manage power delivery automatically, the iON 106 ZT offers side discharge and mulching to cover large areas up to 6,000m².

Part Number - WGRE10



Function: MULCH, SIDE DISCHARGE



iON



Model	iON 106 ZT
Article Number	WGRE10
Type	Zero Turn
Cutting Width (cm/ʹʹ)	106 / 42
Cutting Blades	2
Cutter Deck Material	Steel
Suitable Area	up to 6000m²
Drive	Variable F&R
Cutting Speed (km/h)	Fast 7 / Slow 4
Drive Speed (km/h)	Fast 9 / Slow 7
Battery Type	Lead Acid
Voltage / Amp Hours (V/Ah)	72 / 75
Cutting Time (mins)	120*
Charging Time (hrs)	18
Drive Motors	Dual 1.0kw
Blade Motors	Dual 1.0kw
Blade Protection	Aluminium Boss
Mulching	Yes
Side Discharge	Yes
Height Adjustment Type	Central Hand Lever
Height Adjustment Positions	10
Cutting Heights (mm)	15 - 115
Drive Method	Hand Levers
Cruise Control	No
Front Bumper	No
Anti Scalp Wheels	Yes
LED Headlights	No
Wheel Material (rim/tyre)	Steel / Rubber
Wheel Size (mm)	F 280 / R 457
Weight (kg)	340
Dimensions LxWxH (mm)	1790 x 605 x 1150
Noise Level (dB(A))	92
Warranty**	5 Year Dom / 1 Year Com

* Dependant on conditions, length of grass, moisture etc.

**Subject to annual service. Terms and Conditions apply

Spare parts & accessories reference guide



Our quick reference guide shows optional spare parts and accessories. All parts are available from your local WEIBANG Authorised Dealer, in the unlikely event they don't have a part in stock, they have access to live stock availability and next day delivery direct from our warehouse.



WEIBANG machines have a service code specific to each model, this can be found on a metal plate at the rear of the cutter deck and dealers require this for any parts lookup.



SCAN ME

Visit www.weibang.co.uk or scan the **QR code** to find your nearest WEIBANG Dealer.



HYBRID BLADE

The standard blade fitted to WEIBANG machines offers high performance versatility, with strong collection and mulching performance to suit most demands.

Collection

1 2 3 **4** 5 6

Mulching

1 2 3 **4** 5 6



HIGH LIFT BLADE


Designed for extreme weather conditions and in long grass, the high lift blade offers increased collection due to the larger wings which increase airflow by up to 55% depending on model for better grass collecting performance.

Collection

1 2 3 4 5 **6**

Mulching

1 2 **3** 4 5 6



MULCHING BLADE



The optional mulching blade offers increased mulching performance but with significantly reduced collection performance. Suitable for dedicated mulching requirements.

Collection

1 **2** 3 4 5 6

Mulching

1 2 3 4 5 **6**



WHY USE A STRIPE BRUSH?

- Produces a stronger striped effect on the lawn.
- The brush lifts grass from the surface for a more accurate cut.
- Creates a healthier surface by preventing lateral grass growth.
- Lifts debris from the surface of the turf for collection such as worm cast.
- Removes surface dew when cutting.

BENEFITS OF OUR STRIPE BRUSH

- We are the only brand that offers a solution to our customers for 4 wheeled and rear roller mowers.
- We have designed the bracket to be easily adjustable to move in and out of the working position without tools.
- Can quickly detach the brush with no tools to keep the bumper to protect the lawnmower from impact.
- Fitting the WEIBANG Stripe brush does not impact on the warranty of the lawnmower.

LEGACY 48 BRUSH

The Legacy 48 Brush Kit fits the current 48 PRO and 48 PRO BBC. The kit is also retrofittable to all older Legacy 48cm models sold since 2013.

PART NUMBER:

WGSBK48 - 48cm Brush Kit

WG48B - 48cm Replacement Brush



LEGACY 56 BRUSH


The Legacy 56 Brush Kit fits the current 56 PRO and 56 PRO BBC. The kit is also retrofittable to all older Legacy 56cm models sold since 2013.

PART NUMBER:

WGSBK56 - 56cm Brush Kit

WG56B - 56cm Replacement Brush





VIRTUE 53 ALU BRUSH

The Virtue 53 Alu Brush Kit fits the current 53 PRO, 53 PRO BBC, 53 ASD, 53 ASD BBC. The kit is also retrofittable to older Virtue 53cm aluminium deck models sold since 2013.

PART NUMBER:

WGSBK53 - 53cm Brush Kit

WG53B - 53cm Replacement Brush

NEW



SCAN ME



VIRTUE 77 BRUSH

The Virtue 77 Brush Kit fits the current 77 TBO twin blade overlap model.

PART NUMBER:


WGSBK77 - 77cm Brush Kit

WG77B - 77cm Replacement Brush

NEW



SCAN ME



LEGACY LAWNMOWERS

	Legacy 48 PRO	Legacy 48 PRO BBC	Legacy 56 PRO	Legacy 56 PRO BBC
Replacement Blade	WGGM48C000000010/32	WGGM48A000000140/32	WGGM56C000000010/32	WGGM56A000000150/32
High Lift Blade	WGGM48C000000011/32	WGGM48A000000141/32*	WGGM56C000000011/32	WGGM56A000000151/32
Mulch Kit - Blade	-	-	-	-
Mulch Kit - Plug	-	-	-	-

VIRTUE LAWNMOWERS

	Virtue 46 SPP	Virtue 46 SVP / SVP-H	Virtue 50 SVP / SVP-H	Virtue 53 PRO
Replacement Blade	WG4510403010/32	WG4510403010/32	WG5020405010/32	WG5310403010/32
High Lift Blade	WG4510403010A/32	WG4510403010A/32	WG5020405010A/35	WG5310403010A/32
Mulch Kit - Blade	WG4510405030/32	WG4510405030/32	WG5020405060/32	WG5340405030/32
Mulch Kit - Plug	WG4560104010	WG4560104010	WG5040104010	WG5380107010

VIRTUE & SHAFT DRIVE LAWNMOWERS

	Virtue 53 PRO BBC	Virtue 46 SMP	Virtue 53 SMP	Virtue 53 SSD
Replacement Blade	WG5380401010B/32	WGGM46D000000020/32	WGGM53F000000030/32	WG5310403010/32
High Lift Blade	WG538040ABBC/32*	-	-	WG5310403010A/32
Mulch Kit - Blade	-	-	-	WG5340405030/32
Mulch Kit - Plug	-	-	-	WG5330113010

VIRTUE SHAFT DRIVE LAWNMOWERS

	Virtue 53 SSD BBC	Virtue 53 ASD	Virtue 53 ASD BBC
Replacement Blade	WG5380401010WB/32	WG5310403010/32	WG5380401010WB/32
High Lift Blade	WG538040ABBC/32	WG5310403010A/32	WG538040ABBC/32
Mulch Kit - Blade	-	WG5340405020/32	-
Mulch Kit - Plug	WG5330113010 (side discharge only)	WG5380107011	-

INTREPID SCARIFIERS & AERATORS

	Intrepid 384 RB	Intrepid 486 CRB	Intrepid 457 AB
Replacement Blade	WG46R0306010/04	WG46R0306010/04	-
Belt	WG40R0124010 (2 x required)	WG4LXA782 (2 x required)	WG45A0224010
Hollow Tine	-	-	WG51A0406010
Solid Tine 15mm	-	-	WG51A0406030/01

*Only suitable for machines produced 2023 onwards fitted with WEIBANG PRO BBC.

INTREPID WHEELED VACUUMS

	Intrepid LV 800	Intrepid LV 800 H PRO
Vacuum Hose	WGLVSF02013	WGLVSF02013
240L Collector	WGLVSA13000	WGLVSA13000
Belt	WGV13/750	WGV13/690

INTREPID STUMP GRINDER

	Intrepid SG 13 H
Belt	WGDSZ0000570G (2 x required)
Tooth - Straight	WGDSZ0000081
Tooth - Left	WGDSZ0000091/04
Tooth - Right	WGDSZ0000061/04

VELOCITY WHEELED TRIMMERS

	Velocity 56 WTP	Velocity 56 WTV
Nylon Line	WG45NLX70	WG45NLX70
Cutter Belt	WGLT56AD20000	WGLT56AD20000
Drive Belt	-	WGVVB4809/485G

VELOCITY FIELD AND BRUSH MOWERS

	Velocity 76 FBM	Velocity 86 FBM
Blade	WGBC76A02000/22	WGBC86A02000/22
Cutter Belt	WGBK52	WGBK56
Drive Belt	WGAK32	WGAK32

VELOCITY FLAIL MOWERS

	Velocity 68 WFP	Velocity 68 TFB
Flail	WGGT68WC02000/01	WGGT68WC02000/01
Engine Belt	WG2/4LXA1646	WG2/4LXA1772
Cutter Belt	WGHA1020	WGHA1020
Transmission Belt	4LXA782	4LXA782

iON ZERO TURN

	iON 106 ZT
Blade	WBZ42EK05000A1/32

WEIBANG[®]

WEIBANG Garden Machines UK
Wincanton Business Park
Wincanton
Somerset
BA9 9RS

01963 828066
www.weibang.co.uk



SCAN ME

Find your local WEIBANG
Authorised Dealer here



@weibanguk



@weibanguk



@weibang_uk

P/N: POSBROWGCR24

Subject to modifications in response to technical developments. No liability accepted for mistakes and printing errors. All prices include VAT and are subject to change without notice. E & OE. Images are for illustrative purposes only and are subject to change. First printed February 2024 V1.0

