



OPERATOR'S MANUAL & PARTSLIST

MODEL

WEWB90 – 90 LITRE WHEELBARROW

Product Number 1938335001

EN - ORIGINAL INSTRUCTIONS

ASSEMBLY REQUIRED

SAVE THESE INSTRUCTIONS

SUPPORT: 01793 333212

FOR YOUR SAFETY

Please read & understand this manual, paying attention to the safety instructions, before use.

Incorrect use of the product could put the operator or machine in danger.

Whilst every effort has been made to ensure the accuracy of information contained in this manual, our policy of continuous improvement determines the right to make modifications without prior warning.

Images used are for illustration purposes only

CONTENTS

SPECIFICATION
INTENDED USE
SAFETY INSTRUCTIONS
ASSEMBLY
CLEANING & MAINTENANCE
PARTS DIAGRAM & LIST
WARRANTY

SPECIFICATION

Model	WEWB90
Product Number	1938335001
Weight	13.4kg
Max Load Capacity	150kg
Capacity	90L
Tyre	Puncture-Proof
Tyre Size	14 X 3.50-8
Frame Material	Steel (32mm X 1.2mm)
Overall Dimensions	L 145 X W 61 X H 69.5cm

Consistent with our policy of continuous improvement, WEBB reserves the right to change the design and configuration of any of its products without notice or obligation. Therefore, please treat the text and images in this manual for illustrative purposes only. They may in no case serve as a basis for any legal claim.

INTENDED USE

The basic version of the equipment is a garden wheelbarrow intended for private use, i.e. for use in home and gardening environments. It is designed to transport soil and vegetation in small to medium gardens or allotments.

The wheelbarrow is for private use, whose annual operating time generally does not exceed 25 hours. Public facilities, sporting fields, and agricultural / forestry applications are excluded.

Please read this entire manual prior to operating the equipment. It instructs you how to safely and easily set up, operate and maintain your machine. Please be sure that you, and any other persons who will operate the machine, carefully follow the recommended safety practices, at all times. Failure to do so could result in personal injury or property damage.

TO THE OWNER

All information in this manual is relative to the most recent product information available at the time of printing. Review this manual frequently to familiarise yourself with the machine, its features and operation. Please be aware that this Instruction Manual may cover a range of product specifications for various models. Characteristics and features discussed and/or illustrated in this manual may not be applicable or exact to all models.

We reserve the right to change product specifications, designs and equipment without notice and without incurring obligation. If you have any problems or questions concerning the machine, phone your local authorised service dealer or ourselves. Throughout this manual, all references to *right* and *left* side of the machine are observed from the operating position.



WARNING

The equipment is to be used only for its prescribed purpose. Any other use is deemed to be a case of misuse. The user/operator and not the manufacturer will be liable for any damage or injuries of any kind caused as a result of this.

Please note that our equipment has not been designed for use in commercial, trade or industrial applications. Our warranty will be 90 days from the original date of sale for commercial, trade or industrial businesses or for equivalent purposes.

SAFETY INSTRUCTIONS

Read and understand the owner’s manual and labels affixed to the machine. Learn its application and limitations as well as the specific potential hazards. Retain these instructions for future reference. The operator is responsible for following the warnings & instructions in this manual and on the product.

	Read & understand operator’s manual before using the machine. Failure to follow instructions could result in death or serious injury. Please keep in a safe place for future reference.		Always wear gloves to protect your hands. Wear foot protection or sensible shoes when using the machine
	DANGER – SLOPES Use extra caution on slopes. Do not on slopes greater than 15°.		The maximum weight must not be exceeded. Failure to adhere to this information, could cause potential personal injury hazards.
	Check your machine before using. Keep guards in place & in working order. Frequently check to see that foreign objects are removed from the working area before turning it on. Replace damaged, missing or failed parts before using it.		Do not expose to rain or damp conditions.
	No smoking		Do not use near a flame, or sparks
	Safety alert symbol. Used to alert you to potential personal injury hazards. Obey all safety messages that follow this symbol to avoid possible injury.		Indicates an imminently hazardous situation which, if not avoided, will result in serious injury
	Indicates a potentially hazardous situation which, if not avoided, could result in serious injury		Indicates a potentially hazardous situation which, if not avoided, may result in minor or moderate injury.
	Used without the safety alert symbol indicates a potentially hazardous situation which, if not avoided, may result in property damage.		

GENERAL SAFETY RULES



WARNING

Before you put the machine into operation, you must read this instruction manual.

When using this machine, observe the following safety instructions to exclude the risk of personal injury or material damage. Please also observe the special safety instructions in the respective chapters. Where applicable, follow the legal directives or regulations for the prevention of accidents in relation to the use of this machine.

When using petrol tools, basic safety precautions, including the following, should always be followed to reduce the risk of serious personal injury and/or damage to the unit.

GENERAL OPERATION

1. Read this instruction manual carefully in its entirety before attempting to assemble this machine. Read, understand, and follow all instructions on the machine and in the manual(s) before operation. Keep this manual in a safe place for future and regular reference and for ordering replacement parts.
2. Be completely familiar with the controls and the proper use of this machine before operating it.
3. This machine is a precision piece of power equipment, not a plaything. Therefore, exercise extreme caution at all times. This machine has been designed to perform one job: to turn soil and vegetation. Do not use it for any other purpose.
4. Never allow children under 16 years of age to operate this machine. Children 16 and over should read and understand the instructions and safe operation practices in this manual and on the machine and should be trained and always supervised by an adult.
5. Only responsible individuals who are familiar with these rules of safe operation should be allowed to use this machine.
6. Thoroughly inspect the area where the equipment is to be used. Remove all stones, sticks, wire, bones, toys and other foreign objects, which could be tripped over.
7. Wear sturdy, rough-soled work shoes. Never operate this machine in bare feet, sandals, slippery or light-weight (e.g. canvas) shoes.
8. Do not put hands or feet near or under rotating parts.
9. Never operate without shields, guards or other safety protective devices in place and working.
10. Many injuries occur as a result of the wheelbarrow being pulled or pushed over the foot during a fall caused by slipping or tripping. Do not hold on to the wheelbarrow if you are falling; release the handles immediately.
11. Never pull the wheelbarrow back towards you while you are walking. If you must back the wheelbarrow away from a wall or obstruction, first look down and behind to avoid tripping and then follow these steps:
 - A. Step back from the wheelbarrow to fully extend your arms.
 - B. Be sure you are well balanced with sure footing.
 - C. Pull the wheelbarrow back slowly, no more than halfway towards you.
 - D. Repeat these steps as needed.
12. Do not operate the wheelbarrow while under the influence of alcohol or drugs.
13. Always be sure of your footing. A slip and fall can cause serious personal injury.
14. Operate only in daylight or good artificial light. Walk, never run.
15. Only use parts and accessories made for this machine by the manufacturer. Failure to do so can result in personal injury.
16. If situations occur which are not covered in this manual, use care and good judgement. Contact your nearest Approved Service Dealer or ourselves for assistance

SLOPE OPERATION

Slopes are a major factor related to slip and fall accidents, which can result in severe injury. Operation on slopes requires extra caution. If you feel uneasy on a slope, do not till on it. If the slope is greater than 15 degrees, do not use on it.

Do:

1. Walk across the face of slopes; never up and down. Exercise extreme caution when changing direction on slopes.
2. Watch for holes, ruts, rocks, hidden objects, or bumps which can cause you to slip or trip. Tall grass can hide obstacles.
3. Always be sure of your footing. A slip and fall can cause serious personal injury. If you feel you are losing your balance, release the wheelbarrow immediately.

Do Not:

1. Do not use it near drop-offs, ditches or embankments, you could lose your footing or balance.
2. Do not use it on slopes greater than 15 degrees.
3. Do not use it on saturated soil. Unstable footing could cause slipping.

CHILDREN

Tragic accidents can occur if the operator is not alert to the presence of children. Children are often attracted to the wheelbarrow and the activity. They do not understand the dangers. Never assume that children will remain where you last saw them.

1. Keep children out of the working area and under care of a responsible adult other than the operator.
2. Be alert and stop if a child enters the area.
3. Before and while moving backwards, look behind and down for small children.
4. Use extreme care when approaching blind corners, doorways, shrubs, trees, or other objects that may obscure your vision of a child who may run into the wheelbarrow.
5. Never allow children under 16 years of age to operate this machine. Children 16 and over should read and understand the instructions and safe operation practices in this manual and on the machine and be trained and supervised by an adult.

PERSONAL SAFETY

1. This machine is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the machine by a person responsible for their safety.
2. Children should be supervised to ensure that they do not use or play with the machine.
3. Stay alert, watch what you are doing and use common sense when operating this machine.
4. Do not use this machine while you are tired, ill or under the influence of drugs, alcohol, or medication. A moment of inattention while operating this machine can cause you to lose control & may result in series personal injury.
5. Dress properly. Do not wear loose clothing or jewellery. Keep your hair, clothing & gloves away from moving parts. Loose clothes, jewellery or long hair can be caught in moving parts.

SAFE LIFTING

1. Think before lifting/handling. Plan the lift. Where is the load going to be placed? Will help be needed with the load? Remove obstructions. For a long lift, consider resting the load midway to change grip.
2. Adopt a stable position. Your feet should be apart, with one leg slightly forward to maintain balance. Be prepared to move your feet during the lift to maintain your stability. Avoid tight clothing or unsuitable footwear, which may make this difficult.
3. Get a good hold. Ensure you have a good grip of the handles.
4. Start in a good posture. At the start of the lift, slight bending of the back, hips and knees is preferable to fully flexing the back (stooping) or fully flexing the hips and knees (squatting).
5. Don't flex the back any further while lifting. This can happen if the legs begin to straighten before starting to raise the load.
6. Keep the load close. Keep the load close to the body for as long as possible while lifting.
7. Avoid twisting the back or leaning sideways, especially while the back is bent. Shoulders should be kept level and facing in the same direction as the hips. Turning by moving the feet is better than twisting and lifting at the same time.
8. Keep your head up when handling. Look ahead, not down, once the load has been held securely.

9. Move smoothly. The load should not be jerked or snatched, this can make it harder to keep control & can increase the risk of injury.
10. Don't lift or handle more than can be easily managed. There is a difference between what people can lift and what they can safely lift. If in doubt, get help.
11. Put down, then adjust. If precise positioning of the load is necessary, put it down first, then push it into the desired position.

ASSEMBLY

This product must be assembled correctly before use.

Carefully remove the product and any accessories from the carton. Please ensure that you have all the below necessary parts, before commencing with the assembly. In the unlikely event that you are missing a component, please do contact us for assistance.

Tel: 01793 333212, option 2

Email: cs@webbgardenpower.co.uk

February to October - Monday to Friday 8.00am to 5.00pm excl. Bank Holidays

November to January - Monday to Friday 8.30am to 5.00pm excl. Bank Holidays



WARNING

If any parts are damaged or missing do not operate this product until the parts are replaced. Failure to heed this warning could result in serious personal injury.

Do not attempt to modify this product or create accessories not recommended for use with this product. Any such alteration or modification is misuse and could result in a hazardous condition leading to possible serious personal injury.

STEP 1

Attach the front frame to the handle frame, using 2x M8x45 bolt, washer & nut.



STEP 2

Attach the wheel onto the front frame, using 19x138mm wheel axle, washer x2, bolt x2.



STEP 3

Fit the crossbar to the front frame, using the slots provided.



STEP 4

Attach the tub to the crossbar, using 1x M8x20 bolt, washer & nut.



STEP 5

Secure the tub to front & handle frames, using 4x M8x30 bolt, washer and nut.



YOUR COMPLETED WHEELBARROW



OPERATION

Wheelbarrows don't have any moving parts or sharp edges and are easy to use, but they can cause serious injuries. Anytime you balance a heavy load on a single wheel, you have to pay attention to what you're doing. Because there's no top to a wheelbarrow, you may think you can keep loading it as long as the material doesn't fall out, but overloading a wheelbarrow is a sure way to lose control of it. Use the following tips to stay safe while using a wheelbarrow:

1. Make sure to only put in a wheelbarrow the amount of weight you can physically handle on a hill or when turning a corner.
2. Make several trips for large loads. Don't try to carry it all at once.
3. When you raise and lower the handles of a wheelbarrow, treat them like any other heavy load you lift. Follow proper lifting techniques.
4. Balance the load over the wheel for good control.
5. Don't move too quickly.
6. Keep a tight grip on the handles.
7. If you lose control of a wheelbarrow, let go of the handles and warn others.
8. Keep wheelbarrow wheels properly lubricated.

CLEANING, MAINTENANCE & STORAGE



WARNING

Damaged tools can fail, causing serious personal injury. Do not use damaged tools. If abnormal noise or vibration occurs, have the problem corrected before further use.

1. Before each use, inspect the general condition of the wheelbarrow. Check for loose bolts, misalignment or binding of moving parts, cracked or broken parts & any other condition that may affect its safe operation.
2. After each use, thoroughly clean the wheelbarrow using clean water. Do not use solvents. Then dry.
3. Periodically add a few drops of lubricating multipurpose oil or grease to the wheel bearings.
4. When storing, keep the wheelbarrow in a clean, dry, safe location out of reach of children and other unauthorised people.

PARTS DIAGRAM & LIST – WEWB90 (1938335001)



NOTE: Parts Lists are supplied for information purposes only, not all parts are stocked individually & we recommend you contact our Spares Team on 01793 333212 for expert advice.



Item No.	Part No.	Description	Qty
1	WE223-1	Front Frame	1
2	WE223-2	Handle Frame	1
3	TH221-3	14x3.50-8 Puncture-proof Wheel Assembly	1
4	WE223-4	Crossbar	1
5	WE223-5	Tub	1
6	TH221-6	Fixing Kit	1

GJ HANDY & CO LTD USER WARRANTY POLICY

Users Statement of Warranty

Each new machine is warranted against defective material or assembly of material under normal usage. The warranty applies to the original purchaser and covers faulty parts and the labour involved in replacing and repairing those parts, which are of original manufacture.

Period of Warranty

The Handy (Petrol & Electric only), Webb (excludes Dynamic, Heritage, Legacy), Sanli Engine

- a) 2 years from the original date of sale to the first domestic user.
- b) 90 days from the original date of sale to the professional/commercial user.
- c) 90 days from the original date of sale when used for hire.
- d) A reduced warranty period of 90 days applies to those items which are subject to normal wear and tear (e.g. but not limited to wheels, tyres, cutter bars, cylinders, cutting blades, blade boss, belts, cables, nylon line & spool, collection bags, spark plugs).
- e) Engines are supplied with a separate warranty to the machine. The engine manufacturers warranty statement which will be supplied within the engine instruction manual. All enquiries and warranty repairs should be discussed with the engine manufacturer or approved warranty repair dealer.
- f) 90 days from the original date of purchase for Replacement Spare Parts (unless normal wear & tear component, which are covered for 30 days).
- g) All machines' must be serviced within the first 12 months from the original date of purchase to comply with the warranty (if applicable), failure to do so will invalidate the 2nd year of the warranty.

Webb Dynamic, Heritage & Legacy, Handy (All non-Petrol & Electric), Mowerland, Q-Garden

- a) 1 year from the original date of sale to the first domestic user.
- b) 90 days from the original date of sale to the professional/commercial user.
- c) 90 days from the original date of sale when used for hire.
- d) A reduced warranty period of 90 days applies to those items which are subject to normal wear and tear (e.g. but not limited to wheels, tyres, cutter bars, cylinders, cutting blades, blade boss, belts, cables, nylon line & spool, collection bags, spark plugs).
- e) Engines are supplied with a separate warranty to the machine. The engine manufacturers warranty statement which will be supplied within the engine instruction manual. All enquiries and warranty repairs should be discussed with the engine manufacturer or approved warranty repair dealer.
- f) 90 days from the original date of purchase for Replacement Spare Parts (unless normal wear & tear component, which are covered for 30 days).

All warranty repairs must be undertaken by an authorised service dealer. These dealers have been accredited by GJ Handy & Co Ltd and agree to only use genuine parts and follow our repair procedures.

Not covered by this warranty

- a) The warranty policy does not cover any depreciation or damages caused by ordinary wear, rusting or corrosion, lack of correct maintenance or operation, misuse, abuse, lack of transportation or accident.
- b) The warranty policy does not cover any costs necessary for the standard periodic maintenance services instructed by the operator's manual, or service parts replacement which would include oil, filters, tyres, belts, brake linings, fuses, blades, seals and other service parts unless it can be proven that the item has evidence of faulty manufacture.
- c) The warranty policy will not cover failure or damage caused as a result of parts or accessories being modified without the written approval of GJ Handy & Co Ltd.
- d) The warranty policy will not cover the unit if non-genuine parts have been fitted and as a result damage has occurred to the unit.
- e) The warranty policy is non-transferable and is only applicable to the original purchaser.

Disclaimer

- a) This warranty is only a remedy for defect of products. GJ Handy & Co Ltd will never warranty in terms of the merchantability or the fitness for a particular purpose.
- b) No person is authorised to make any warranties, representations or promises, expressed or implied, on behalf of GJ Handy & Co Ltd, or to modify the terms conditions or limitation of this warranty policy in any way.
- c) Neither GJ Handy & Co Ltd nor any company affiliated with GJ Handy & Co Ltd shall be liable in any event or manner whatsoever for incidental or consequential damages or injuries, including, but not limited to, loss of crops, loss of profit, out of pocket expenses or profits, rental of substitute equipment or other commercial losses.

General

- a) Most warrantable failures show up within the first few weeks of use. These failures are usually straightforward and warranty assessment is relatively easy.
- b) Failures relating to cutter decks and belts need careful investigation, as the cause may not always be straightforward. Look for damage to blades and pulleys especially when the cutter belt or blade boss have snapped or cracked as this could be due to impact damage.
- c) Customers should always refer to the operator/instruction manual when any disputed problem arises, you will find most areas covered within the manual.

For support contact us:

Tel: 01793 333212

Email: cs@webbgardenpower.co.uk

For Spare Parts:

Email: parts@webbgardenpower.co.uk

Opening Hours Weekdays:

February to October 8:00am – 5:00pm

November to January 8:30am – 5:00pm

(CLOSED WEEKENDS & BANK HOLIDAYS)

Distributed by Handy, Murdock Road, Dorcan, Swindon, SN3 5HY

Copyright Notice

Copyright © Handy

Permission is granted to reproduce this publication for personal & educational use only.

Commercial copying, redistribution, hiring or lending is prohibited.

No part of this publication may be stored in a retrieval system or transmitted in any other form or means without written permission from Handy.

In all cases this copyright notice must remain intact.