

AL-KO

QUALITY FOR LIFE

2024-25

SEASONAL GARDEN PRODUCTS

FOR EVERY SEASON





**AL-KO**

QUALITY FOR LIFE

CONTENTS

SCARIFIERS	4-7
LAWN ROLLER	8
MULTI-CUTTER	9
CULTIVATORS	10-13
LOG SPLITTERS	14-17
BRUSHCUTTER & TRIMMERS	18-21
MULTI-TOOL	22-23
HEDGE TRIMMERS	24-25
LEAF BLOWERS & VACUUMS	26-27
SCYTHE MOWERS	28-29
COMBI-TOOL	30-31



SCARIFIERS



PERFECT PREPARATION FOR YOUR SUMMER OUTDOORS

In addition to regular mulching, lawns should be scarified in the spring and/or autumn to allow the lawn to breathe. The steel blades of the scarifier penetrate the turf and remove lawn thatch, moss and plant remains. After scarifying, the area should be fertilised directly, re-seeded and thoroughly watered. Such

measures improve both nutrient absorption and irrigation, and ultimately encourage growth. With a choice of battery, electric or petrol powered scarifiers from AL-KO, you will find the perfect device to efficiently help you with this rejuvenating treatment.

A REAL ALL ROUNDER

Depending on the model, our scarifiers are equipped with several functions. They can be easily recognised by the following logos in the tables:

2INONE function and **3INONE** function.

The functions are explained using these symbols:



2INONE function

SCARIFYING AND
GRASS CATCHING



3INONE function

SCARIFYING,
AERATING AND GRASS
CATCHING

SAFETY FIRST

The safety indicator, which is located adjacent to the working depth controller, clearly shows whether the roller has been installed properly. The red border indicates that the roller was not correctly installed.

Available for the following **COMFORT** model: 38 E and 38 P Combi Care.



EASY CASSETTE CHANGING

The cassette can be changed quickly and simply without any tools.

ALWAYS THE RIGHT WORKING DEPTH

The working depth can be individually adjusted with just one movement. This guarantees optimum scarifying results, specially tailored to your requirements.



STORING AWAY IS CHILD'S PLAY

Scarifiers can be folded up to save space in seconds. This makes transportation easy and guarantees space saving storage.

SCARIFIERS



SCAN THE QR CODE
AND DOWNLOAD
THE PRICE LIST



SF 4036 

38 E Combi
Care 

38 P Combi
Care Comfort 

COMFORT

COMFORT

COMFORT

Working width / scarifying roller	36 cm / 12 steel blades	38 cm / 14 steel blades	38 cm / 14 steel blades
Working depth	+10 to -11 mm	+6 to -14 mm	+2 to -17 mm
For lawns up to	350 m ^{2**}	800 m ²	1200 m ²
Working width / aerator roller	Optional accessories 36 cm / 40 steel spring tines art. no. 113 621	38 cm / 24 steel spring tines	38 cm / 24 steel spring tines
Engine	AL-KO 36 V 	Electric	AL-KO 144 F
Power	Li-ion 36V 4.0Ah / 5.0Ah / 8.0Ah	1300 W	53 cc / 1.3 kW / 6100 rpm
Height adjustment	Central, 5-stage	Central, 5-stage	Central, 5-stage
Chassis	Plastic	Plastic	Plastic
Grass collector volume / material	Optional accessories 50 l / fabric art. no. 113 622	55 l / fabric	55 l / fabric
Function	3INONE function***	3INONE function	3INONE function
Approx. weight	11.7 kg	12 kg	22 kg
Warranty	2 year	2 year	5 year*
Art. no.	113 574 (without battery and charger)	112 910	112 799



FABRIC COLLECTION BAG

For SF 4036 with 50 l volume

EAN no. 400 371 805 8611

Art. no. 113 622



LAWN RAKE

For SF 4036 with 40 steel spring tines

EAN no. 400 371 805 8604

Art. no. 113 621





LAWN ROLLER



THE HANDY HELPER

The lawn roller assists you when it comes to re-laying or reseeding your lawn. You can flatten the ground and press in the seeds after sowing. This gives the seeds the best chance of success and protects them against rain, wind and hungry animals. The lawn roller is easy to manoeuvre and sturdy, being made of steel.

engineered in
GERMANY 

 made in
AUSTRIA



GW 50

PREMIUM

Working width	50 cm
Material	Steel
Weight filled with water	72 kg
Weight filled with sand	120 kg
Empty weight approx.	13 kg
Warranty	2 year
Art. no.	119 104



MULTI-CUTTER



THE SMALL MULTI TALENTED MULTI-CUTTER FOR QUICK TRIMMING

Thanks to the quick blade change system, the blades can be changed within just a few seconds – without tools and without having to get your hands dirty. Can be used for trimming grass and shrubs. They are light and easy to manoeuvre, with a long service life and low self discharge.



EXTENSION HANDLE

For Multicutter GS 7.2 Li, with the extension handle, longer sections can also be trimmed very comfortably without having to bend over.

EAN no. 400 371 805 6655

Art. no. 113 477



Multicutter GS 7.2 Li

COMFORT

Power	Li-ion 7.2V 2.0Ah (built-in battery)
Shrub blade length	16 cm
Shrub cutting area coverage	32 m ²
Grass shears cutting width	8 cm
Grass shears cutting performance	450 m
Approx. weight	550 g
Warranty	2 year
Art. no.	113 371



CULTIVATORS



POWERFUL TOOLS FOR LOOSENING SOIL

Our easy to manoeuvre cultivators help you to loosen the soil, making it ready for plants and seeds to be sown - with little effort, in a way that is gentle on your back. They support you when it comes to efficiently working shredded material, organic fertiliser or topsoil into the soil, which support the nutrient richness of your soil.

The powerful engines with high power reserves effectively loosen the soil and that's even on loamy soils. The ergonomic handlebars combined with a balanced weight distribution make it simple and fast to guide the cultivator.



GREATER SAFETY

The locked hand safety lever prevents accidental turning of the tiller blades.

ERGONOMIC GARDENING

The shaped handlebar can be individually adjusted to suit the height of the operator, ensuring relaxed, fatigue free working. The ability to swivel the handlebar sideways (MH 770 and MH 1150) also permits working without treading on the soil that has already been cultivated.



QUALITY SOIL

Specially shaped tiller blades combined with powerful engines guarantee that you can effectively work the ground into quality soil.



SCAN THE QR CODE
AND DOWNLOAD
THE PRICE LIST



MH 360

EASY



For areas up to	150 m ²
Power	139 cc / 2.2 kW / 3100 rpm
Transmission	Worm gear
Working width	36 cm
Cultivator blades	2 + 2 (4 / unit)
Tine Ø	25 cm
Forward gear	✓
Reverse gear	-
Plant guard	-
Adjustable handlebar	-
Transport wheel	✓ (front)
Included in delivery	-
Approx. weight	34 kg
Warranty	5 year*
Art. no.	113 969

**MH 770****MH 1150****COMFORT****PREMIUM**670 m²670 m²

196 cc / 3.45 kW / 3100 rpm

212 cc / 3.6 kW / 3100 rpm

Chain gear

Chain gear

77 cm

115 cm

3 + 3 (4 / unit)

4 + 4 (4 / unit)

33 cm

36 cm

✓ (2 speeds)

✓ (2 speeds)

✓

✓

✓

✓

Vertical and horizontal

Vertical and horizontal

✓ (front)

✓ (wheel set)

Lateral discs

Lateral discs and wheel set

63 kg

98 kg

5 year*

5 year*

113 971**113 972****RIDGE PLOUGH 770**

For MH 770

EAN no. 400 371 806 3240

Art. no. 113 973**RIDGE PLOUGH 1150**

For MH 1150

EAN no. 400 371 806 3257

Art. no. 113 974**BED PLOUGH**

For MH 770, MH 1150

EAN no. 400 371 806 3264

Art. no. 113 975**POTATO PLOUGH**

For MH 770, MH 1150

EAN no. 400 371 806 3271

Art. no. 113 976**SET OF STEEL WHEELS MH 770**

For MH 770, for better traction when used with ploughs

EAN no. 400 371 806 3288

Art. no. 113 977**SET OF STEEL WHEELS MH 1150**

For MH 1150, for better traction when used with ploughs

EAN no. 400 371 806 3295

Art. no. 113 978



LOG SPLITTERS



EASILY SPLIT FIREWOOD FOR WINTER

Splitting wood by hand with an axe is a physically demanding and time consuming task, with a potential risk of injuries under certain circumstances. To make your future work more comfortable and even safer, you can split your firewood with powerful log splitters. In doing so, your stock of firewood for the winter will be built up in no time. Thanks to their proven performance, our extremely durable horizontal and vertical splitters are highly valued for producing firewood.

Looking for power: Our log splitters work with 230 V as standard and they are able to produce a splitting force of up to 6 tonnes when splitting wood. Thanks to their compact design, our log splitters can be stored in the tool shed, outhouse or garage. Making firewood has never been so easy!



EXCEPTIONAL SAFETY

Hand protection, 2 handed operation, wood holding tool and wood supports on the sides make using our log splitters not only incredibly safe – they also make working with them an absolute pleasure.

Available for vertical **EASY** models.

PERFECTLY ADJUSTABLE

An upper guard, rapid return of the splitting blade and an adjustable holder provide the foundations for exceptional productivity.

Available for vertical **EASY** models.



SHELF INCLUDED

The log supports on the splitting table keep the wood in the centre of the tool. The split wood is pushed onto the splitting table and from there it is easy and safe to remove. You can even allow the wood to drop into a wheelbarrow.

Available for horizontal **EASY** models.

HORIZONTAL LOG SPLITTERS

- ✓ POWERFUL LOG SPLITTERS WITH SPLITTING FORCE UP TO 5 TONNES
- ✓ IDEAL FOR SPLITTING FIREWOOD UP TO 520 MM IN LENGTH
- ✓ COMPACT AND PORTABLE
- ✓ ERGONOMIC AND SAFE TO USE



SCAN THE QR CODE
AND DOWNLOAD
THE PRICE LIST



LSH 370/4

EASY



LSH 520/5

EASY

Power	1.5 kW / 230 V	2.2 kW / 230 V
Max. splitting force	4 t	5 t
Max. wood diameter	5 - 25 cm	5 - 25 cm
Max. splitting length	13 - 37 cm	20 - 52 cm
Approx. weight	48 kg	61 kg
Warranty	2 year	2 year
Art. no.	113 791	113 792



VERTICAL LOG SPLITTERS

- ✓ POWERFUL FOR LOGS UP TO 550 MM IN LENGTH
- ✓ EXTREMELY ROBUST CONSTRUCTION
- ✓ EASY TO MOVE AROUND AND STORE AWAY



LSV 550/6

EASY

3.0 kW / 230 V

6 t

8 - 30 cm

10 - 55 cm


98.2 kg

2 year

113 788



BRUSHCUTTERS & TRIMMERS



CUT THROUGH THE OVERGROWTH WITH POWER

Whether clearing your garden at home or for professional landscape management – you have numerous application options with the brushcutters from solo® by

AL-KO, along with suitable cutting tool attachments. And with various handle and harness variants, the user always has everything under control.



EASY START SYSTEM PRO

The next generation of the solo® by AL-KO petrol brushcutters has defined innovative technical standards from the offset: The starting procedure has been simplified in the seven different models and broken down into a few simple steps. The standard position of the Ready to Start switch is always in the ON position and there is no need to operate an additional lever for half-throttle assistance. The engine starts following a few pulls on the starter cord. The Easy Start System Pro (130 MT and 130 B models), ensures smooth starting, with very little exertion.



FAST AND EASY LINE HEAD AND ANTI-VIBRATION SYSTEM PRO

The Fast and Easy brushcutter head ensures simple threading and winding of the cutting line without opening the housing, for all battery and petrol brushcutters.

What's more, the most powerful model, the 151 B, is fitted with the professional anti-vibration system Pro, which enables low vibration operation.

MODERN 2-STROKE ENGINES

Whether clearing your garden at home or for landscape or forest management – the battery and petrol brushcutters from solo® by AL-KO ensure limitless trimming for homeowners and landowners. The state of the art brushcutters are setting high standards when it comes to technology and cost efficiency. They are easy to start, offer a high power to weight ratio and are easy to refill with nylon line.



LOW-EMISSION AIR COOLED ENGINES

The 130, 140 and 151 models of solo® by AL-KO petrol brushcutters also feature low-emission, and thus more environmentally friendly, air cooled engines. These efficient engines stand out with their high power output and excellent drive. Moreover, exhaust residues no longer remain in the engine due to air cleaning of the combustion chamber. This means a reduction in CO₂ production of up to around 45%, more power and decreased fuel consumption.



PETROL BRUSHCUTTERS & TRIMMERS



SCAN THE QR CODE
AND DOWNLOAD
THE PRICE LIST

130 MT

130 B

COMFORT

COMFORT

Blade / line cutting width	25 cm / 41 cm	25 cm / 41 cm
Engine cc / kW	2-stroke, air supply 30 cc / 0.9 kW	2-stroke, air supply 30 cc / 0.9 kW
Line type	Nylon double line, Ø 2.4 mm	Nylon double line, Ø 2.4 mm
Handle	Loop handle	Bike handle
Easy Start System Pro	✓	✓
Double harness Semi-Pro / Pro	✓ / -	✓ / -
Fast & Easy line head / blade	✓ / ✓	✓ / ✓
Fuel tank volume	0.7 l	0.7 l
Shaft tube Ø	26 mm	26 mm
Primer	✓	✓
Ready-to-Start switch	✓	✓
Anti-vibration / Anti-vibration system Pro	✓ / -	✓ / -
Maintenance-free bevel-gear drive	✓	✓
Approx. weight	5.5 kg	6 kg
Warranty	5 year*	5 year*
Art. no.	127 634	127 613



140 B


151 B

PREMIUM

PREMIUM

Blade / line cutting width	25 cm / 41 cm	25 cm / 41 cm
Engine cc / kW / HP	2-stroke, air supply 40.2 cc / 1.5 kw	2-stroke, air supply 50.8 cc / 1.9 kw
Line type	Nylon double line, Ø 2.4 mm	Nylon double line, Ø 2.4 mm
Handle	Bike handle	Bike handle
Easy Start System Pro	-	-
Double harness Semi-Pro / Pro	- / ✓	- / ✓
Fast & Easy line head / blade	✓ / ✓	✓ / ✓
Fuel tank volume	0.7 l	0.7 l
Shaft tube Ø	26 mm	28 mm
Primer	✓	✓
Ready-to-Start switch	✓	✓
Anti-vibration / Anti-vibration system Pro	✓ / -	- / ✓
Maintenance-free bevel-gear drive	✓	✓
Approx. weight	7.7 kg	8.5 kg
Warranty	5 year*	5 year*
Art. no.	127 615	127 616

PETROL MULTI-TOOL



130 MT

COMFORT

Engine	30 ccm / 0.9 kW / 1.22 HP
Basic tool length (without brushcutter attachment)	102 cm
Cutting width Blade / line	25 cm / 41 cm
Handle	Loop handle
Double harness Semi-pro / Pro	✓ / -
Line head / blade / mulching blade	✓ / ✓ / ✓
Fuel tank volume	0.7 l
Shaft tube	26 mm
Primer	✓
Easy-Start system Pro / Anti-vibration	✓ / ✓
Maintenance-free bevel-gear drive	✓
Approx. weight	5.5 kg
Included in delivery	3-tooth blade and Fast & Easy line head, shredder blade double harness
Warranty	5 year*

Art. no.

127 634



EXTENSION SHAFT MTA 130 MT

Warranty 2 year

Art. no.

127 637

100 cm Extension shaft

Additional height for pruning trees and hedges, split shaft made of robust cast aluminium.

Low-emission air cooled engine.

Easy Start System Pro – An easy way to start the engine without much effort.

Fast and Easy brushcutter head – Simple threading and winding of the cutting line without opening the head.



HEDGE TRIMMER ATTACHMENT HTA 130 MT

Bar length	60 cm
Pivoting angle	180°
Tooth gap	25 mm
Approx. weight	2.8 kg
Attachment length	156 cm
Warranty	2 year

Art. no.

127 636

Hedge trimmer attachment

60 cm long, double-sided blades. Eleven different angles with easy quick adjustment of the cutting head offer a working radius of approx. 180°



PRUNER ATTACHMENT PPA 130 MT

Bar length	25 cm
Pivoting angle	7 settings
Chain lubrication	automatic
Approx. weight	2 kg
Attachment length	111.5 cm
Warranty	2 year

Art. no. 127 635

Pruner attachment

Seven different angles with simple quick adjustment of the cutting head offer a working radius of approx. 93°
10" Oregon chain



ACCESSORIES FOR CSA MT 130



10" CHAINSAW BAR

EAN no. 400 371 806 3639
Art. no. 127 677



10" CHAINSAW CHAIN

EAN no. 400 371 806 3646
Art. no. 127 678

MULTI-TOOL KIT

Engine	30 ccm / 0.9 kW / 1.22 HP
Power Unit	130 MT inc. brushcutter attachment
Hedge Trimmer	HTA 130 MT
Pole Pruner	PPA 130 MT
Extension Shaft	MTA 130 MT
Warranty	5 year*

Art. no. 130MTKIT

PETROL HEDGE TRIMMERS



POWERFUL AND A CUT ABOVE THE REST, SAFE AND EASY TO MANOEUVRE

The powerful solo® by AL-KO 163-55 petrol hedge trimmer is the perfect machine when it comes to efficiently and immaculately cutting large and high hedges, shrubs and bushes. The 440 ml fuel tank means it can cover large areas – with a high working radius and plenty of free movement. Boasting 55 cm long steel safety blades, there is nothing standing in the way of you having an immaculately trimmed garden in no time at all. The anti-slip rubber handles, easy to access controls and the well balanced weight of the machine all play their part in taking the strain off you. Indeed, the main handle, adjustable in three positions,

provides ideal grip in any working position. The integrated anti-vibration system keeps the power of the petrol hedge trimmer under control – meaning your hands, arms and shoulders don't have to take the brunt of the machine.

Safety is paramount: Firstly, a petrol hedge trimmer offers great freedom of movement without the concern of cutting through the cable. Secondly, the bolted on cutter guard offers protection against injuries.



163-55

COMFORT

Power	0.68 kW / 0.9 HP
Blade length	610 mm
Tooth gap	35 mm
Engine CC	22.2 ccm
Adjustable rear handle	3-stage (90°-0°-90°)
Fuel tank capacity	440 ml
Clippings collector Art. no. 127 753	Optional
Approx. weight	5.2 kg
Warranty	5 year*

Art. no. 127 325



*5 year domestic warranty subject to annual servicing by an AL-KO service dealer.



PETROL LEAF BLOWERS AND VACUUMS



GATHER AND VACUUM LEAVES AND PLANT REMAINS

Our leaf vacuums offer two different functions if you want to clear leaves: Gather leaves by blowing them into a corner, then vacuum them up. In next to no time, you'll have cleared the leaves and other plant remains from your drive, walkway and lawn. Then, all you need to do is dispose of the leaves and plants on your compost heap or in the

garden bin. The large collecting bag of the 750P Premium pro leaf vac is fitted with a zip to make light work of emptying it. You won't want to be without the solo® by AL-KO leaf vac, especially in the autumn months and for larger gardens.

ACCESSORIES FOR 442



All accessories included.

ACCESSORIES FOR 750 P



SUCTION HOSE WITH NOZZLE

3 m, for 750 P leaf vacuum
Removes leaves and dirt
from the tightest corners
EAN no. 400 371 854 1731
Art. no. 120 154


442
750 P
COMFORT
PREMIUM

Power	27.6 ccm / 0.8 kW / 1,1 HP	140 ccm / 2.0 kW / 3000 rpm
Working width	-	75 cm
Leaf blowing	✓	-
Air speed	260 km/h	-
Leaf vacuuming	✓	✓
Fabric collector volume	55 l	200 l
Suction height adjustment	-	Individual wheel, 4-stage
Material reduction ratio	Up to 10:1	-
Turbine housing	-	Steel plate
Weight	4.8 kg	36.1 kg
Warranty	5 year*	5 year*
Art. no.	127 380	127 141



SCYTHER MOWERS

MANOEUVRABILITY FOR A NATURAL GARDEN



THE VERY BEST HANDLING - EVEN ON ROUGH TERRAIN

The AL-KO scythe mowers allows you to efficiently maintain large natural gardens, orchards, fields and pastures. In doing so, you are able to cut your grass in an ecological way, leaving it as natural as possible. To ensure comfortable use, the scythe mower is fitted with wide tyres, a powerful wheel drive with forward and reverse gears, a blade drive which can be engaged and disengaged and special hardened blades for a high level of durability. The ergonomic and vibration-

dampened handlebar, which is effortless to use, guarantees safe mowing and can be adjusted to the operators height. The powerful 150 ccm Briggs & Stratton engine ensures you get the job done easily and provides reliable power even in long undergrowth and thick weeds on terrain or slopes. This is where the machine shows its great manoeuvrability, which allows it to be used optimally at almost any meadow edge or field boundary.



SCAN THE QR CODE
AND DOWNLOAD
THE PRICE LIST



BM 875 III

5001-R III

COMFORT

COMFORT

Engine	Briggs & Stratton EXi 625	Briggs & Stratton EXi 625
Power	150 ccm / 2.3 kW / 3200 rpm	150 ccm / 2.3 kW / 3200 rpm
Cutting width	87 cm	102 cm
Forward / reverse gear	✓ / -	✓ / ✓
Blade drive can be disengaged	✓	✓
Tyre size (")	13 x 5.0 - 6	13 x 6.0 - 6
Weight	52 kg	58 kg
Warranty	5 year*	5 year*
Art. no.	113617	127 469

*5 year domestic warranty subject to annual servicing by an AL-KO service dealer.

COMBI-TOOL

ONE TOOL, MANY
POSSIBILITIES



THE ALL-ROUNDER

The combi-tool is a very powerful base unit and can optionally be equipped for four applications. Use the optional attachments to convert the basic unit for the desired use in next to no time. The 87 cm wide cutterbar converts the unit into a scythe mower for areas of up to 2000 m². The mower attachment is used to neatly mow meadows, while the tiller comes into its own for cultivating and breaking up soil. The ridge plough is the ideal tool for preparing the ground for potatoes and cultivating fruit. The drive to the attachments can be engaged and disengaged separately.

The powerful engine, connectable wheel drive with forward and reverse gears and the large, foam filled off road tyres guarantee easy manoeuvring and safe movement of the unit even on rough terrain, on even meadows and slopes which are tricky to access. The height adjustable and pivoting handlebar, which can be adapted to any height, is perfectly easy to use and ensures simple manoeuvring even in narrow, winding yards, on meadows and field boundaries.



Combi BF 5002-R I

COMFORT

ATTACHMENTS



CB 870 CUTTERBAR

Working width 870 mm
EAN no. 400 371 802 0038
Art. no. 110 494



FSM 530 MOWER ATTACHMENT

Working width 530 mm
EAN no. 400 371 802 4630
Art. no. 110 739



CF 500 TILLER

Working width 500 mm
EAN no. 400 371 802 0045
Art. no. 110 495



RIDGE PLOUGH

EAN no. 400 371 802 4661
Art. no. 110 742

Engine	Briggs & Stratton EXi 675
Power	163 ccm / 2.74 kW / 3200 rpm
Forward / reverse gear	✓ / ✓
Speed (FG / RG)	2.2 km/h / 1.1 km/h
Transmission	Oil-bath worm gear, V-belt drive
Tyre size (")	13 x 5.0 - 6
Handlebar	Height-adjustable, pivoting 180°
Weight	45 kg
Warranty	5 year*
Art. no.	127 470

*5 year domestic warranty subject to annual servicing by an AL-KO service dealer.



SCAN THE QR CODE TO
VIEW ALL THE 2024
PRODUCT CATALOGUES

AL-KO GARDENTECH UK

Murray Way
Wincanton
Somerset
BA9 9RS
shop-uk@al-ko.com
www.alko-garden.uk

Visit us at:



[@alko_gardentech_uk](https://www.instagram.com/alko_gardentech_uk)



facebook.com/ALKOGardenUK



[@al-kogardentechuk](https://www.youtube.com/@al-kogardentechuk)

Provided by your AL-KO dealer:

Subject to price changes and technical changes.
No liability accepted for mistakes and printing errors.

Part Number: POSBROAKSL24