

Manufacturers & Suppliers of Estate & Garden Machinery
TELEPHONE 01473 328272 • FAX 01473 327177
www.schsupplies.co.uk

OPERATING INSTRUCTIONS

MUST BE READ PRIOR TO OPERATING THIS MACHINE



Big Bale Transporter

Ref: BBT

DESCRIPTION

The Big Bale Transporter will pick up a large bale ready to be transported to the required site. The large low ground pressure wheels will allow the unit to be towed over unfriendly ground.

SPECIFICATIONS

Overall width	2000mm (80")
Overall Length (inc tow bar)	2400mm (96")
Unladen Weight	200kg
Carrying Capacity	1000kg
Wheel Size	20x10-8.4 stud pneumatic
Lifting jib	Hydraulic manual pump
Tow Hitch	50mm Ball hitch

OPERATION



Step 1. With the wooden base removed, reverse carrier to the bale



Step 2. Remove the two bale lifting pins



Step 3. Insert the pins into the centre of the bale from both sides



Step 4. Pump the crane to lift the bale



Step 5. Replace the wooden base into frame under bale



Step 6. Lower bale to floor of trailer before moving

SAFETY INSTRUCTIONS

- Be aware of your surroundings and do not use the transporter in close proximity to other people.
- Never allow people to ride on the frame
- Always secure the bale before moving
- Do not move off before lowering bale onto the trailer base
- Do not travel at speeds which would allow the unit to bounce

If in doubt, please call the SCH customer help line at **01473 328272**.

WARRANTY

Your Artificial Surface Grooming Rake is guaranteed for 12 months from the date of purchase. This guarantee covers faults which may occur from defective parts or manufacture.

Damage caused by inability to follow instructions will void warranty.



If you are missing your free brochure contact us on 01473 328272, email sales@schsupplies.co.uk, or visit our website www.schsupplies.co.uk

